

## A new generation of high-performance floorcare

When hard flooring needs a bit of extra effort to get the best results, the Viper AS series is ready to make the difference, with dual-brush or orbital-deck models for applications ranging from heavy-duty scrubbing to surface-stripping.




Easy operation, high tank capacity, and the resource-efficiency needed to get the job done quickly and effectively, make the intuitive AS models an ideal match for cleaning programs that need consistent results across medium- and large-sized spaces.

- Adjustable brush-pressure settings make it easy to handle all kinds and levels of dirt
- Solution-flow management ensures optimal control of detergent dosage
- Eco and Silent modes make it easy to clean over longer periods or in sound-sensitive areas
- Easy access to solution tank, battery, and working components, with tool-free squeegee-blade removal
- Convenient controls and LCD display for fast, effective training and operation






Picture shown may not represent model quoted

● Standard equipment




Included accessories	Ref. no.	Min. required	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
<b>Pad Holder</b>					
 PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	•		
 PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2		•	
<b>Disc Brush 330 mm</b>					
 BRUSH DISC 330MM 13 PPL	VF83127	2	•		
<b>Disc Brush 380 mm</b>					
BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		•	
<b>Squeegee Blade</b>					
BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
BLADE FRONT RUBBER 830MM 33IN	VS14637	1	•		
BLADE FRONT RUBBER 940MM 37IN	VS14635	1		•	•
BLADE REAR LINATEX 830MM 33IN	VS14640	1			
BLADE REAR RUBBER 830MM 33IN	VS14638	1	•		
BLADE REAR RUBBER 940MM 37IN	VS14636	1		•	•



## A new generation of high-performance floorcare




Included accessories	Ref. no.	Min. required	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
 BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			•
 BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			
 BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1			
<b>Flap and Skirt</b>					
SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
<b>Other</b>					
TRAY DEBRIS KIT	VS14744	1	•	•	•

• Standard equipment




Included accessories	Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
<b>Pad Holder</b>					
 PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2			
 PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			
<b>Disc Brush 330 mm</b>					
 BRUSH DISC 330MM 13 PPL	VF83127	2			
<b>Disc Brush 380 mm</b>					
BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		•	
<b>Squeegee Blade</b>					
BLADE FRONT LINATEX 830MM 33IN	VS14639	1	•		
BLADE FRONT RUBBER 830MM 33IN	VS14637	1			
BLADE FRONT RUBBER 940MM 37IN	VS14635	1			
BLADE REAR LINATEX 830MM 33IN	VS14640	1	•		
BLADE REAR RUBBER 830MM 33IN	VS14638	1			
BLADE REAR RUBBER 940MM 37IN	VS14636	1			



## A new generation of high-performance floorcare




Included accessories	Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
 BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1		•	
 BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1		•	•
 BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1		•	•
<b>Flap and Skirt</b>					
SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
<b>Other</b>					
TRAY DEBRIS KIT	VS14744	1	•	•	•

## • Standard equipment




Included accessories	Ref. no.	Min. required	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
<b>Pad Holder</b>					
 PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	•		
 PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			
<b>Disc Brush 330 mm</b>					
 BRUSH DISC 330MM 13 PPL	VF83127	2	•	•	
<b>Disc Brush 380 mm</b>					
BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			•
<b>Squeegee Blade</b>					
BLADE FRONT LINATEX 830MM 33IN	VS14639	1			
BLADE FRONT RUBBER 830MM 33IN	VS14637	1	•	•	
BLADE FRONT RUBBER 940MM 37IN	VS14635	1			•
BLADE REAR LINATEX 830MM 33IN	VS14640	1			
BLADE REAR RUBBER 830MM 33IN	VS14638	1	•	•	
BLADE REAR RUBBER 940MM 37IN	VS14636	1			•



A new generation of high-performance floorcare




Included accessories	Ref. no.	Min. required	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
 BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			
 BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			
 BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1			
<b>Flap and Skirt</b>					
SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	•
<b>Other</b>					
TRAY DEBRIS KIT	VS14744	1	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	AS7190TO-CN SCRUBBER ORB 28 IN
<b>Pad Holder</b>			
 PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	
 PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	
<b>Disc Brush 330 mm</b>			
 BRUSH DISC 330MM 13 PPL	VF83127	2	
<b>Disc Brush 380 mm</b>			
BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2	
<b>Squeegee Blade</b>			
BLADE FRONT LINATEX 830MM 33IN	VS14639	1	
BLADE FRONT RUBBER 830MM 33IN	VS14637	1	
BLADE FRONT RUBBER 940MM 37IN	VS14635	1	•
BLADE REAR LINATEX 830MM 33IN	VS14640	1	
BLADE REAR RUBBER 830MM 33IN	VS14638	1	
BLADE REAR RUBBER 940MM 37IN	VS14636	1	•



A new generation of high-performance floorcare

Included accessories		Ref. no.	Min. required	AS7190TO-CN SCRUBBER ORB 28 IN
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1	
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1	
<b>Flap and Skirt</b>				
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	
<b>Other</b>				
	TRAY DEBRIS KIT	VS14744	1	•

Model	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
Ref. no.	50000569	50000570	50000571

PRODUCT FEATURES

Adjustable brush pressure	•	•	•
Click on-off brush	•	•	
Debris tray	•	•	
Display on machine	•	•	
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•
ECO mode	•	•	•
Traction drive	•	•	•

Model	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
Ref. no.	50000572	50000573	50000574

PRODUCT FEATURES

Adjustable brush pressure	•	•	•
Click on-off brush	•	•	
Debris tray	•	•	
Display on machine	•	•	
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•



A new generation of high-performance floorcare

Model	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
Ref. no.	50000572	50000573	50000574

PRODUCT FEATURES

ECO mode	•	•	•
Traction drive	•	•	•

Model	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
Ref. no.	50000575	50000576	50000577

PRODUCT FEATURES

Adjustable brush pressure	•	•	•
Click on-off brush	•	•	•
Debris tray	•	•	•
Display on machine	•	•	•
Squeezable drain hose with flow control	•	•	•
One-Touch™ Button	•	•	•
ECO mode	•	•	•
Traction drive	•	•	•

Model	AS7190TO-CN SCRUBBER ORB 28 IN
Ref. no.	50000578

PRODUCT FEATURES

Adjustable brush pressure	•
Click on-off brush	
Debris tray	
Display on machine	
Squeezable drain hose with flow control	•
One-Touch™ Button	•
ECO mode	•
Traction drive	•



## A new generation of high-performance floorcare

Technical specifications	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
Voltage (V)	24 V	24 V	24 V
Sound pressure level (dB(A))	69 ± 3	69 ± 3	69 ± 3 dB (A)
Cleaning width (mm)	660 mm	760 mm	710 mm
Min. aisle turn (cm)	155 cm	165 cm	160 cm
Solution tank (l)	85	85	85
Recovery tank (l)	90	90	90
Brush pressure (g/cm <sup>2</sup> )	32 Kg	35 Kg /77 Lbs 43 Kg /95 Lbs 51 Kg /112 Lbs	42 / 54 / 65 Kg
Gross weight (gvw) (kg)	347 Kg	350 Kg	360 Kg
Shipping weight (kg)	202 Kg	205 Kg	215 Kg
Length	1490 mm	1550 mm	1490 mm
Height	1020 mm	1020 mm	1020 mm
Pad/Brush Size	330 mm x 2	380 mm x 2	355x710 mm
Solution flow	0.9/1.5/2.2/3 Liters	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons	(0.6/1.1/1.9/2.5) Liters (0.16/0.29/0.5/0.66) Gallons
Battery compartment size (L x W x H)	620 x 385 x 390 mm	620 x 385 x 390 mm	620 x 385 x 390 mm
Sound level - silent mode	65 ± 3	65 ± 3	65 ± 3 dB (A)
Machine speed	0 - 4.0 Km	0 - 4.0 Km	0 – 3.2 Km / 0 – 2.0 Miles per hour
Cleaning productivity (max.)	2640 m <sup>2</sup> /h	3040 m <sup>2</sup> /h	2272 m <sup>2</sup> /h
Width without squeegee	730 mm	830 mm	750mm
Width with squeegee	830 mm	950 mm	950 mm
Packaging dimensions	1620 x 810 x 1200 mm	1660 x 910 x 1200 mm	1660 x 910 x 1200 mm

Technical specifications	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
Voltage (V)	24 V	24 V	24 V
Sound pressure level (dB(A))	69 ± 3 dB (A)	69 ± 3 dB (A)	69 ± 3 dB (A)
Cleaning width (mm)	660 mm / 26 Inches	760 mm / 30 Inches	710 mm / 28 Inches
Min. aisle turn (cm)	155cm/61 Inches	165 cm/65 Inches	160 cm/63 Inches
Solution tank (l)	85 L / 22 Gal.	85 L / 22 Gal.	85 L / 22 Gal.
Recovery tank (l)	90 L / 24 Gal.	90 L / 24 Gal.	90 L / 24 Gal.
Brush pressure (g/cm <sup>2</sup> )	32 Kg /71 Lbs 41 Kg /90 Lbs 49 Kg /108 Lbs	35 Kg /77 Lbs 43 Kg /95 Lbs 51 Kg /112 Lbs	42 Kg / 93 Lbs 54 Kg / 120 Lbs 65 Kg / 143 Lbs
Gross weight (gvw) (kg)	347 Kg / 765 Lbs.	350 Kg / 772 Lbs.	360 Kg / 794 Lbs.
Shipping weight (kg)	202 Kg / 444 Lbs.	205 Kg / 451 Lbs.	215 Kg / 473 Lbs.
Length	1490 mm/59 Inches	1550mm/61 Inches	1490 mm/59 Inches



A new generation of high-performance floorcare

Technical specifications	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
Height	1020 mm / 40 Inches	1020 mm / 40 Inches	1020 mm / 40 Inches
Pad/Brush Size	330 mm x 2 / 13 Inches x 2	380mm x 2 / 15 Inches x 2	355710 mm / 14x28 Inches
Solution flow	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons	(0.6/1.1/1.9/2.5) Liters (0.16/0.29/0.5/0.66) Gallons
Battery compartment size (L x W x H)	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3 dB (A)	65 ± 3 dB (A)	65 ± 3 dB (A)
Machine speed	0 - 4.0 Km / 0 - 2.5 Miles per hour	0 - 4.0 Km / 0 - 2.5 Miles per hour	0 - 3.2 Km / 0 - 2.0 Miles per hour
Cleaning productivity (max.)	2640 m2/h	3040 m2/h	2272 m2/h
Width without squeegee	730 mm/29 Inches	830mm/33 Inches	750mm/30 Inches
Width with squeegee	830 mm/33 Inches	950 mm/38 Inches	950 mm/38 Inches
Packaging dimensions	(1620 x 810 x 1200 mm) / (64 x 32 x 48 Inches)	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)

Technical specifications	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
Voltage (V)	24 V	24 V	24 V
Sound pressure level (dB(A))	69 ± 3	69 ± 3	69 ± 3 dB (A)
Cleaning width (mm)	660 mm	660 mm	760 mm
Min. aisle turn (cm)	155 cm	155 cm	165 cm/65 Inches
Solution tank (l)	85	85	85 L / 22 Gal.
Recovery tank (l)	90	90	90 L / 24 Gal.
Brush pressure (g/cm²)	32 Kg	32 Kg	35 Kg / 77 Lbs 43 Kg / 95 Lbs 51 Kg / 112 Lbs
Gross weight (gvw) (kg)	347 Kg	347 Kg	350 Kg / 772 Lbs.
Shipping weight (kg)	202 Kg	202 Kg	205 Kg / 451 Lbs.
Length	1490 mm	1490 mm	1550mm/61 Inches
Height	1020 mm	1020 mm	1020 mm / 40 Inches
Pad/Brush Size	330 mm x 2	330 mm x 2	380mm x 2 / 15 Inches x 2
Solution flow	0.9/1.5/2.2/3 Liters	0.9/1.5/2.2/3 Liters	(0.9/1.5/2.2/3) Liters (0.24/0.39/0.58/0.79) Gallons
Battery compartment size (L x W x H)	620 x 385 x 390 mm	620 x 385 x 390 mm	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3	65 ± 3	65 ± 3 dB (A)
Machine speed	0 - 4.0 Km	0 - 4.0 Km	0 - 4.0 Km / 0 - 2.5 Miles per hour





A new generation of high-performance floorcare









Technical specifications	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
Cleaning productivity (max.)	2640 m2/h	2640 m2/h	3040 m2/h
Width without squeegee	730 mm	730 mm	830mm/33 Inches
Width with squeegee	830 mm	830 mm	950 mm/38 Inches
Packaging dimensions	1620 x 810 x 1200 mm	1620 x 810 x 1200 mm	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)

Technical specifications	AS7190TO-CN SCRUBBER ORB 28 IN
Voltage (V)	24 V
Sound pressure level (dB(A))	69 ± 3 dB (A)
Cleaning width (mm)	710 mm
Min. aisle turn (cm)	160 cm/63 Inches
Solution tank (l)	85 L / 22 Gal.
Recovery tank (l)	90 L / 24 Gal.
Brush pressure (g/cm <sup>2</sup> )	42 Kg / 93 Lbs 54 Kg / 120 Lbs 65 Kg / 143 Lbs
Gross weight (gvw) (kg)	360 Kg / 794 Lbs.
Shipping weight (kg)	215 Kg / 473 Lbs.
Length	1490 mm/59 Inches
Height	1020 mm / 40 Inches
Pad/Brush Size	355x710 mm / 14x28 Inches
Solution flow	(0.6/1.1/1.9/2.5) Liters (0.16/0.29/0.5/0.66) Gallons
Battery compartment size (L x W x H)	(620 x 385 x 390) mm / 24.4 x 15.1 x 15.3 Inches
Sound level - silent mode	65 ± 3 dB (A)
Machine speed	0 – 3.2 Km / 0 – 2.0 Miles per hour
Cleaning productivity (max.)	2272 m2/h
Width without squeegee	750mm/30 Inches
Width with squeegee	950 mm/38 Inches
Packaging dimensions	(1660 x 910 x 1200 mm) / (66 x 36 x 48 Inches)









A new generation of high-performance floorcare

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
<b>Disc Brush 330 mm</b>						
	BRUSH DISC 330MM 13 PPL	VF83127	2	●		
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	○		
<b>Pad Holder</b>						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	●		
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2		●	
<b>Squeegee Blade</b>						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	○		
	BLADE FRONT PU 830MM 33IN	VS14632	1	○		
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	●		
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1		●	●
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	○		
	BLADE REAR PU 830MM 33IN	VS14633	1	○		
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	●		
	BLADE REAR RUBBER 940MM 37IN	VS14636	1		●	●
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1		○	●
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1		○	○
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1		○	○
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1		○	○




## A new generation of high-performance floorcare







Accessories	Ref. no.	Min. required	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
<b>Other</b>					
TRAY DEBRIS KIT	VS14744	1	•	•	•
<b>Flap and Skirt</b>					
SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
<b>Disc Brush 380 mm</b>					
BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		•	
BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2		○	
<b>On-Board Charger</b>					
CHARGER ON-BOARD KIT 25A EU-UK	VS14716	1	□	□	□
CHARGER ON-BOARD KIT 25A US	VS14717	1			
<b>External Charger</b>					
 CHARGER HF 24V 13A SB120R	80532413	1	○	○	○
 CHARGER HF 24V 25A SB120R	80542425	1	○	○	○
CHARGER HF 24V 30A SB120R	80542430	1	○	○	○
 CHARGER HF 24V/20A SB 120R	80522420	1	○	○	○
<b>Battery</b>					
 BATT.6V-198AH AGM C5	80565523	4	○	○	○
BATT. 6V-175AH WET TUBULAR MONOBLOC	80563211	4	□	□	□
 BATT. 6V-180AH GEL MONOBLOC	80564000	4	□	□	□
<b>Pad Boost</b>					
 PAD-RED-14X28-5/CS	997001	0			○
<b>Special Pad</b>					



A new generation of high-performance floorcare








Accessories		Ref. no.	Min. required	AS6690T-EU SCRUBBER DISC 26 IN	AS7690T-EU SCRUBBER DISC 30 IN	AS7190TO-EU SCRUBBER ORB 28 IN
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
<b>Disc Brush 330 mm</b>						
	BRUSH DISC 330MM 13 PPL	VF83127	2	○		
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	○		
<b>Pad Holder</b>						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	○		
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2		○	
<b>Squeegee Blade</b>						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	●		
	BLADE FRONT PU 830MM 33IN	VS14632	1	○		
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	○		
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1		○	○
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	●		
	BLADE REAR PU 830MM 33IN	VS14633	1	○		
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	○		
	BLADE REAR RUBBER 940MM 37IN	VS14636	1		○	○
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1		●	○
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1		○	○





## A new generation of high-performance floorcare






Accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1		•	•
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1		•	•
<b>Other</b>						
	TRAY DEBRIS KIT	VS14744	1	•	•	•
<b>Flap and Skirt</b>						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	•	•	
<b>Disc Brush 380 mm</b>						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2		•	
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2		○	
<b>On-Board Charger</b>						
	CHARGER ON-BOARD KIT 25A EU-UK	VS14716	1			
	CHARGER ON-BOARD KIT 25A US	VS14717	1	□	□	□
<b>External Charger</b>						
	CHARGER HF 24V 13A SB120R	80532413	1	○	○	○
	CHARGER HF 24V 25A SB120R	80542425	1	○	○	○
	CHARGER HF 24V 30A SB120R	80542430	1	○	○	○
	CHARGER HF 24V/20A SB 120R	80522420	1	○	○	○
<b>Battery</b>						
	BATT.6V-198AH AGM C5	80565523	4	○	○	○
	BATT. 6V-175AH WET TUBULAR MONOBLOC	80563211	4	□	□	□
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	□	□	□
<b>Pad Boost</b>						



## A new generation of high-performance floorcare








Accessories		Ref. no.	Min. required	AS6690T US 26 IN DISC SCRUBBER	AS7690T US 30 IN DISC SCRUBBER	AS7190TO US 28 IN ORB SCRUB
	PAD-RED-14X28-5/CS	997001	0			○
<b>Special Pad</b>						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
<b>Disc Brush 330 mm</b>						
	BRUSH DISC 330MM 13 PPL	VF83127	2	●	●	
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	○	○	
<b>Pad Holder</b>						
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	●	○	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2			○
<b>Squeegee Blade</b>						
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	○	○	
	BLADE FRONT PU 830MM 33IN	VS14632	1	○	○	
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	●	●	
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1			●
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	○	○	
	BLADE REAR PU 830MM 33IN	VS14633	1	○	○	
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	●	●	
	BLADE REAR RUBBER 940MM 37IN	VS14636	1			●
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1			○






## A new generation of high-performance floorcare





Accessories		Ref. no.	Min. required	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1			○
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1			○
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1			○
<b>Other</b>						
	TRAY DEBRIS KIT	VS14744	1	●	●	●
<b>Flap and Skirt</b>						
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	●	●	●
<b>Disc Brush 380 mm</b>						
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2			●
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2			○
<b>On-Board Charger</b>						
	CHARGER ON-BOARD KIT 25A EU-UK	VS14716	1	□	□	□
	CHARGER ON-BOARD KIT 25A US	VS14717	1			
<b>External Charger</b>						
	CHARGER HF 24V 13A SB120R	80532413	1	○	○	○
	CHARGER HF 24V 25A SB120R	80542425	1	○	○	○
	CHARGER HF 24V 30A SB120R	80542430	1	○	○	○
	CHARGER HF 24V/20A SB 120R	80522420	1	○	○	○
<b>Battery</b>						
	BATT.6V-198AH AGM C5	80565523	4	○	○	○
	BATT. 6V-175AH WET TUBULAR MONOBLOC	80563211	4	□	□	□



## A new generation of high-performance floorcare

Accessories		Ref. no.	Min. required	AS6690T-TR SCRUBBER DISC 26 IN	AS6690T-CN SCRUBBER DISC 26 IN	AS7690T-CN SCRUBBER DISC 30 IN
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	□	□	□
<b>Pad Boost</b>						
	PAD-RED-14X28-5/CS	997001	0			
<b>Special Pad</b>						
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1			








● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	AS7190TO-CN SCRUBBER ORB 28 IN
<b>Disc Brush 330 mm</b>				
	BRUSH DISC 330MM 13 PPL	VF83127	2	
	BRUSH DISC GRIT 180 GRAY 13IN	VS14333	2	
<b>Pad Holder</b>				
	PAD HOLDER WITH RETAINER 13IN 330MM	VF83207	2	
	PAD HOLDER WITH RETAINER 15IN 381MM	VF84329	2	
<b>Squeegee Blade</b>				
	BLADE FRONT LINATEX 830MM 33IN	VS14639	1	
	BLADE FRONT PU 830MM 33IN	VS14632	1	
	BLADE FRONT RUBBER 830MM 33IN	VS14637	1	
	BLADE FRONT RUBBER 940MM 37IN	VS14635	1	●
	BLADE REAR LINATEX 830MM 33IN	VS14640	1	
	BLADE REAR PU 830MM 33IN	VS14633	1	
	BLADE REAR RUBBER 830MM 33IN	VS14638	1	









## A new generation of high-performance floorcare

Accessories		Ref. no.	Min. required	AS7190TO-CN SCRUBBER ORB 28 IN
	BLADE REAR RUBBER 940MM 37IN	VS14636	1	●
	BLADE SQUEEGEE FRONT LINATEX 940MM 37	VR16002L	1	○
	BLADE SQUEEGEE FRONT PU 940MM 37	VR16002	1	○
	BLADE SQUEEGEE REAR LINATEX 940MM 37	VR16003L	1	○
	BLADE SQUEEGEE REAR PU 940MM 37	VR16003	1	○
<b>Other</b>				
	TRAY DEBRIS KIT	VS14744	1	●
<b>Flap and Skirt</b>				
	SKIRT BRISTLE DECK -26 KIT	VS14328	1	
<b>Disc Brush 380 mm</b>				
	BRUSH DISC 3 PPL Ø0.7 BLACK 15IN	VS14326	2	
	BRUSH DISC GRIT 180 GRAY 15IN	VS14332	2	
<b>On-Board Charger</b>				
	CHARGER ON-BOARD KIT 25A EU-UK	VS14716	1	□
	CHARGER ON-BOARD KIT 25A US	VS14717	1	
<b>External Charger</b>				
	CHARGER HF 24V 13A SB120R	80532413	1	○
	CHARGER HF 24V 25A SB120R	80542425	1	○
	CHARGER HF 24V 30A SB120R	80542430	1	○
	CHARGER HF 24V/20A SB 120R	80522420	1	○
<b>Battery</b>				



## A new generation of high-performance floorcare

Accessories		Ref. no.	Min. required	AS7190TO-CN SCRUBBER ORB 28 IN
	BATT.6V-198AH AGM C5	80565523	4	○
	BATT. 6V-175AH WET TUBULAR MONOBLOC	80563211	4	□
	BATT. 6V-180AH GEL MONOBLOC	80564000	4	□
<b>Pad Boost</b>				
	PAD-RED-14X28-5/CS	997001	0	○
<b>Special Pad</b>				
	PAD-MAROON SPP PLUS-14X28-5/CS	56394155	1	○

