

Modern Stone Technologies – MSDS | Color Seal

Section [1] Product Identification

Product name: Modern Stone Technologies Color Seal
Produced by: Modern Stone Technologies, 2225 W. Pecos Rd. Suite 12, Chandler, AZ. 85224
Toll free: 866-868-0810
E-mail: support@modernstonecare.com
Fax: (480) 969-1978
In case of emergency: CHEMTREC International: (703) 527-3887

Section [2] Health Hazard Data

Hazard status : This material is classified as not hazardous under OSHA regulations in the United States, the WHMIS in Canada and the NOM-018-STPS-2000 in Mexico.

Routes Of Entry

Dermal contact • Eye contact • Inhalation • Ingestion

Potential acute health effect

Eyes: No known significant effects or critical hazards.
Skin: No known significant effects or critical hazards.
Inhalation: No known significant effects or critical hazards.
Ingestion: May be harmful if swallowed.

Potential chronic health effects

Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.
Mutagenic effects: Not available.
Teratogenic effects: Not available

Section [3] Composition

Name :	CAS number	Wt. %
Propylene glyco	57-55-6	>1

Section [4] Emergency First Aid Procedures

Eye contact: Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Seek medical attention if symptoms occur.
Skin contact: Wash with soap and water. Seek medical attention if symptoms occur.
Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if symptoms occur.
Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.
Notes to physician: No specific antidote. Medical staff must contact Poison Control Center

Section [5] Fire & Explosion Data

Flammability of the product: May be combustible at high temperature.
Products of combustion: These products are carbon oxides.

Extinguishing media

Suitable: Use an extinguishing agent suitable for the surrounding fire.
Not suitable: None known

Special exposure hazard: No specific hazard

Special protective equipment for fire-fighter: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section [6] Accidental Release Measure

Personal precautions: Use suitable protective equipment
Environmental precaution and clean-up methods: Wash small spills to sanitary sewer. Large spills-confine spill, soak up with approved absorbent, shovel product into approved container for disposal.

Section [7] Handling & Storage

Handling: Do not breathe vapor or mist. Wash thoroughly after handling.
Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area

Section [8] Exposure Controls & Personal Protection

Product name: Propylene glycol
Exposure limits: ALHA WEEL (United States, 1/2005).
TWA: 10 mg/m3 8 hour(s). Form: All forms.
Engineering measures: Use only with adequate ventilation.

Personal protection

Eyes: Safety glasses
Skin: Lab coat.
Respiratory: A respirator is not needed under normal and intended conditions of use.
Hands: Natural rubber (latex). Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.
HMIS Code/Personal protective equipment: B

Section [9] Physical & Chemical Properties

Physical state: Liquid.
Flash point: The lowest known value is Closed cup: 98.85°C (209.9°F). (Tagliabue.). (Propylene glycol)
Auto-ignition temperature: The lowest known value is 371.11°C (700°F) (Propylene glycol).
Flammable limits: The greatest known range is Lower: 2.6% Upper: 12.5% (Propylene glycol)
Odor: Mild
pH: 7.8 to 8 [Basic.]

Boiling/condensation point

Weighted average: 93.3 to 107.2°C (200 to 225°F)
Melting/freezing point: Weighted average: -31.5°C (-24.7°F)
Relative density: Weighted average: 1.3 (Water = 1)
Vapor pressure: The highest known value is 0.02 kPa (0.1 mm Hg) (at 20°C) (Propylene glycol).
Vapor density: >1 (Air = 1)
Evaporation rate: <1 compared with Ether (anhydrous).
VOC: 59 (g/l)

Solubility: Easily soluble in cold water, hot water

Section [10] Stability & Reactivity

Stability and reactivity: The product is stable
Incompatibility with various substances: Reactive with oxidizing materials, acids and alkalis.
Hazardous polymerization: Will not occur.
Conditions of reactivity: None known

Section [11] Disposal consideration

Waste disposal: Dispose material in accordance with all local, state, and federal regulations.

Section [12] Transport information

NAERG : Not applicable

Regulatory information

UN/ IMDG/ IATA DOT/ TDG: Not regulated

Section [14] Regulatory Information

HCS Classification: Irritating material

U.S. Federal regulation:

TSCA : All components listed.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: Propylene glycol
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Propylene glycol: Immediate (acute) health hazard, Delayed (chronic) health hazard
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: Vinyl acetate
Clean Air Act (CAA) 112 accidental release prevention: Vinyl acetate
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: Vinyl acetate

State regulations: Pennsylvania RTK: Propylene glycol: (generic environmental hazard); 2-Methylpentane-2, 4-diol: (generic environmental hazard); Vinyl acetate: (environmental hazard, generic environmental hazard)
Massachusetts RTK: 2-Methylpentane-2, 4-diol; Vinyl acetate
New Jersey: 2-Methylpentane-2,4-diol; Vinyl acetate
California prop. 65: No products were found.
Ingredient: Vinyl acetate **Cancer:** Yes **Reproductive:** No

This product has been classified in accordance with the hazard criteria of the Canadian CPR, the United States OSHA and the Mexican NOM -018-STPS-2000. This MSDS contains all the information required by the CPR, OSHA and NOM -018-STPS-2000

Health 1

Flammability 2

Reactivity 0

Special 0

International lists: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969)

Section [14] Other Information

References: Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005. - Official Mexican Standards NOM-018-STPS-2000 and NOM-004-SCT2-1994

Date of issue: 08/15/2006 Version: 1

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.