

>



Model Number: SH40004KH

Hydrotek SH40004KH, Mobile Wash Skid Diesel Fired Gas Hot Pressure Washer On Wheels 4000 psi 3.5 gpm, Kohler Engine AR Pump

Manufacturer: Hydrotek

Hydrotek SH40004KH, Mobile Wash Skid Diesel Fired Gas Hot Pressure Washer On Wheels 4000 psi 3.5 gpm, Kohler Engine AR Pump

Description:

The SH Series is a portable high power washer with a compact design, ideal for use where electric power is not available. An industrial duty engine provides power to the triplex, ceramic plunger, direct-drive pump and thermostatically controlled 12VDC burner. The stainless wrapped 1/2" SCH 80 steel coil heats water up to 250°F. You will experience extended burner run time with the large 8 gallon diesel tank. Its rugged powder coated frame has a lifting point, integrated hose hooks, wand holder, and 4 large wheels are also included for portability. Requires Group 24 550CCA battery, not included. Dimensions: 44" L x 28" W x 45" H. Requires group 24 550 CCA battery, NOT INCLUDED.

Features:

- High temperature adjustable thermostat, up to 250 F wet steam
- Stainless steel insulated coil enclosure, heavy duty spray wand, gun, quick connect nozzles, high pressure hose
- Handles and large tires for portability, plus integrated wand and hose storage
- Pressure relief valve, safety bust disk included for operator safety
- Assembly required
- Washer requires group twenty four 550 CCA battery, not included

Specification

Specification
Description

Brand
Pressure-Pro

>

Country of Origin
Made in USA

Amperage
0 Amp

Connector Size
38 in.

Cord Length
0.375 in.

Decibel Rating
90 dBA

Duty Rating
Heavy Duty

Engine Brand
Kohler

Engine Displacement
429 cc

Engine Type
4-cycle

Features
High temperature adjustable thermostat, up to 250 deg.;
F wet steam, Stainless-steel insulated coil enclosure, heavy-duty spray wand,
gun, quick connect nozzles, 50 ft. H pressure hose

Fuel Tank Capacity
1.6 gal.

Fuel Type
Gasoline, Diesel

>

Horsepower
14 HP

Hose Diameter
1 in.

Hose Length
50 ft.

Hose Material
Rubber

Internal Pump Type
Triplex

Maximum Flow Rate
3.5 GPM

Maximum Operating Pressure
4,000 PSI

Nozzle Type
Adjustable

Number of Tips Included
4

Power Type
Gas

Pressure Washer Duty Type
Heavy Duty

Pressure Washer Maximum Operating Pressure
4000 PSI

>

Product Height
45 in.

Product Length
44 in.

Product Weight
400 lb.

Product Width
28 in.

Pump Brand
AR

Start Type
Electric or manual

Voltage
12VDC

Water Temperature Compatibility
Cold/hot

Wattage
0 wattage

Wheel Size
13 in.

Manufacturer Part	Number
SH40004KH	

Requires:

>

Group 24 550CCA battery, NOT INCLUDED.

Options:

Downstream injection kit (#AC340), hour meter (AM512).

Hydrotek collects sales 09/22/24tax in CA, FL, and TX.

[https://www.tractorsupply.com/tsc/product/pressure-pro-hot2go-kohler-dirt-laser?srsli
d=AfmBOooWzPgSIsE_Tx-IFzyv3oQonJ04igy5TZjS9ZMH5qqQpPqfWKpH](https://www.tractorsupply.com/tsc/product/pressure-pro-hot2go-kohler-dirt-laser?srsli
d=AfmBOooWzPgSIsE_Tx-IFzyv3oQonJ04igy5TZjS9ZMH5qqQpPqfWKpH) \$4299.99
-->

Availability: This product was added to our catalog on Sunday 29 September, 2024