

>



Model Number: 970754903

Husqvarna 970754903, PG 510 Floor Concrete Grinder, 220-240 V, 1 ph, 60 Hz, 20in, Diamond segments, GTIN 805544620352

Manufacturer: Husqvarna Equipment

Husqvarna 970754903, PG 510 Floor Concrete Grinder, 220-240 V, 1 ph, 60 Hz, 20in, Diamond segments, GTIN 805544620352

Description

The PG 510 is a planetary floor grinder with three grinding discs and a total grinding width of 515 mm. It is suitable for removing coatings, grinding and polishing concrete, etc. The grinding head on the PG 510 is effectively sealed to keep dust and moisture out. This greatly extends the lifetime of the bearings and belts. The PG 510 is ideal as a rental machine and suitable for both professional and semi-professional work. Quick-release couplings allow the grinding head to be separated from the chassis which can then be easily folded for transport. The grinder also has a digital hour meter.

Features

- The speed is fixed and no settings are required. The machine also has an user-friendly logical control panel with overload protection.
- Self-adjusting floating cover with brush list follows the surface and gives a tight seal to prevent the dust from entering the working environment.
- The machine is light and fits easily in any car thanks to the compact design and foldable frame and dividable parts.
- The machine has three grinding discs making it suitable for a wide range of applications.
- The grinding head is effectively sealed to keep dust and moisture out. This greatly extends the lifetime of the bearings and belts.
- EZchange™ is an instant and hassle-free system for changing diamond tooling.

Specification

Engine



Engine Power (As rated by the engine manufacturer)

4 hp

Motor

Power source

Corded

Phases

1 ph


Voltage

220-240 V

Rated current

18 A

Frequency



>

60 Hz

Pins

2

Equipment

Grinding width

20 in

Number of grinding discs

3

Direction of rotation

One direction

Grinding disc diameter



9 in

Grinding disc speed min

0 rpm

Grinding disc speed max

438 rpm

Dimensions

Product size length


60 in

Product size width

22 in

Product size height

37 in



>

Packaging length (Calc)

40.157 in

Packaging width (Calc)

24.016 in

Packaging height (Calc)

41.339 in

Article gross weight (Calc)

330.693 lbs

Cross Reference Skus

970 75 49-03

970754903

967 93 20-05

967932005

Documentation

Manual

Parts List

Additional Information

Customer is responsible for all shipping surcharges, including but not limited to, limited access fee (home delivery), lift gate service to lower to the street, inside delivery (roll pallet onto driveway), call for an appointment fee, missed delivery/re-delivery fee, fuel surcharges, etc...

Please make sure you check out correctly to prevent order delays. Please note that trucking companies charge limited access fee to all location other than in town,

>

commercial location with rows of warehouses that have loading docks lined up and parking lots that can turn around in.
Videos

Optional

Clean Storm 20230111, HEPA Concrete Grinder Dust Slurry Collector,
3Motor (Triple) Shop Vac, Wet Dry 335CFM 5Filters

Clean Storm 20221228, HEPA Concrete Grinder Dust Slurry Extractor
Collector Triple Vacuum Motors Wet/Dry Shop Vac 288 CFM

>

Availability: This product was added to our catalog on Sunday 14 September, 2025

Steambrite Supply