

>



Model Number: 8648GV

JE ADAMS 8648GV, Vacuum Air, Water Machine, GAST Compressor, Vault Ready

Manufacturer: J.E. Adams

Combination Unit
Car Wash And Auto Detailing

Air-Water-Vac Combination

Features:

- 3/4 HP oil-less Thomas air compressor, 18-month warranty (Item #9859)
- Devilbiss 1.5HP air compressor, 6-month warranty (Item #8778)
- Double service doors offer easy access to clean out compartment and 4 filter bag system (Item #8076)
- 2 side-mounted, easy-coil, adjustable speed, retractable air and water hose reels
- (2) SSAC 110 volt accumulating timers (Item #8712SS5)
- Vacuum and air or water can be used simultaneously
- Toggle switch for air or water
- Cut resistant 25' x 1/4" wire braid service station quality air hose (Item #8532-25) with 90 PSI inline air gauge (Item #8533-8)
- 25' water hose (Item #8532-25) with water spout (Item #8647)
- (2) Imonex coin acceptors take quarters (Item #8149)
- 2 Motors with 2" hose = 163.5 CFM / 193.4 Air Watts
- 2 Motors with 1 1/2" hose = 140.8 CFM / 402.4 Air Watts
- Hose: 2" x 15', swivel cuff and nozzle included (15', 25', and 50' available in 1 1/2" or 2")
- Optional security accessories, timers, coin mechs, cycle counters, coin counters, motors, colored hoses, and clean-out container are available

[Print Manual](#)

[Print Brochure](#)

Category:
Car Wash

Line:
Combination Units

>

Model #:
8648GV

Shipping Weight:
250.00 lb.

Description:

This unit comes standard with the following features (unless noted) and identifies replacement products

- Requires (1) 10 and (1) 20 AMP services
- Vacuum and air/water can be used simultaneously
- Toggle switch for air or water
- (2) 1.6 HP, 120 volt motors (Replacement Item #8055EM)
- 2 Motors with 2" hose = 163.5 CFM / 193.4 Air Watts
- 2 Motors with 1 1/2" hose = 140.8 CFM / 402.4 Air Watts
- GAST 3/4 HP air compressor, 18-month warranty (Replacement Item #9862)
- Optional Devilbiss 1.5 HP air compressor available, 6-month warranty (Replacement Item #8778)
- (2) service doors offer easy access to 4-quick-change filter bag system (Replacement Item #8076) and clean out compartment
- (2) SSAC 110 volt non-accumulating timers standard (Replacement Item #8712SS5)
- Cut resistant 25' x 1/4" wire braid service station quality air hose (Replacement Item #8532-25) with 90 PSI inline air gauge (Replacement Item #8533-8), 25' water hose (Replacement Item #8532-25) with water spout (Replacement Item #8647)
- (2) separate Imonex coin acceptors take quarters (Replacement Item #8149)
- Hose: 2" x 15', swivel cuff and nozzle standard. Optional 1 1/2" available in 15', 25', and 50'
- Optional security accessories, timers, coin mechs, cycle counters, coin counters, motors, colored hoses, clean out container also available

VAULT READY DESCRIPTION: There are two primary ways to store coins in a self-serve environment; either inside the equipment in a coin box or in a vault that is installed beneath the meter to collect coins. Vaults can hold anywhere from \$700 in quarters for the 10-inch model up to \$1600 for the 18-inch (10" and 14" and 18" vaults available for sale). Since most vaults are cemented or bricked in on all sides they are very difficult for thieves to break into. JE Adams provides the 2" threaded nipple and vault tube cover for most units and customers are required to supply concrete bases and tubing to direct money to the vault. Units can be lowered to meet ADA requirements.

>

Availability: This product was added to our catalog on Friday 24 June, 2011