

>



Model Number: 20260305

Drieaz 127890 Drizair 1400 Industrial Restoration Dehumidifier, (Replaces F203), Air Mover and Freight Included Bundle 20260305

Manufacturer: Legend Brand

Drieaz 127890 Drizair 1400 Industrial Restoration Dehumidifier with Air Mover Included  
Bundle Includes:

Drieaz 127890 Drizair 1400 Industrial Restoration Dehumidifier,  
(Replaces F203)

Xpower P-80A-Blue 600 CFM Mini Air Mover 1.2 Amp 120 Volts 3  
Speed w Power Outlet GTIN: 848025011010

## Product Details

Half the size of other dehus, the new DrizAir® 1400 dehumidifier delivers the same exceptional performance you expect from Dri-Eaz, the long-trusted US-based manufacturer of quality drying equipment. With the DrizAir 1400, you can easily dry after water damage or remove excess humidity with its quick access, simple humidistat. This ultra-compact portable unit is a perfect basement dehumidifier. It's amazingly quiet and draws only 4.7 amps.

>

Features a Bluetooth- and wifi-enabled touchpad for controlling the dehu and viewing conditions remotely using the Dri-Eaz Command Center Pro App and Dashboard - available now in the Apple Store and Google Play Store.

## Features

- Ideal for drying or use humidistat for moisture control
- Simple touchpad controls in English and Spanish
- Roll two units stacked, plus ultra-compact and lightweight for loading
- Stack up to three units to store
- Uses all-in-one 4-PRO filter: electrostatic mesh filtration with odor-fighting carbon
- Easy filter changes and preventive maintenance
- 

## Specifications

Water removal AHAM (80&deg;F/60% RH):

- 64 pts.
- 36.3 liters / day

Water removal Saturation (90&deg;F/90% RH):

- 130 pts.
- 61.5 liters / day

Process air (max.):

>

- 215 CFM
- 365 CMH

#### Dimensions (H &times; D &times; W):

- 19.5 &times; 16 &times; 20 in.
- 49.5 &times; 40.6 &times; 50.8 cm

#### Weight:

- 66.5 lbs.
- 30.2 kg

- Amps: 4.7A
  - Volts: 115V
  - Frequency: 60Hz
  - Power: 541W
- Operating range:

- 33&deg;F-100&deg;F
- 1&deg;C-38&deg;C

Noise level (avg.): 55 dB  
Drain hose:

- 40 ft.
- 12.2 m

#### Power cord:

- 25 ft.
- 7.6 m

- Housing: Injected-molded
  - Air filter: 4-PRO filter (#100250)
  - Safety: Conforms to UL STD 60335-1 & 60335-2-40;
- Certified to CSA STD.C22.2 NO.60335-1 & 60335-2-40
- Refrigerant: R32

>

---

*Availability: This product was added to our catalog on Thursday 05 March, 2026*