

>



Model Number: 20260402

Husqvarna PG6s Complete Start-Up Package – 50 Amp 240V System + Vacuum + Cord Kit (Bundle 20260402)

Manufacturer: Clean Storm

Husqvarna PG6s Complete Start-Up System – 50 Amp 240V Package Bundle 20260402

– Uncrate, Connect, and Start Grinding the Same Day

This system is engineered to eliminate setup guesswork by providing every required component—power, dust control, and tooling—matched specifically for the Husqvarna PG6s platform.

No missing parts. No compatibility issues. No jobsite delays.

– Complete Contractor Start-Up System

Stop wasting time sourcing cords, breakers, adapters, and dust control separately. This package is designed so contractors can uncrate, connect, and start grinding immediately.

– The Problem Most Contractors Face

- Grinder arrives with no power cord installed
- Wrong plugs or breakers on site
- Dust control not matched to machine
- Project delays = lost labor and missed deadlines

– This Bundle Solves It

- All components matched and verified for compatibility
- Single shipment = no missing parts
- Faster setup and deployment
- Reduced installation errors

– What’s Included in Bundle 20260402

- Husqvarna PG6s Concrete Grinder (24", 240V, 1-Phase)
- Husqvarna Weight Kit (Increased Grinding Pressure)
- Husqvarna LED Light Kit (Improves visibility and reduces rework)
- 50 Amp Plug & Connector Set (CS6365N Male + CS6364N Female)
- 100 Ft 8/3 Heavy Duty Power Cord (Direct Wire Ready)
- 50 Amp Breaker Assortment Kit (Fits 95% of Panels)
- HEPA Dust Collection Vacuum (3 Motor, 335 CFM)
- Cyclonic Pre-Separator (Improves filtration and airflow)
- Vacuum Hose & Camlock Adapter Kit
- Starter Diamond Tooling Set

– All components are pre-matched and verified for 50 Amp / 240V single-phase operation

>

• Power Requirements & Setup

- Requires 240 Volt / 50 Amp / Single Phase power
- Unit is shipped without a factory-installed power cord
- This bundle includes all required cords, plugs, and breaker options
- Installation should be performed by a qualified electrician
- Incorrect voltage or wiring will damage equipment and is not covered under warranty

• Dust-Free Operation (HEPA System Included)

This system includes a high-performance HEPA vacuum with cyclonic pre-separator designed specifically for concrete grinding applications.

- Captures fine silica dust
- Maintains visibility during grinding
- Improves surface finish consistency
- Extends vacuum filter life
- Supports jobsite dust compliance requirements

• Wet Grinding Note

Images may show a front-mounted water spray system.

- Not included in this bundle
- Legacy spray systems are obsolete
- Husqvarna supports dry grinding with HEPA dust extraction

• Fast Jobsite Deployment

- Pre-configured power system
- No parts chasing or compatibility issues
- Get operational same day

• Why Buy as a Complete System?

Purchasing components separately often leads to incorrect parts, multiple shipments, and costly delays.

This bundle ensures everything works together the first time—saving time, labor, and preventing expensive mistakes.

Incorrect setup or missing components can cost more in downtime than the price of doing it right the first time.

• Ideal For

- Concrete polishing contractors
- Surface prep professionals
- Epoxy flooring installers

>

- Equipment rental companies

Why Buy From Steam-Brite?

- Complete system bundles (not just equipment)
- All components verified for compatibility
- Contractor-focused solutions
- Reduced setup errors and jobsite delays

Recommended Add-Ons

- Additional diamond tooling sets
- Spare power cords and plug kits
- Replacement vacuum filters

Order Complete System Today

Avoid delays, wiring mistakes, and missing components—get everything required in one shipment and start generating revenue immediately.

Bundle 20260402 includes (click on each link below to learn more about each item):

Clean Storm 20210710, HTC EZ Wing Trapazoid, 18 Pack Of 16 grit,
Medium Bond Starter Floor Grinding Stones

Clean Storm 20240510 HEPA Concrete Grinder Dust Slurry Collector
3Motor Wet Dry Shop Vac 335CFM Cyclonic PreSeparator Vacuum
- #1 best selling vacuum.
Washable HEPA filter saves money!
Light weight.
Travels over any surface type.
Travels up and over stair cases.

>

Uses standard contractor bags.
Adjustable handle height to transport in low roof vehicles.
Includes 50 feet of 2" ID vacuum hose.
240 volt vacuum system but plugs into standard 120 volt outlets!
Video On Link!

Husqvarna 590436501 3 Inch Female Camlock X 2 Inch Pipe Adapter
GTIN 805544271103

Clean Storm 20260326 8-3 X 100 Foot Extension Cord For Direct Wire
of Single Phase Concrete Grinders

Husqvarna Top 5 Pack 50Amp 240Volt 1Phase Breakers for 6KW
Grinders Including PG6 Covers 95% of Panels Bundle 20260401

>

CS6365N California Style Male Plug 50 amp 4 Wire 3 Pole 240 Volt d

Husqvarna 970603501, PG6s 8Hp 24Inch 739Lbs 1Phase 240Volt
6Kw Motor Concrete Grinder, Gtin 805544361460,d

CS6364N California Style Female Connector 50 amp 4 Wire 3 Pole
240 Volt Freight Included

Husqvarna 597925201 Light Kit for PG6 and PG8 series Grinders
Improves visibility of scratch patterns and edge work, reducing rework.

>

Husqvarna 535546301, Weight Kit for PG6 and PG8 Grinder

Product Description

The PG 6 S is a powerful and robust planetary floor grinder with a focus on simplicity. This is a good choice for grinding and polishing jobs, and for users who prefer a non-motorised drive. Easy to use, the PG 6 S has a large capacity thanks to the 24 in / 600 mm grinding width. And because it runs on 16 amperes, it is also a versatile choice for many environments. Adjustable weights for extra grinding pressure are optional.

The hermetically sealed design of the grinding head and electrical cabinet, along with the robustness of the components, contributes to high reliability and low maintenance.

Shown with optional accessories: legacy water spray system (now obsolete as of 04-02-2026).

Husqvarna currently supports dry grinding applications using 300+ CFM HEPA dust extraction systems.

Water spray systems are no longer offered as a standard accessory.

Tool holder: EZchange™

Compare to current or past OEM associations:

970 60 35â€01

970603501

805544361460

Payment by wire transfer only.



Engine Power (As rated by the engine manufacturer)

8 hp

Motor

Power Source

Corded

Rated input power


8 hp

Phases

1 ph

Voltage

200-240 V





Rated Current

50 A

Frequency

50-60 Hz

Pins

2P+E

Equipment


Grinding width

23.6 in

Number of grinding discs

3

Direction of rotation





Both directions

Grinding disc diameter

9.1 in

Grinding disc speed min

441 rpm

Grinding disc speed max


1,176 rpm


Transmission

Type of operation

Push

Dimensions





Product size length

48.5 in

Product size width

25.1 in

Product size height

44.6 in

Weight


739 lbs

Packaging length (Calc)

55.118 in

Packaging width (Calc)

35.433 in



>

Packaging height (Calc)

57.874 in

Article gross weight (Calc)

837.757 lbs

Operational information

Most factory photos show with optional accessories including weight kit, light kit, and legacy water spray system (no longer supported as a standard accessory). Husqvarna operator manuals specify dry grinding with HEPA dust extraction as the primary method of operation.

Owners Manual

Order Complete PG6 System Today

Avoid delays, wiring mistakes, and missing parts—get everything you need in one order.

Bundle vs Buying Components Separately

Feature

Buy This Complete System

Buy Components Separately

Compatibility

All components matched and verified

Risk of incorrect parts

Time to Deployment

Same-day setup possible

Delays sourcing parts

>

Electrical Setup

- Correct plugs, cord, and breaker included
- Trial-and-error wiring

Dust Control

- Properly matched HEPA system
- May not meet job requirements

Shipping

- Fewer shipments
- Multiple shipments / delays

Setup Errors

- Minimized risk
- High risk of mistakes

Total Cost of Ownership

- Lower (no rework or delays)
- Higher (labor + downtime)

• Bottom Line: This complete system saves time, reduces risk, and gets you operational faster—so you can start generating revenue immediately.

• High-demand contractor package — components may ship from multiple warehouses. Order early to avoid jobsite delays.

What Happens After You Order

- Order is reviewed for component compatibility
- Items ship from multiple warehouses if needed
- Tracking provided for all shipments

Warranty & Service Information

All equipment included in this package is covered by the respective manufacturer's warranty policies.

- Warranty coverage is provided directly by each manufacturer
- Replacement parts are supplied for verified warranty claims
- Most service is handled through authorized service centers or qualified technicians
- Equipment can be shipped to service locations if needed

Note: Labor, travel, and shipping costs are typically not covered under manufacturer warranties. If a warranty claim is determined to be caused by misuse or improper setup, service charges may apply.

>

Shipping & Freight Damage Policy

All shipments are insured and subject to standard freight carrier policies.

- Any visible damage must be noted at time of delivery
- Claims are processed based on the specific damaged component
- Carriers typically cover repair or replacement of affected parts, not full unit replacement unless required

In the event of freight damage, replacement parts are provided to restore the equipment to full working condition.

Please inspect all shipments upon arrival and report any damage immediately.

Pre-Delivery Inspection Checklist

To ensure your equipment arrives in proper condition and to protect your ability to file freight claims, please complete the following inspection steps at time of delivery:

- Inspect packaging before signing delivery receipt
- Look for visible damage such as crushed boxes, punctures, or tipped pallets
- Note any damage on the delivery receipt before signing (take photos if possible)
- Verify all items listed in the shipment are received
- Check major components for visible damage (wheels, frames, motors, connectors)
- Confirm electrical components (cords, plugs, connectors) are intact

Important: Failure to note damage at time of delivery may limit your ability to file a freight claim.

After Delivery

- Report any concealed damage within 24–48 hours
- Retain all packaging materials until inspection is complete
- Contact us immediately for assistance with claims or replacement parts

Proper inspection helps ensure fast resolution and keeps your project on schedule.

Availability: This product was added to our catalog on Thursday 02 April, 2026