

>



Model Number: 20260421

Clean Storm Forte F36-220v HEPA Concrete Grinder Dust Extractor Collector 3Motor 354CFM Vac Power Supply Bundle 20260421

Manufacturer: Clean Storm

Clean Storm Forte F36-220V HEPA Concrete Dust Extractor Bundle | 3 Motor 354 CFM Vacuum + Power Adapter + Longopac Bags Bundle 20260421
Bundle Includes;

Clean Storm Forte F36 HEPA Concrete Grinder Dust Extractor Collector 3 Motor Vacuum 220 Volt 20 amp 354 CFM F36-220v

- Video at :

https://youtube.com/shorts/AbJ_VM9MdCY?feature=share

Power Joiner Step Up Inverter Converts Dual 20 amp 120 Volt outlets to 240 Volt 3 wire 15 amp L6-30R ReverseL6-30R

Video On Link!

Allows you to operate a 220-240 volt vacuum on two standard 120 volt wall outlets / no generator required!

>

Clean Storm F00B, Husqvarna Ermator Longopac 4PK Refill, 1376013
590429201 10-590429201 14IN Diameter 805544270786

Clean Storm Forte F36-220V HEPA Concrete Grinder Dust Extractor Collector Bundle
3-Motor 354 CFM Dust Vacuum + Power Supply Adapter + Longopac Bag Refill
Bundle

Built for concrete grinding dust collection, floor prep cleanup, and fine dry debris recovery, this package combines the Forte F36 220V HEPA vacuum with a power joiner / step-up power solution and Longopac-style bagging system so you can put the machine to work with less setup hassle.

354 CFM Airflow

High open-air airflow for grinder dust extraction and large-area cleanup.

HEPA H13 Filtration

Designed to capture fine dust for cleaner jobsite operation.

3 Independent Motors

Turn on only the airflow level needed for the job.

Image Callout Suggestions

Main Hero Image Text Overlay

- 3-Motor HEPA Dust Extractor

>

- 354 CFM Open Flow
- 240V / 18 Amp Operation
- Power Supply Bundle Included

Secondary Image Text Overlay

- HEPA H13 Final Filtration
- Reverse-Air Filter Cleaning
- Longopac-Style Dust Collection
- Heavy-Duty Steel Frame

Close-Up Image Callouts

- Independent motor control switches
- Large rear wheels for jobsite mobility
- Heavy-duty handle and steel chassis
- Dust bag discharge system

Accessory / Bundle Image Callouts

- Includes power joiner / inverter solution
- Includes Longopac refill material
- Ready for grinder dust applications
- Great for floor prep contractors

Why Contractors Buy This Bundle

- Bundle convenience: vacuum, power solution, and bagging support together
- Better airflow control: run one, two, or all three motors as needed

>

- Cleaner disposal: Longopac-style system helps reduce dust exposure during bag changes
- Jobsite durability: reinforced metal frame for demanding environments

- Fine dust management: HEPA H13 final filtration for concrete dust applications
- Reduced downtime: reverse-air filter cleaning supports more consistent performance
- Flexible power planning: power bundle helps where dedicated 220V access may be limited
- Professional presentation: stronger value than purchasing the vacuum alone

What Is Included

- 1 x Clean Storm Forte F36-220V HEPA Concrete Grinder Dust Extractor
- 1 x Power Joiner / Power Supply Adapter
- 1 x Longopac-Style Bag Refill Pack
- 1 x L6-30 Plug

Product Highlights

3 Independent Vacuum Motors

Each motor has its own switch, allowing operators to match suction power to the tool, dust load, and electrical availability. This gives more flexibility than fixed single-stage operation.

Factory Installed Triple

Ametek Lamb 119656-00, Vacuum motor, 240 volt 2 stage, Peripheral Discharge 5.7 Diameter

>

HEPA H13 Filtration for Fine Dust

Built with multi-stage dust control including a pre-filter stage and HEPA H13 final filtration to support recovery of fine concrete dust and dry debris.

Reverse-Air Filter Cleaning

Helps dislodge accumulated dust from the filter system to maintain better airflow and reduce interruptions during extended operation.

Power Supply Bundle Advantage

The included power solution adds flexibility for operators who may need alternate jobsite power setup options instead of relying only on a dedicated 220V receptacle or generator.

Technical Specifications

Specification Details

Model
Clean Storm Forte F36-220V Bundle

Voltage
220 Volt

Amperage
13 Amps @ 240V

Motor Count
3 Vacuum Motors

Motor Type
Triple 2-Stage Motors

Wattage
3 x 1400 Watts

>

Airflow
Factory Published 354 CFM Open Flow / Ametek Lamb Test at 308.1 CFM
(sea level)

Water Lift
Factory Published 90 Inches / Ametek Lamb Test at 97.8 Inches (sea level)

Filtration
Pre-Filter + HEPA H13 Final Filter

Plug Type
CS8265C Factory Installed / NEMA L6-30 Dealer Provided.

Power Cord
20 Ft Cord

Machine Weight
54 kg

Shipping Dimensions
35 in. L x 26 in. W x 59 in. H

Shipping Weight
275 lbs

Comparison Table

Feature
This F36 Bundle
Typical Smaller 2-Motor Dust Vacuum

Motor Count
3 Motors

>

Usually 2 Motors

Airflow Capacity
354 CFM Open Flow
Lower airflow class

Motor Control
Independent switches
Often limited control

Dust Disposal
Longopac-style system included
Bag or drum only

Bundle Accessories
Power solution + bag refill included
Often sold separately

Best For
Heavier concrete dust jobs, grinder support, larger cleanup volume
Lighter duty or smaller work areas

Best Uses

- Concrete grinder dust extraction
- Surface prep and coating removal cleanup
- Warehouse and industrial fine dust recovery
- Dry debris collection in remodeling and construction work
- Contractors who want a more complete ready-to-work vacuum package

Frequently Asked Questions

Q. Is this a true 3-motor dust extractor?

A. Yes. The Forte F36 uses three individual vacuum motors with separate switches.

Q. Does this bundle include a power solution?

A. Yes. A power joiner / power supply adapter is included with this package.

Q. Does the vacuum use HEPA filtration?

A. Yes. This listing is built around HEPA H13 final filtration for fine dry dust collection.

>

Q. Are dust bags included?

A. Yes. The package includes Longopac-style bagging support / refill material.

Q. What jobs is this best suited for?

A. It is best suited for concrete grinding dust extraction, surface prep cleanup, and recovery of fine dry debris.

Q. What kind of users typically buy this setup?

A. Flooring contractors, concrete prep operators, restoration teams, and industrial cleanup crews commonly prefer this class of vacuum.

Buyer Confidence Notes

- Bundled value: more complete package than vacuum-only listings
- Cleaner disposal system: helps reduce mess when handling collected dust
- Heavy-duty construction: intended for professional jobsite environments
- High airflow design: suitable for demanding grinder dust tasks
- Free shipping shown on listing: review any freight surcharges before checkout if applicable

Related Items To Link Internally

- Replacement HEPA filters for Forte / F36 dust extractors
- Longopac refill bags and disposal accessories
- Concrete grinder vacuum hoses and cuffs
- Dust shrouds for hand grinders
- 220V adapters, cords, and power accessories
- Concrete floor grinders and surface prep tools
- Dust extractor comparison chart

Clean Storm F-36 HEPA Dust Extractor with two stage Filtering System

Clean Storm F-36 HEPA Dust Extractor Vacuum features 3 individual Motors: each motor has its own individual switch to control on/off. This options allows professionals to choose how many motors to run, based on individual project scenarios, which will save energy and extend switch life and product lifespan.

Clean Storm F-36 Dust Extractor Machine with 2 phase filtering system offers piece of mind, including a 1st stage pre conical filter as well as a second stage HEPA H13 Filter. The HEPA filter is individually tested and certified complying H13 EN1822:2209. Equipped with the HEPA H13 Filter, the Forte F-36 Vacuum can separate 0.3um dust with an efficiency >99.7%, ensuring a high standard of quality and safety.

Clean Storm F36 HEPA Extractor Vacuum has a strong, sturdy frame made of all metal, as well as 4 pieces of frame that add additional support to strengthen the

>

frame structure. Much stronger frame than comparable brands that do not have the additional metal frame support. Ensures safety for operators of the machine, as well as preventing accidental damage from structural failure that might lead to damage. The Clean Storm F-36 hepa dust extractor machine uses a unique reverse-air cleaning technology, which safely and conveniently cleans the filter in an effective way. Reverse Air Cleaning system prevents dust and debris from clogging the filter, and thereby maintaining a consistent, normal airflow. With the technology, you do not have to open a vacuum to clean filter and create a potentially dangerous dust hazard.

Another unique feature from Clean Storm F36 Dust Extractor is the solid 10 inch non marking tires - round, solid rubber wheels. Non marking on all surfaces, including wood, carpet, and all flooring surfaces. Prevent damage from moving the equipment wherever needed, as well as piece of mind while climbing stairs and different levels. Forte easy release clip to make filter changing process much easier and faster than with comparable machines from other brands. Forte Tools features a special designed switch replacement panel, shortening switch replacement time to just a few minutes. F36 has an easy cleaning system, including 4 piece ball plunger system (vs. 2 piece for other machines) to smoothen out inlet plate sliding up/down process

Specifications
CS8265C and NEMA L6-30 Plug provided
13 amps @ 240 Volts
Triple 2 stage 1000 watt vacuum motors.
Dual Hepa Filters
Weight 54 KG
20 ft 8-3 Power cord.
354 Open flow CFM
90" Water Lift

Shipping
35"Lx26"Wx59 " H ,
275 IBS

Normal
0

false
false
false

EN-US
X-NONE

>

X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

>

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

>

Name="envelope address" />
Name="envelope return" />
Name="footnote reference" />
Name="annotation reference" />
Name="line number" />
Name="page number" />
Name="endnote reference" />
Name="endnote text" />
Name="table of authorities" />
Name="macro" />
Name="toa heading" />
Name="List" />
Name="List Bullet" />
Name="List Number" />
Name="List 2" />
Name="List 3" />
Name="List 4" />
Name="List 5" />
Name="List Bullet 2" />
Name="List Bullet 3" />
Name="List Bullet 4" />
Name="List Bullet 5" />
Name="List Number 2" />
Name="List Number 3" />
Name="List Number 4" />

>

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

>

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

>

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

>

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />



Name="List Paragraph" />

Name="Intense Quote" />

Steambrite Supply



Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

>

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

>

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

>

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

>

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
```

See How This HEPA Vacuum Performance Compares To The Top 70 Hepa Vacuums On The Market. Comparison Chart [HERE](#).

>

Availability: This product was added to our catalog on Tuesday 21 April, 2026

Steambrite Supply