

>



Model Number: 1.628-375.0

Karcher 1.628-375.0 WD 6 P S Wet/Dry Vacuum 8 Gallon Capacity

Manufacturer: Karcher Pressure Washing

Karcher 1.628-375.0 WD 6 P S Wet/Dry Vacuum 8 Gallon Capacity

#### Description

Energy-efficient, super-powered suction: The WD 6 P S achieves the best possible cleaning results on all types of dirt, whether dry or wet, fine or coarse. The wet and dry vacuum cleaner is equipped with a robust 8 gallon stainless steel container with drain screw, a 26 foot cord, a 11.5 foot suction hose with handle, stainless steel tubes, a switchable floor nozzle, a flat pleated filter and a fleece filter bag. The integrated power outlet with automatic on/off switch allows power tools such as saws or sanders to be connected. The resulting dirt is immediately removed by suction. The rotary switch allows the user to adjust the suction power to meet their needs. Wet and dry dirt can be vacuumed without having to change the filter thanks to the flat pleated filter. The filter can be removed in a matter of seconds while avoiding any contact with dirt. The filter can be cleaned by pressing the filter cleaning button. The removable handle with electrostatic protection allows accessories to be connected directly to the suction hose. **WARNING:** This product can expose you to chemicals including lead and Diisononyl phthalate, which are known to the State of California to cause cancer. Formore information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### Features and Benefits

Power outlet with automatic on/off control for working with small, light power tools

- Dirt created during planning, sawing or sanding is removed directly. The suction function is automatically switched on/off via the power tool.

#### Easy filter cleaning

- Semi-automatic filter cleaning for extended filter life and no-mess cleaning. Pulsed air moves dirt from the filter to the container at the push of a button. Suction performance is quickly restored.

#### Patented filter removal technology

- Top mounted filter allows quick and easy removal from the filter box &ndash; without coming into contact with dirt. No need to open the tank. Switch to wet cleaning without removing the filter!

#### Hose storage on the device head

- The suction hose can be stored in a space-saving manner by hanging it on the device head.

>

- Intuitive securing mechanisms for left- and right-handed users.

#### Drain screw

- Time and energy-saving emptying of large amounts of water.

#### Fleece filter bag

- Triple-layered, extremely tear-resistant fleece material
- For longer-lasting suction power and outstanding dust retention.

#### Practical cable and accessory storage

- Space-saving, secure and on-board accessories storage.
- The power cable can be quickly stored using the integrated cable hooks.

>

## Practical storage position

- Quick and easy intermediate storage of suction tube and floor nozzle during work interruptions.

## Removable handle

- Offers the possibility of attaching different nozzles directly to the suction hose.
- For easy vacuuming &ndash; even in confined spaces.

## Integrated blower function

- Blower function quickly moves dirt and debris from hard-to-reach areas
- Effortless dirt removal, e.g. from gravel.
- Gentle cleaning for delicate surfaces or intricate objects.

## Specifications

>

Normal  
0  
false

false  
false  
false

EN-US  
X-NONE  
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

>

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

>

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

>

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

>

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

>

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

>

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />



Name="List Paragraph" />

Name="Intense Quote" />

Steambrite Supply



Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

>

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

>

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

>

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-priority:39;
mso-style-unhide:no;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
```

>

mso-padding-alt:0in 5.4pt 0in 5.4pt;  
mso-border-insideh:.5pt solid windowtext;  
mso-border-insidev:.5pt solid windowtext;  
mso-para-margin:0in;  
mso-pagination:widow-orphan;  
font-size:12.0pt;  
font-family:"Aptos",sans-serif;  
mso-ascii-font-family:Aptos;  
mso-ascii-theme-font:minor-latin;  
mso-hansi-font-family:Aptos;  
mso-hansi-theme-font:minor-latin;  
mso-font-kerning:1.0pt;  
mso-ligatures:standardcontextual;}

Rated Input Power (W)

1300

Rated Input Power Integrated Socket (W)

Min. 100 &ndash; Max. 720

Suction Power (W)

265

Vacuum (mbar)

Max. 260

>

Air Flow (cfm)

Max. 158

Dirt Container Capacity (gal)

7.9

Container Material

Stainless Steel

Color Component

Device Head &ndash; Yellow  
Container &ndash; Stainless Steel  
Device Bumper &ndash; Yellow

Power Cable (ft)

26.25

Standard Accessory ID (mm)

35

>

Voltage (V)

120

Cartridge Filter PES (Hz)

60

Sound Pressure Level (dB(A))

74

Color

Yellow

Weight Without Accessories (lb)

21.8

Weight Including Packaging (lbs)

30

Dimensions (L x W x H) (in)

>

16.5 x 15 x 27.3

## Accessories

- Suction hose length: 11.5 ft
- Suction hose type: with bent handle
- Suction hose material: Plastic
- Removable handle with static shock protection
- Quantity of suction tubes: 2 Piece(s)
- Suction tubes length: 1.64 ft
- Suction tubes nominal width: 35 mm
- Suction tubes material: Stainless steel
- Wet and dry floor nozzle: Switchable
- Crevice nozzle
- Flexible suction hose: 3.28 ft, 35 mm
- Adapter for connecting electric tools
- Number of fleece filter bags: 1 Piece(s)

## Equipment

- Flat pleated filter: Cellulose
- Fleece filter bag: 3-layer
- Power outlet with automatic on/off switch
- Filter cleaning function
- On/Off switch
- Power control
- Blower function
- Intermediate parking position of the handle on the device head
- Hose storage on the device head
- Storage space for small parts
- Comfortable 3in1 carry handle
- Cable hook
- Parking position
- Accessory storage on the device
- Drain screw
- Sturdy bumper
- Castors without brake: 5 Piece(s)

## Documents

Product Brochure  
Operating Instructions  
Cleaning Application

- Workshop
- Renovation

>

- Vehicle interior
- Garage
- Terrace
- Liquids
- Basement
- Driveway
- Entrance areas

---

*Availability: This product was added to our catalog on Thursday 23 April, 2026*