

>



Model Number: CS60

Ebac CS60 Crawl Space Dehumidifier

Manufacturer: Ebac

Ebac CS60 Crawl Space Dehumidifier – Commercial 56 Pint Low Profile Humidity Control System

The Ebac CS60 Crawl Space Dehumidifier is a rugged commercial-grade moisture control solution engineered for crawl spaces, basements, storage rooms, telecom rooms, restoration projects, and industrial humidity control applications. Built with a heavy-duty steel chassis and Ebac's proven Hot Gas Defrost Technology, the CS60 continues operating in cool environments where ordinary residential dehumidifiers often fail.

Its compact low-profile design allows installation in tight crawl spaces and confined mechanical areas while still delivering up to 56 pints per day water removal under AHAM conditions. The built-in humidistat and continuous drain capability allow unattended automatic operation for long-term moisture management.

Why Contractors Choose the Ebac CS60

- Commercial-duty steel construction
- Designed specifically for crawl spaces & confined areas
- Low temperature operation down to 33°F
- Continuous gravity drain operation
- Built-in adjustable humidistat
- Compact footprint fits low clearance installations
- Hot Gas automatic defrost system
- Extra long power cord included
- Washable reusable air filter
- Powder-coated corrosion resistant cabinet
- Quiet operation at approximately 57 dBA
- Runs on standard 115 volt power

Price Compare Before You Buy!

Many competitors advertise this same Ebac CS60 for \$1,687 to over \$2,000.

Steam-Brite price: \$1,394 + Shipping / only 1 at this price

Ideal Applications

- Crawl spaces
- Basements
- Storage facilities
- Pump rooms
- Mechanical rooms
- Water damage restoration support
- Telecommunications rooms
- Museums & archives
- Locker rooms
- Laboratories
- Warehouses

>

- Apartments & rental properties

Key Features

Low Profile Crawl Space Design

At only approximately 14 inches tall, the CS60 is ideal for low-clearance crawl spaces and hard-to-access installations where traditional upright dehumidifiers will not fit.

Hot Gas Defrost System

Ebac's proprietary Hot Gas Defrost technology automatically removes frost accumulation from the evaporator coil, allowing reliable moisture removal in cooler environments down to 33°F.

Automatic Humidity Control

The built-in adjustable humidistat cycles the unit on and off automatically to maintain your selected humidity level while reducing electrical consumption.

Commercial Steel Construction

Unlike disposable residential plastic units, the CS60 uses a galvanized steel cabinet with epoxy powder coating for long-term durability in demanding environments.

Continuous Drain Operation

Includes drain hose connection for permanent gravity drain installation. No water bucket to empty.

Performance Specifications

Water Removal

56 Pints Per Day @ AHAM

Airflow

360 CFM

Coverage Volume

Up to 8,369 Cubic Feet

Voltage

115 Volt

Phase

Single Phase

Current Draw

7 Amps

>

Power Consumption
880 Watts

Operating Temperature
33°F – 95°F

Noise Level
57 dBA

Refrigerant
R407C / Earlier R22 Versions Exist

Dimensions
Approx. 14" H × 14" W × 20" D

Weight
63 lbs

Specifications verified against manufacturer and distributor documentation.
:contentReference[oaicite:2]{index=2}

What Is Included?

- Ebac CS60 Dehumidifier
- Drain hose tubing
- Owners manual
- Factory power cord
- Integrated humidistat

Advantages Over Residential Dehumidifiers

Feature
Ebac CS60
Typical Box Store Unit

Steel Cabinet
Yes
No

>

Low Temp Operation
33°F
Usually 60°F+

Commercial Duty Compressor
Yes
Usually No

Continuous Crawl Space Use
Designed For It
Limited

Automatic Defrost
Hot Gas System
Basic Timer Defrost

Expected Service Life
Commercial Grade
Consumer Grade

Installation Notes

- Install on level surface
- Allow adequate airflow clearance
- Route condensate hose to approved drain location
- Use grounded 115 volt outlet
- Clean washable filter regularly
- Do not block air intake or exhaust

Frequently Asked Questions

Can this unit run continuously?

Yes. The CS60 is designed for long-term commercial continuous-duty operation.

Does this unit include a condensate pump?

No. This model uses gravity drain operation. If pumping water uphill is required, an external condensate pump can be added.

Will this fit in a crawl space?

Most likely yes. The compact 14-inch profile is specifically designed for confined-space installation applications.

Can this operate in cold weather?

Yes. The Ebac Hot Gas Defrost system allows operation down to approximately 33°F. :contentReference[oaicite:3]{index=3}

>

Is this a residential or commercial machine?

This is a true commercial-grade dehumidifier built with industrial components and steel cabinet construction.

Helpful Related Products

- Crawl space vapor barriers
- Condensate pumps
- HEPA air scrubbers
- Axial air movers
- Humidity meters
- Water damage restoration equipment
- Drain hose extensions

Why Buy From Steam-Brite?

- Over 40 years serving restoration professionals
- Authorized distributor network
- Commercial equipment specialists
- Factory direct shipping on many items
- Technical support available
- Large inventory of restoration and humidity control equipment

The Ebac CS60 remains one of the most reliable compact crawl space dehumidifiers ever built for permanent humidity control in challenging environments.

Ebac Crawl Space CS60 Dehumidifier

- Compressor: High Efficiency Rotary
- Refrigerant: R-22
- EER: 10.8
- BTU/HR: 6,625
- Operating Range: 33F - 105F
- Volts: 115
- Running Amps: 2.5
-

>

Capacity: 56 ppd @ AHAM
15 Gallons at saturation

-
- CFM: 360
-
- Height: 13.25", Width: 13.75", Depth: 20.25"
- Shipping wt: 93#s (on pallet)
- Shipping dimensions: 40 X 26 X 20
- Class 175

Limited stock at this special price!

The Ebac Craw space CS60 dehumidifier is no-nonsense, heavy-duty, portable dehumidifier that is at home in a hostile industrial or marine environment. It is ideal for either permanent installation at remote pump stations, pipe galleries, electronic and mechanical equipment areas, or for a quick transport between job sites and problem areas. You can rely on this durable unit to perform faithfully without complicated maintenance or costly down time.

Performance:

Under the operating conditions of 80 Degrees F and 60% Relative Humidity the Ebac CS60 will remove more than 56 pints of harmful water vapor per day.

The Ebac CS60 is a tough self-sufficient performer

Features:

-
- Simplicity of operation. Standard 115 v. plugs in anywhere.
-
- Internal Adjustable Humidistat.
-
- Sturdy military-type carrying handles.
-
- Ductability.
-
- Extra long power cord.
-
- Heavy duty steel chassis.
-
- Powder coated for durability.
-
- Ebac's "HOT GAS" defrosting feature which automatically eliminates frost build-up providing effective operation at low ambient temperatures.

>

1 year warranty.2

Wire Diagram

Wire Schematics

Parts List

Owners Manual

Sales Brochure

You can check current warehouse Ebac Dehumidifier stock here

As a reminder, customers MUST be present to sign for shipments. Ebac is not liable for any damages or warranty claims that are brought to our attention after a customer has left a note telling the carrier that it is OK TO LEAVE a shipment at the customer's residence or delivery address without them being present. All shipments should be carefully inspected before accepting delivery to ensure item is delivered free of damage.

Availability: This product was added to our catalog on Thursday 02 December, 2004