

>

Model Number: AS34  
Sonozaire AS34 115A Ozone Generator  
Manufacturer: Sonozaire



The Sonozaire Odor Neutralizers are industrial ozone generators. They produce ozone from oxygen in the air. Ozone is an activated form of oxygen that oxidizes odors and converts them to odorless compounds. They are used in numerous applications to control odors. All Sonozaire models have an adjustable ozone output level to allow for different treatments, or lower levels for longer treatments or continuous use. These models are not to be used in inhabited locations, unless used with control methods to limit the ozone level to safe limits. There are many uses for the Sonozaire Odor Neutralizers, and the additional information can help you select the Sonozaire models for some applications. Please contact us for more selections in other cases, to meet your requirements.

## 4 Models

105A



115A



330A



Optional equipment to enhance the Sonozaire, such as 220V conversions, weatherproofing, "Y" outlets, elbows, clamps, wall hanger kits, timers, ozone sensors, and other accessories.

Sonozaire Models



Applications  
Measure

105A

115A

330A

630A

Compactor/Container

(cu yards)

0 to 4

4 to 8

8 to 30

30 to 50

approx volume

(cu meters)

0 to 3





0 to 6

6 to 23

23 to 38

Restoration Chamber

(cu feet)

800

1,700

7,500

15,000

approx volume


(cu meters)

23

48

210

420





On site Restoration

(cu feet)

1,000 to 5000

2,500 to15,000

6,000 to150,000

15,000 to 750,000

approx volume

(cu meters)


28 to 142

70 to 425

170 to 4,250

425 to 21,240

Cabinet





Dimensions

(LxHxD)

12.4 x 10.7 x 6.5

22 x 20 x 7.5

24 x 27 x 14

36 x 27x 14

(LxHxD cm)

31.5 x 27.2 x 16.5

56 x 51 x 19

61 x 69 x 36


91 x 69 x 36

Weight

(lbs)

9

32





58

85

(kg)

4

14.5

26.3

38.6

Equipment Specifications

Electrical Power

(watts)

40

70





125

260

Blower Air Volume @ 0" SP

@ 60hz

(cfm)

16


60

60

100

@ 50hz

(cu m hr)



>

13

86

86

141

Equipment is designed for 115 volt, 50/60 hz, 1 ph (Optional 220-240 volt, 50/60 hz, 1 ph) AC. Sonozaire Odor Neutralizers are industrial ozone generators designed to be utilized in uninhabited areas or in volumes limited by OSHA regulations.

#### Ozone Generator

Converts smoke odors into harmless, odorless CO2 & water vapor. Odors from smoke damaged carpets, etc. are banished forever. Then, the unused ozone simply reverts back to ordinary oxygen, leaving no perfume or unpleasant fragrance behind. Uses no chemicals, perfumes or masking agents. Actually destroys odor molecules, operates unattended, prevents odor from "returning", portable, plugs into standard outlet.

(2 Grams/Hr)

Owners Manual

---

*Availability: This product was added to our catalog on Tuesday 17 May, 2005*