

>



Model Number: 4012-40G

Pressure Pro 4012-40G 4 gpm 2500 psi Subaru EX270 General Pump HOT Pressure Washer

Manufacturer: Pressure Pro

Pressure Pro 4012-40G 4 gpm 2500 psi Honda GX390 General Pump HOT Pressure Washer

STANDARD FEATURES

Rugged powder coated steel roll cage frame w/ lifting hook & flat-free tires
Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber

Factory Installed

Pressure Pro PCA750-4 Replacement Burner Coil for 4-5 Gpm Pressure Washers

Stainless steel coil wrap keeps your machine looking good for years.

Factory Installed

Pressure Pro Stainless Coil Wrap PCA750-7 Fits Hot Shot Vertical 3.5-4.5 GPM Models

Larger 8 gallon poly diesel fuel tank w/ fuel filter is 100% larger than similar brands.

Factory Installed

Pressure Pro 8.5 Gallon Diesel Fuel Tank with Cap 520055

Commercial/Industrial grade Honda or Subaru engines
Reliable Beckett burners

>

Beckett 12 volt ADC VMG505 Burner Assembly W/Ignition Control Board
8.709-328.0 PRO101

Engine Oil Quick Drain and Change Hose
High limit over temp protection

Factory Installed
225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety pressure relief valve

Giant 5000psi Pop Off Safety Valve 3/8 inch Blue Spring 9.802-191.0

Thermo-sensor (prevents over heating in bypass mode)

Factory Installed
Thermal Relief Valve 145 Degrees F 3/8" Mip X 1/4" Plastic Barb Control
Devices Inc

Heavy Duty pressure pump

>

General Pump EZ4040G Pressure Washing Carpet Cleaning Pump
4000psi
or similar

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box. Subaru models are manual recoil start.
All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

Gun/wand assembly with insulated grip and quick connects

Factory Provided
Pressure Pro AGUD3621290C Washer Lance and Gun Combo 4060 psi
Insulated Grip 36 in w Couplers

50′ high pressure hose w/quick connects

Factory Provided
Pressure Pro AHS230 Single Wire 50 ft Washer Hose 3/8 In 4000psi With
Couplers Installed Black

Maxi-Flo 20% chemical injector assembly w/quick connects

Factory Provided
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20%
Chemical Injector 3-5 gpm

>

4 color-coded QC spray nozzles

Factory Provided
Pressure Washing Nozzles, and Repair Parts

1 color-coded QC chemical soap injection nozzle

Factory Brochure of similar model

Owners Manual

Cleaning Units/Speed: 20,000

.
[http://pressurewasherpro.myshopify.com/search?q=3012-50G&search-button=\\$2739](http://pressurewasherpro.myshopify.com/search?q=3012-50G&search-button=$2739)

-->

Availability: This product was added to our catalog on Sunday 11 January, 2015