

>



Model Number: 68333

Optima Scale Pallet Jack Scale with Printer 5,000-Lb. Capacity, 1-Lb. Display Increments, Model# OP-918P-5K [68333]

Manufacturer: Strong Way

Optima Scale Pallet Jack Scale with Printer 5,000-Lb. Capacity, 1-Lb. Display Increments, Model# OP-918P-5K

Product Summary

This Optima Scale Pallet Jack Scale with Printer offers a quick, economical solution to determine pallet weights. It is designed to be used at a dock to estimate incoming and outgoing shipments, or in a warehouse to avoid overloading pallet racks. This scale shows weight with a clear LCD display and offers zero, tare and lb./kg. keypads. The built-in thermal printer records weight with time and date. Lowered height is 2 7/8in.; raised height is 7 1/2in. Suitable for weighing on the move, this heavy-duty unit features a reinforced structure, solid steel tie rods and a powder-coat finish. Its super-low profile is less than 3in.H. 4 NTEP-approved nickel-plated steel load cells resist corrosion. 200% overload protection protects against drop damage. The built-in digital filtering feature compensates for vibration, and the built-in tilt sensor allows weighing accurately on an uneven surface. The Lithium rechargeable battery allows long operational time in low temperatures. The "total" button allows you to see accumulated weight.

Features + Benefits

Product Summary

This Optima Scale Pallet Jack Scale with Printer offers a quick, economical solution to determine pallet weights. It is designed to be used at a dock to estimate incoming and outgoing shipments, or in a warehouse to avoid overloading pallet racks. This scale shows weight with a clear LCD display and offers zero, tare and lb./kg. keypads. The built-in thermal printer records weight with time and date. Lowered height is 2 7/8in.; raised height is 7 1/2in. Suitable for weighing on the move, this heavy-duty unit features a reinforced structure, solid steel tie rods and a powder-coat finish. Its super-low profile is less than 3in.H. 4 NTEP-approved nickel-plated steel load cells resist corrosion. 200% overload protection protects against drop damage. The built-in digital filtering feature compensates for vibration, and the built-in tilt sensor allows weighing accurately on an uneven surface. The Lithium rechargeable battery allows long operational time in low temperatures. The "total" button allows you to see accumulated weight.

Key Specs

>

Item#
68333

Brand
OptimaScale

Manufacturer's Warranty
1 year Limited Warranty

Ship Weight
360 lbs

Load Capacity (lbs.)
5000

Min. Lift Height (in.)
2-7/8

Max. Lift Height (in.)
13

Fork Thickness (in.)
4

Fork Length (in.)
48

Width Between Forks (in.)
13

Outside Fork Width (in.)
27

Steering Wheel Size (in.)
7

>

Wheel Type
Polyurethane

Turning Radius (in.)
190°

Overall Dimensions L x W (in.)
63 1/2 x 27

E20220618 JMG-->

Availability: This product was added to our catalog on Friday 12 August, 2016