

>



Model Number: 80409

PumpTec 80409 Portable 500Psi Carpet Cleaning Pump HTU-231-1/2HP Hydrostatic Test Unit 1/2

HP 120 Volt GTIN: N/A

Manufacturer: Pumptec

Hydrostatic Test pump, Series 356 pump, continuous-Duty Open Drip Proof 1/2 HP motor, 35' cord with GFCI, Adjustable pressure unloader valve, liquid filled pressure gauge, quick connect garden hose inlet, quick connect 3/8 outlet, heavy duty non-conductive mounting rails and grommets. Use to top off glycol systems.

Features:

- Heavy Duty Handle -- Epoxy-coded with grip
- On-Off Switch -- protected from moisture and physical damage
- Continuous-Duty -- Totally enclosed fan cooled 3/4 HP motor
- Quick Connect -- garden hose connects in a "snap"
- 35' Cord -- SJTW weather resistant UL.
- Pressure Gauge -- 0-600 PSI liquid filled Industrial grade
- Adjustable Pressure -- 0-500 PSI with by-pass unloader valve
- Quick connect -- 3/8 NPT(F) outlet easily to test components
- Non-conductive mounting rails -- rust proof with heavy duty pads. Keeps unit high and dry when used outdoors
- Safe GFCI protection -- Electricity to unit is automatically shut-off if any short occur

Options:

PumpTec: AS1200 Water Otter 1200 psi Pressure washer pump and tile and carpet cleaning pump



OPTIONAL

Faucet Adapter 13/16s to Garden Hose Connection

OPTIONAL

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting
for Hot water Garden Hose

Optional

>

Shower Head Hot Water Hook Up Kit SBM1834

Optional


Clean Storm Automatic Fill Kit for Carpet and Tile Cleaning Machines

- * Commercial Duty
- * American-Made Pump and Motor
- * 500 psi, 1.5 GPM at Nozzle Tip (turn down pressure if you like to as low as 200 psi)
- * 7 Amp High Efficiency Motor
- * Maintenance-Free 1,200 psi Pump
- * 1,000 Hour Continuous, Full Load Rated
- * Simple Repair, Low Cost Parts
- * Each Component The Best Available
- * GFCI with 35' Cord (120 volt versions only)
- * Female Garden Hose Inlet
- * 1/4 Female Quick Connect Outlet
- * Max Water Temperature 140 degrees

Does come with a pressure gauge.
Out of box measurements 14" X 11" 11" H
Shipping wt: 50#s
Shipping dimensions: 20" X 16" X 15"

Start Up Procedures

PumpTec Warranty Info .Options:
Add an extended Warranty to your cleaning equipment;
<http://www.steam-brite.com/extended-warranties-equipment-valued-749999-available-p-10663.html>



Steamrite

Supply

>

Four (4) Way Faucet Key J40-005

Compare to other tile and carpet cleaning pump systems:
<http://www.steam-bright.net/showthread.php?2048-Tile-cleaning-pump-options-to-add-to-my-flood-pumper-or-carpet-cleaning-machine&highlight=tile+cleaning+pump>

Rotovac \$795
used to be \$685.78 our of CO
-->

Availability: This product was added to our catalog on Tuesday 31 January, 2017