

>



Model Number: TM28-340

Trailer Truck Mount TM28-340 CFM 4000psi HOT 4gpm Goliath Vacuum Recovery Pressure Washer TRS4012-40HA 200Gal Tank

Manufacturer: SteamBrite MFG

SteamBrite Trailer TM28-340 Truck Mount Pressure Washer, Tile Cleaning, Carpet Cleaning Trailer with Vacuum Recovery and Start up reels and hoses. Self assembly required but dealer and factory assembly available.
Cash Priced

Package advantages:

It is both a Carpet Cleaning Trailer Package and Pressure Washing Trailer Package
250 degree water in 60 seconds!

All 4 hose reels included

All hoses included (expect garden hose)

Easily toggle between 4000 psi cold and hot pressure washing, 1500 psi tile cleaning, 500 psi carpet cleaning, 400 psi upholstery cleaning between both unloaders.

Carry up to 200 gallons of fresh water.

Totally self contained - no outside power required.

Can operate the vacuum and pressure separately and only as needed.

Package includes more accessories that other systems for way less money.

Can be towed with any truck - water removed.

Waste water pick and auto pump out

One system and package for all surface types, no longer need to purchase a carpet cleaning system and then a pressure washer.

Cleaning Speed Cold 16,000 Cleaning units + 73,100 vacuum units + 350,000 BTU heat makes this package one of the most aggressive truck mounts on the market today.

Cost way less with way more performance that other systems.

TM28-340 Truck Mount Trailers and Recovery

Includes the following start up items:

Click on each link to read more about each item and to open in a new tab.

-DriStorm Goliath 6.6 Trailer Mount 20170915 Flood Pumper 26gal Quad 6.6 Vacs Pressure Washer Recovery 120v with Lint Filtration (Wheels and Handle Removed)

-
Factory Installed Quad (4) Ametek Lamb 122234-18 6.6 Vac Motor
120 volts

Note each vacuum motor is on it's own power cord using 12.5 amps of

>

power

Twin series pair configuration
340 cfm
215" lift (15hg)
73,100 vacuum units
50 amp total vacuum system
(same performance of a 20 hp 36 blower gasoline truckmount but feels stronger because of the 15" HG lift)
Dual port discharge, discharge out a garden hose (cleaning work) or a 1-1/2" lay flat hose (flood and water extraction), your choice

BE Pressure BE-9000ER PowerEase 9000 watt Generator Electric
Start 7100 watt run BE9000ERUSC

Used to power the above Goliath vacuum and automatic dump system.

Generator Adapter L5-30P X Dual 5-15R 20170930

Required for the above generator to operate a 4 power corded vacuum system

>

Pressure Pro Hot Shot Tow Pro TRS4012-40HA Trailer 4 gpm @ 4000
psi HOT Gas 13 HP Honda AR Pump TR200HS-2HR L135x W82xH60 200 gal Tank

-
The hart of the system,

16,000 cleaning unit speed cold / 32,000 cleaning unit speed HOT

More speed that many other pressure washers on the market.

Turn the heat on or off as needed to accommodate for your cleaning
project at hand.

Two factory included hose reels in the package: garden and high
pressure.

Clean Storm Hose 200 ft X 3/8 in ID X 2 wire 6000 psi 3/8 in Mip x
Swivel HOS345

Pressure washing hose for the above hose reel
200 ft will reach 99% of every job.

Clean Storm Live Solution Reel System 160ft + 15ft 1/4in ID Pro 4000
psi Hose For Truckmount Carpet cleaning and Tile Cleaning 89644565

Mount on right side of fresh water tank

>

Rokan V49-200P Truck Mount Storage Vacuum Hose Reel 200 ft
Powder Coat (16.5 inches Wide!)

-
Mount on tongue of trailer in place of tool box.

Hose Vacuum Hose 160 ft Truckmount Double Walled with 150 ft
2inch + 1.5 inch leader 20171008

Stores on above vacuum reel.

Dual Unloader Full Range Pressure System for Hydrotek SK30005VH
and SK40005VH Pressure Washer (parts only) 20171006

or similar for this brand of pressure washer.
Self install or optional dealer installation.

>

Pressure Pro LWS100 Low Water Shutdown Tank Switch
JRA-74-7113

Factory or dealer installed in this package
Installed on video above and included in this package
Used to trick the engine to think it ran out of oil to prevent water pump
damage if your fresh water tank runs out of water.

Hydrotek ECH55 Dial Thermostat 86 - 195 Degrees F. Temperature
Switch
- Factory or dealer installed in this package.

Winterization Air Blow Out Stainless Steel KAV001-I Anit Freeze Valve
- Factory or dealer installed in this package.

>

Westpak 10-0556 14in Carpet Cleaning Wand 1.5in Pipe - 4 Jet 2
Bend Low Profile W/ Splash Guard

Rinse carpet 20% than traditional 12" wide wands.

HydroForce AS08 Injection Sprayer Pro High Pressure Sprayer Thick
Walled Jug 2 Caps Lance Mount For Carpet Cleaning

Your pre-spray system, lays it down as fast as you can walk!

Pressure Pro Hose Reel Clamp to Side Rail 20171116
Used to mount the 160 ft hose reel to the side rail of the trailer.

Self assembly required. Optional assembly labor in San Antonio, TX available.
Assembly would include:
Bolting on tongue onto trailer
Bolting down vacuum hose reel to trailer tongue.
Relocating the hot water heater next to fresh water tank (included support brackets will have to be installed under trailer)
Relocate water heater fuel tank over the left wheel well.
Bolt down Goliath Quad 6.6 (support brackets will have to be installed under trailer)
Install tile and carpet cleaning hose reel and bracket system on right side of trailer.
Install dual unloader and pressure gauge system onto pressure washer.

>

Install all hoses into reels.
Confirm correct oil levels and test for leaks.
Tools needed: 4.5" grinder/ cut off wheel, sockets, wrenches, drill, cutting oil.

TRS/4012-40HA: Hot Shot Tow Pro, 12V Hot Box , Direct Drive, Gas 13 HP Honda, AR Pump.

TR200HS-2HR Powder Coated Trailer: L135"x W82"xH60", 200 gal Fresh Tank

• 4GPM@4000Psi
16,000 Cleaning Unit Speed Cold / 32,000 Cleaning Units Speed HOT

• Powered By Honda GX390 AR Pump

Factory Installed
Pressure Pro 200 Gallon Fresh Water Tank TNK200
Fully Plumbed Poly Tank with quick drain and water filtration system.

Factory Installed
Complete 12VDC Oil Fired Burner System
Pressure Pro HBS12V40 12 Volt Diesel Fuel High Pressure Water Heater 4
gpm 4000 psi

Two Units Factory Installed
Pressure Pro M10-5 Hose Tract Reel 250 ft x 3/8 4000 psi w/ 1/2 inch swivel
One reel for the garden hose, and one for the pressure washing hose

Factory Installed
AR Pump RRV4G40HD-F24 Replacement Pressure Washer 4 gpm 4000 psi

>

3400 rpm

Factory Installed
AR VRT3-310 Unloader 8 Gpm Black Spring Top 4500 Psi - 8.750-299.0

Factory Supplied
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20% Chemical
Injector 3-5 gpm Assembly
or similar

Factory Installed
Honda Gx390 Engine 13 Hp Electric Start Heavy Duty Charging 18 Amp -
9.802-321.0 - GX390UT2QNR2
or similar

Factory Installed
Filter 1in Fip(Fpt) (CAN) 80 Mesh Black Plastic [8.709-995.0] - 342122
87099950
or similar
Protects fresh water pump from trash that might fall into your fresh water tank.

>

Factory Installed
Beckett 12 volt ADC VMG505 Burner Assembly W/Ignition Control Board
8.709-328.0 PRO101
or similar
350,000 BTU of HEAT
Crazy fast, super hot water!

Mytee F200 Hose Mount Lint Hog Debris Carpet Cleaning Machine Hose
Filter for 2 inch vacuum hose
Dealer supplied vacuum system link filtration system, keeps the Goliath
automatic dump system working smoothly.

• Factory Included Poly Tool Box
HCP Trailer Tongue Plastic Tool Storage Box 36 inches Wide 1701680
(Discount shipping)
Tool box is removed and replaced by vacuum hose reel.

TRAILER FEATURES:

- 2- 250' high pressure hose reels
- Chemical resistant poly coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HOT SHOT FEATURES:

- Rugged powder coated steel burner frame
 - Stainless steel coil wrap
 - 8 gallon poly diesel fuel tank
 - Reliable Beckett burner
 - High limit over temp protection
 - Safety pressure relief valve
- Factory Brochure for Honda and AR Pump
Factory Brochure for Trailer

>

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box.

Compare to current or past OEM Associations:

TRS/4012-40HA

TRS 4012-40HA

TRS4012-40HA

AVAILABLE OPTIONS

Masters Touch Tile Grout Stone Hard Surface 6 Tool Package Including Turboforce TH15 (Free shipping) 20120709
Master's Touch Trailer Package for Tile and Grout Cleaning

KTF200 Float valve kit - keeps fresh water tank from over flowing during fill up.

TRL-BRK Electric brakes installed
TRL-BBAK Electric brakes & breakaway installed
P9000S: Wheel/Tire fits all Tow-Pro Trailers

Both Pressure Pro and SteamBrite reserve the write to change the exact parts used in the build in an effort to improve the design and reliability as well as using parts based on availability to improve order fulfillment.

Please note this is not a trucking lift gate type and needs to be shipped to a forklift location that has 72" forklift extensions and front load straps or has to be "held at the dock for pick up." Please note that hold at dock pick up usually requires bank to bank wire transfer as most credit card companies will not allow dock pick up items unless you provide the address to the dock location to the credit card company in advance. Currently Pressure Pro is shipping this by ODFL.com and pick location on posted on that website.

When paying by credit card we can only ship to locations your credit card approves! Think about this statement... whomever stole your wallet would ask us do

>

ship to a different location or hold at terminal so this is rear and usually you will have to pay by wire transfer as many credit card companies will not alter the ship to location. We will electronically verify that you have your ship to location pre-approved in advance when paying by credit card. Credit card payments subject to a 3% surcharge. Wire payment usually required.

Testimonial:

"Vacuum is awesome! I love the automatic flood pumping ability. I have worked with the Boxxer 427 for many years and found my Goliath Quad 6.6 feels stronger to me!"

<https://superior-carpet-cleaning-texas.com/>

Testimonial:

"I used the Goliath Quad 6.6 to perform a tile cleaning service using the TH15 spinner wand and the Clean Storm 6720 pressure washer.

The job site required me to leave the machine on a higher floor than the surface being cleaned.

With the pressure washer set at 1700 psi and applying the water with dual 02 jets using the TH15 spinner wand

Cleaning one and two floors below the Goliath I only needed to run two vacuum motors to pick the water straight up vertically 24 ft and over horizontally 100 ft. using 150 ft of 2" ID vacuum hose.

Cleaning 3 and 4 floors straight up (48 ft) and over 100 ft, I used 3 vacuum motors.

Cleaning 5 floors (60 ft) straight up plus 100 ft. horizontally, I ran all 4 vacuum motors and it worked perfectly!"

<https://www.naturalcleaningsystems.ca/index.html>

Related articles: Truckmount comparison Chart by performance and dollar spent

<https://www.steam-bright.net/forum/carpet-cleaning-equipment/truckmounts/21089-truck-mount-comparison-chart-by-performance-and-dollar-spent>

Search Terms:

Carpet Cleaning Trailer Package

Trailer Truck Mount

Carpet Cleaning Trailer For Sale

Truckmount in Trailer

Truckmount Package Deals

Carpet Cleaning Equipment

Trailer Truckmount For Sale

Pressure washer Vacuum system

pressure washer recycling

Sirocco waste water recovery

vacuum system pressure washing

Sirocco vacuum reclaim system

Water recovery vacuum systems

SGV portable

SC21v

Sirocco vacuum reclaim

Sirocco vacuum system

20170930

>

<https://www.stealthpressurewashers.com/shop/pressure-washers/stealth-ar-4-gpm-4000-psi-hot-pressure-washer-trailer-trs4012-40ha/> \$7508.00

-->

Availability: This product was added to our catalog on Friday 20 October, 2017