

>



Model Number: PEV2-30

Sirocco PEV2/30 Pressure Washer Vacuum Recovery 200cfm Dual 3 stage 145in Water Lift 30 gallon Tank Package [PEV2-30]

Manufacturer: Sirocco

Sirocco PEV2/30 Pressure Washer Vacuum Recovery 200cfm Dual 3 stage 145in Water Lift 30 gallon Tank

PORTABLE RECLAIM SYSTEM for discharge to sewer, or landscaping.. (check laws in your area !) This portion of WashWater Reclaim, is the Capture and pump-out part.. Slide in filter is capable of basic oil-water-separation, Dirt-load capacity is huge, and the auto-Pump-Out is Fast.

PEV2/30 Basic Vacuum system… 2 each 11.5 amp 3 stage motors, 145” water lift capacity for rapid de-watering & 200 cfm ! 30 gl. waste tank with 1¼” drain plug, slide-out oil-attractive filter, & CamLock QC’s

The Sirocco™ PEV series vacuums are the most affordable, effective, multi-function vacuum systems on the market. Great for carpet cleaners, auto detailers, fleet washers, warehouses, mobile washers & other commercial applications!

The only system you need for any wet or dry reclaim tool! Whether you’re vacuuming a warehouse floor, or reclaiming water from a fleet-wash job on a parking lot, the Sirocco™ PEV 3-stage vacuums will perform the job quickly and efficiently. It’s all about work speed!

FEATURES:

- â—• 2 Powerful 11.5 amp 120 vac 3-Stage Motors
- â—• 145" Water-Lift Capacity at 200 cfm for rapid de-watering
- â—• 30 Gallon Waste-Tank (with 1¼" drain plug)
- â—• Slide-Out Oil-Attractive Filter
- â—• Factory Provided Cart-Frame for portability on all terrain
- â—• Tie-Down Straps (trailer-mounting hardware)
- â—• Factory installed Auto Pump-Out to 35 gpm (an extra high head pump with float switch and check valve)
 - Automatically pumps out when vacuum is running!
- â—• Factory Provided 50' x 2" Super-Duty Vacuum Hose with cuffs (abrasion and chemical resistant)
 - Waste tank has dual inlets, so you can add another hose to run 2 tools at the same time!
- â—• Factory Provided 48" SandSnake beefy 30mil PVC sand bag - just fill with sand (abrasion and chemical resistant)
- â—•

>

Factory Provided Puddle Sucker surface dewatering tool for reclaiming up to 50 gpm (fits 1½" or 2" hose cuffs)
Sirocco Puddle Sucker

• Factory Provided Silt Filter (designed to stop sand and silt debris from clogging up the PuddleSucker)
• Factory Provided Camlock QC's (for hose connections at waste tank so nothing slips off during use)
• Operating Instructions and Warning Sheets

25" L X 22" W X 50" H
250 lbs.

145" X 200 cfm = 29,000 vacuum units

PEV2 Portable Electric Vacuum with 200cfm and 145" lift, can run that 21" surface cleaner at up to 150 feet inside a warehouse or kitchen.
Note: This has both 3 stage motors operating on one power cord so a dedicated 20 amp breaker is required to operate both vacuum motors. You can operator one vacuum motor on a 15 amp breaker if you cap off the second motor. Auto dump pump draws 3 amps and should be plugged into a second breaker/outlet.

Sales tax collected in CA and TX.

Optional
Optional Auto Pump out hose: (unit requires a 1.5" Female camlock)

Optional Mytee AH121 Layflat Pump-Out Hose 50' x 1.5in Drain and Dump

Optional Steambrite 35934 Female Plastic Camlock to 1.5" barbed Type C 1-1/2 Cam lock



Purchase some extra hose

Hose Vacuum Hose 50 ft x 2.0in ID Truckmount Double Walled DHV50
DHV02 AH24 18-003 260-238-50 [AH30] AH30H

Hose Vacuum Hose 100 ft x 2.0in Double Lined Truckmount grade 20150122

<http://www.ultimatewasher.net/reclaim-equipment-vacuum.html>
-->

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

>

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

>

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

>

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

>

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

>

Name="HTML Top of Form" />
Name="HTML Bottom of Form" />
Name="Normal (Web)" />
Name="HTML Acronym" />
Name="HTML Address" />
Name="HTML Cite" />
Name="HTML Code" />
Name="HTML Definition" />
Name="HTML Keyboard" />
Name="HTML Preformatted" />
Name="HTML Sample" />
Name="HTML Typewriter" />
Name="HTML Variable" />
Name="Normal Table" />
Name="annotation subject" />
Name="No List" />
Name="Outline List 1" />
Name="Outline List 2" />
Name="Outline List 3" />
Name="Table Simple 1" />
Name="Table Simple 2" />
Name="Table Simple 3" />
Name="Table Classic 1" />
Name="Table Classic 2" />
Name="Table Classic 3" />

>

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

>

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

>

Name="List Paragraph" />

Name="Intense Quote" />

Steambrite Supply



Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

>

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

>

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

>

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */

>

```
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
```

Factory offers a 1 year parts manufactures warranty against defects and excludes maintenance, freeze damage, and wear items that include a 90 day parts warranty. Wear items include gauges, hoses, casters, switches, swivels, ect.

Availability: This product was added to our catalog on Saturday 18 November, 2017