

>



Model Number: 15781720

NorthStar 15781720 Gas Cold Water Pressure Washer 3000 PSI 2.5 GPM Honda Engine Replaced with 157123 Freight Included

Manufacturer: NorthStar

NorthStar 15781720 Gas Cold Water Pressure Washer — 3000 PSI, 2.5 GPM, Honda Engine - Replaced with 157123

Product Summary

This NorthStar Gas Cold Water Pressure Washer offers superior cleaning performance for home and job sites. Equipped with a Honda GX160 OHV engine featuring a cast iron sleeve, low oil shutdown and a horizontal shaft design for up to five times longer life than vertical shaft engines. Premium CAT direct drive triplex pump with forged brass manifold offers thermal protection to prevent overheating and ceramic plungers for longer seal life.

NorthStar pressure washers undergo thousands of hours of rigorous testing to ensure peak performance, plus include an industry-leading warranty to give you extra peace of mind.

What's Included

- (1) Pressure washer
- (1) 50-ft. nonmarking high-pressure hose
- (1) 3-ft. lance
- (5) Quick-couple nozzles
- (1) Downstream chemical injector
- (1) Nozzle holder

Product Manual

Features + Benefits

Honda GX160 163cc engine for quiet, reliable performance
CAT 4DNX direct drive triplex pump offers superior durability
Push-down style steel cart with extended handle for smooth, balanced maneuvering
10in. pneumatic tires
Easy Start prevents pressure buildup for smoother, easier recoil pulling

Sight glass allows for quick, convenient pump oil checks

>

Adjustable pressure provides greater versatility
NorthStar nozzle holder system attaches to pressure washer or user's belt
Includes 50-ft. gray nonmarking high-pressure hose, 3-ft. lance, 3/8in.
quick-connection, downstream chemical injector and five quick-couple professional
nozzles (0°deg;, 15°deg;, 25°deg;, 40°deg; and chemical/soap)
4-year consumer limited warranty; 2-year commercial limited warranty; 3-year
limited warranty on Honda GX engine

Key Specs

Item#
15781720

Brand
NorthStar

Manufacturer's Warranty
4 Yr Consumer/2 Yr Commercial

Ship Weight
110.0 lbs

Pressure (PSI)
3,000

Flow (GPM)
2.5

Engine
Honda

Engine Model
GX160

Engine Displacement (cc)
163

>

Gross Torque
7.3

Pump
CAT 4DNX

Drive
Direct

Gun
Industrial rear entry w/ 3 ft. lance

Nozzle Type
Quick-connect

Orifice Size
3.0

Hose
50-ft. gray high-pressure

Coupler Size (in.)
3/8

Cart
Push-down style steel cart

Fuel Capacity (gal.)
0.83

Max. Inlet Water Temp (°F)
140

>

Max. Output Water Temp (°F)
140

Fuel Type
Gasoline

Chemical Injector
Yes

Adjustable Pressure
Yes

Engine Oil Type
SAE30

Pump Oil Type
SAE 30 nondetergent

Engine Oil Included
No

Pump Oil Included
Yes

Low Oil Shutdown
Yes

Thermal Protector
Yes

Dimensions L x W x H (in.)
33 x 21.5 x 38

>

Availability: This product was added to our catalog on Monday 07 May, 2018

Steambrite Supply