

>



Model Number: 8.620-112.0

Flojet 8.620-112.0 ET508 Itt Flow Control Oscillator Pump, 220/240V 50Hz Mytee C309 1/8 fip ports
GTIN 4039784363748

Manufacturer: Flojet

This small Flojet pump is used to repair most small spotter and small upholstery cleaning machines.

Flojet model 55psi 0.40gpm open flow, 115VAC, Viton elastomers,
1/8" NPT Female ports - (no hose barbs included)
chemical resistant pump for spotting machines.

Including and not limited to original Mytee Lite 2 extractors, Mytee Tempo, Durрмаids extractors, Sandia SpotX extractors, Windsor Presto, MutiSprayer, Olympus, Prochem... that used 55 psi pumps
Flojet ET508 Oscillating Pump / all sales final

Designed for general consumer, commercial and industrial applications. All models are self-priming, double insulated and built to draw low amps for cool operation.

Model No.: ET508 Series

ET508
Flojet ET508 FNPT Oscillating Pump

Voltage

220/240V, 50Hz (8.620-112.0)

Check Valve
Viton

Port Type
1/8" (3.2 mm) FNPT

Dimensions (H x W x D)

>

2.11 x 2.25 x 4.53 (inches)
53.5 x 53.6 x 115.0 (mm)

Factory Brochure

Internal Bypass PERFORMANCE SPECIFICATIONS

PUMP Coil Motor 230 VAC Max Amps

0.48 @ 0 PSI (0.0 bar)

Liquid Temperature Max 160°F (72°C)

Dry Vac 7 ft (6.0 inches Hg)

Wet Vac..... 12.5 ft (11.0 inches Hg)

Flow Rates*HP0.37 GPM @ 0 PSI (0.0 bar)

Nominal BypassHP55 PSI (3.8 bar)

Nominal *Open flow rate may vary +/- 15% depending on installation

Compare to current or past OEM Associations:

Windsor Presto Mini PRS and PRSJ

8.620-112.0

86201120

4039784363748

Century 400 250-78A

40142016

WN86201120

86201120

8.620-112.0

ET508

Mytee C309

Optional 1/8" Npt by 1/4" barbed brass fitting AKA 32004

>

Availability: This product was added to our catalog on Wednesday 23 May, 2018

Steambrite Supply