

>



Model Number: 1571493

NorthStar 1571493 5 gpm 5000 psi gasoline Cold Pressure washer in Roll Cage Freight Included

Manufacturer: Northern Tool & Equipment

NorthStar 1571493 5 gpm 5000 psi gasoline Cold Pressure washer in Roll Cage Freight Included

Honda GX690 engine with electric start (battery not included) for quiet, reliable performance

Comet belt drive triplex plunger pump runs smoother, cooler and last longer

Rugged full roll cage design with 1-3/8in. steel tube frame

Large 15in. flat-free tires for easy portability and virtually no maintenance

Extended run 11-gallon fuel tank provides longer run times with fewer interruptions

Product Summary

This NorthStar Gas Cold Water Pressure Washer delivers industrial-strength cleaning power and durability. With a Honda GX690 engine and a Comet belt drive triplex plunger pump, this model blasts through the toughest caked on mud, dirt and debris — also great for prepping concrete surfaces, stripping paint and much more. Whatever the chore, this heavy-duty model gets the job done faster and better. For extra protection, it features a rugged 1-3/8in. steel tube frame with a roll-cage design to protect key components and withstand the punishment jobsites can dish out. The 11-gallon fuel tank provides extended run times. The large 15in. flat-free tires offer easy portability over any terrain and require virtually no maintenance.

NorthStar pressure washers undergo thousands of hours of rigorous testing to ensure peak performance, plus include an industry-leading warranty to give you extra peace of mind.

Features + Benefits

Honda GX690 engine with electric start (battery not included) for quiet, reliable performance

Comet belt drive triplex plunger pump runs smoother, cooler and last longer

Rugged full roll cage design with 1-3/8in. steel tube frame

Large 15in. flat-free tires for easy portability and virtually no maintenance

Extended run 11-gallon fuel tank provides longer run times with fewer interruptions

Cutouts in base for quick, clean oil changes

Sight glass for quick, convenient oil checks

Vibration isolation system

Includes 50ft. nonmarking hose, rear entry spray gun and 36in. lance and four professional-grade quick-connect nozzles (15°; 25°; 40°; and chemical)

>

3-year limited warranty on Honda engine; 5-year limited warranty on pump; 10-year limited warranty on frame

Item#
1571493

Brand
NorthStar

Manufacturer's Warranty
4 Yr Consumer/2 Yr Commercial

Ship Weight
438.0 lbs

Pressure (PSI)
5,000

Flow (GPM)
5.0

Engine
Honda

Engine Model
GX690

Engine Displacement (cc)
688

Gross Torque
35.6

Pump
Comet crankshaft triplex

>

Drive Style
Belt

Gun
Industrial rear entry w/3 ft. lance

Nozzle Type
Quick-connect

Orifice Size
4.5

Hose
50 ft. nonmarking

Coupler Size (in.)
3/8

Cart
Roll cage

Fuel Capacity (gal.)
11

Max. Inlet Water Temp (°F)
140

Max. Output Water Temp (°F)
140

Fuel Type
Gasoline

Chemical Injector
Yes

>

Adjustable Pressure
Yes

Engine Oil Type
SAE 30

Pump Oil Type
Universal tractor transmission

Engine Oil Included
No

Pump Oil Included
Yes

Low Oil Shutdown
Yes

Thermal Protector
Yes

Dimensions L x W x H (in.)
33.75 34 x 32.25

Product Weight
365

Availability: This product was added to our catalog on Tuesday 29 June, 2021