



Model Number: 9.112-949.0

General Pump DHRA50300 1/2 Inch and 3/8 Inch 300 Foot Pressure Washing Hose Reel Karcher
9.112-949.0 GTIN: 682491080749

Manufacturer: General Pump

General Pump DHRA50300 Heavy-Duty Industrial A-Frame Pressure Washer Dual size Hose Reel

The General Pump DHRA50300 is a professional-grade A-frame hose reel engineered for commercial pressure washing, wash bays, mobile cleaning trailers, truck-mounted systems, and industrial cleaning equipment. Built with heavy-duty powder-coated steel construction and a full-flow stainless steel swivel, this reel is designed to provide years of reliable service in demanding environments.

The reel is factory rated to hold up to 300 feet of 3/8" pressure washer hose. The heavy-duty swivel is rated for 5,000 PSI continuous service and temperatures up to 300°F, making it suitable for both hot and cold water pressure washing applications.

Key Features

- Professional heavy-duty A-frame hose reel
- Holds up to 300 ft of 3/8" pressure washer hose
- 5,000 PSI working pressure rating
- 300°F maximum operating temperature
- Heavy-duty powder-coated steel frame resists corrosion
- Full-flow stainless steel swivel assembly
- Direct hand-crank rewind
- Locking pin keeps reel from unwinding during transport
- Adjustable friction brake controls hose payout speed
- Ideal for pressure washing trailers, truck mounts, wash bays, industrial cleaning systems, and fleet washing applications

Factory Connection Information

Unlike many online listings, the factory reel is manufactured with 1/2" NPT female pipe connections. Included with the reel are two (2) factory reducing adapters that convert the connections to 3/8" NPT for compatibility with most commercial pressure washer hose assemblies.

This allows the reel to be used either:

- With the supplied 3/8" reducing bushings installed (most common pressure washer installations)
- Directly with 1/2" NPT plumbing by removing the supplied adapters for maximum water flow

Approximate Hose Capacity

Actual hose capacity depends upon the hose's outside diameter (OD). Thicker hoses will reduce the total amount of hose that fits on the reel.

>

Hose Type
Approximate Capacity

3/8" Pressure Washer Hose
300 ft

1/2" Pressure Washer Hose
Approximately 200 ft

3/4" ID Garden Hose
Approximately 125 ft

Capacities are approximate and vary depending on hose manufacturer and outside diameter.

Specifications

Manufacturer
General Pump

Model
DHRA50300

GTIN / UPC
682491080749

Karcher Part Number
9.112-949.0

SteamBrite SKU
97224

Maximum Hose Capacity
300 ft of 3/8" pressure washer hose

Working Pressure
5,000 PSI

>

Maximum Temperature
300°F

Factory Swivel Ports
1/2" NPT Female

Included Adapters
(2) 1/2" NPT Male x 3/8" NPT Female Reducing Bushings

Compatible Plumbing Sizes
1/2" NPT or 3/8" NPT

Swivel Material
Stainless Steel

Frame Material
Heavy-duty Powder-Coated Steel

Rewind
Manual Hand Crank

Brake
Adjustable Friction Brake

Locking Device
Spring Locking Pin

Cross Reference Part Numbers

- General Pump DHRA50300
- Karcher 9.112-949.0
- GTIN 682491080749
- UPC 0682491080749

Applications

- Commercial pressure washing trailers
- Truck-mounted pressure washer systems
- Self-service wash bays

>

- Fleet washing equipment
- Industrial cleaning systems
- Agricultural wash-down stations
- Soft wash support equipment
- Municipal maintenance vehicles

What's Included

- General Pump DHRA50300 Hose Reel
- Heavy-duty stainless steel swivel assembly
- Manual hand crank
- Adjustable friction brake
- Spring locking pin
- (2) Factory 1/2" NPT Male × 3/8" NPT Female reducing adapters

Note: Pressure washer hose, jumper hose, mounting hardware, quick disconnects, and fittings other than the factory reducing adapters are not included unless specifically stated above.

Specifications and appearance are subject to change without notice as manufacturers periodically update their products.

General Pump DHRA50300 Pressure Washing Hose Reel 300 Foot Karcher 9.112-949.0

300 ft of 3/8" ID hose rated / 125 feet garden hose
5000 psi rated
1/2" swivel with included 3/8" Fip Bushing water connections
225 F degree rated
Heavy duty powder coated steel

Designed to meet commercial demands
Ideal for trailer mounts & other industrial applications
Stainless Steel Swivel Inlet Arm
Powder-Coated One-Piece Welded Reel
Drum Brake & Pin Locking Drum

The factory assembly drawing identifies the swivel as 1/2" NPT Female (DSW9012SS) and shows two 1/2" NPT Male × 3/8" NPT Female adapter bushings (part 2530112) included with the reel.

Compare to current or past OEM associations:

General Pump DHRA50300
Karcher 9.112-949.0
0682491080749
0043972494262
B00INY1YXM

>

Availability: This product was added to our catalog on Friday 01 July, 2022

Steambrite Supply