



## Bolden Hydro-X Lite



Model : 4025600

Bolden Hydro-X Lite

Manufacturer : Therna-Stor

Restoration Industry's most efficient and versatile solution for removing water from carpet and pad. Features steering. Self-propelled movement. Multiple speeds. Stainless steel chassis. Patented Xtreme Xtractor roller. 2.5 Amps, 115 Volt/60 Hz. 80 lbs. Extracts up to 90% of the water from both the carpet and the pad

Consider the Disadvantages of Removing the Pad!

With the Extreme Extraction of the Hydro-X, drying carpet and pad in place helps you eliminate . . .

... THE DISADVANTAGES OF REMOVING PAD

1. Additional content manipulation for pulling the carpet back
2. Damage to seams
3. Delaminating carpet backing due to pulling it back to remove pad (carpet is 50% weaker when it is wet)
4. Revealing pre-existing problems such as animal urine/plant stains
5. Cost of tearing out pad
6. Debris removal cost (additional vehicle & trip charge)
7. Disposal cost
8. Additional contents manipulation for re-installing pad and re-stretching
9. Pad match problems
10. Scratching paint on trim during re-stretch
11. Additional scheduling for installers
12. Re-drilling concrete to install new metal strips
13. Extended job completion time
14. Extended invoicing cycle
15. Additional customer inconvenience
16. Additional Profit & Overhead charge

If you can dry carpet, pad, and structure in 3 days..... WHY PULL PAD

The new HYDRO-X Extreme Extraction System from Bolden's Manufacturing is helping to redefine industry standards for drying carpet, pad, and structure.

Previous tools used to extract water from carpet and pad performed so poorly that huge amounts of water were left behind for air movers and dehumidifiers to deal with.

Since the pad captures most of this water left behind, the solution seemed to be to pull out the pad and throw it and the water away! This is a very messy, labor-intensive, and wasteful job. Reinstallation of the carpet only added to the

## Bolden Hydro-X Lite

customers' inconvenience, the water damage contractors' problems, and the insurance companies costs.

The HYDRO-X removes water so fast, easy and completely from carpet and pad that all that's left to do is finish drying by evaporation using air movers and dehumidifiers. This makes everyone happy.

Now that there is HYDRO-X, pulling pad is beginning to look like we've been throwing away the whole bathtub instead of simply draining it!

### EXTRACTS TWICE THE WATER IN HALF THE TIME

These test results based on the industry standard Hydro Table&copy; Testing system.(using 10 Gal. of water as a basis for each test. Berber carpet & 9lb rebond pad)Bolden's Manufacturing, Inc.

### Top Ten Questions Asked Aboutthe HYDRO X

1. Is the HYDRO-X hard to push?You never have to push or pull the HYDRO-X machine. HYDRO-X is completely self-propelled with forward, reverse and a total variable speed range. All you do is set the speed and guide it!
2. How heavy is it?HYDRO-X weighs about 180 pounds, but due to it's unique take-down design, you'll never have to lift anything close to that amount. The base unit (without weights) weighs only 60 pounds.
3. Do you need a truck mount to use the HYDRO-X ?You'll get the best possible results with a truck mount, but by actual test comparison, we've found that HYDRO-X with a portable will easily outperform every other extraction tool available today.
4. How fast does it go?We've found that running the machine slower while making fewer passes over the carpet gets the job done the fastest! In fact, HYDRO-X still easily outperforms every other tool in the industry when operated in this manner. (See test results on HYDRO-X ads and flyers)
5. How do you know how fast to go?The HYDRO-X speed control tells you to go slowest for berber and fastest for cut pile carpet. Start slow, in a corner, and make two passes. Then simply pull up the corner and look at the results. Go faster if you can and slower if you need to.
6. Will it go close to the wall?Yes, HYDRO-X will go as close as  $\frac{1}{2}$  inch from the wall, which is as close as you need to go because of the tack strip.
7. How do you maintain it?The HYDRO-X is constructed of aircraft grade stainless steel wherever possible. Even the positive chain drive is stainless steel! Drive roller bearings are also stainless and require no lubrication. The HYDRO-X is incredibly rust and corrosion resistant, so it all adds up to a virtually maintenance free machine.
8. Is there a warranty?Yes. One full year; material and

Equipment: Restoration > Flood Pumpers > Bolden Hydro-X Lite

## Bolden Hydro-X Lite

workmanship.

9. If the 110 volt power is out at the jobsite, can you still use the HYDRO-X? Yes! HYDRO X is driven by a low voltage DC gear motor at the power head. This is an obvious safety feature (only a 5 amp fuse required). It also allows the use of battery power as an alternative power source. A simple, inexpensive inverter that you can plug into an auto cigarette lighter makes the hook-up easy.

10. If HYDRO-X helps me to dry in 3 days, how is that to my advantage? Wouldn't I make more money if I took longer? Insurance companies are beginning to demand 3-day drying. This makes it much more convenient for the homeowner, and the cost savings is very significant. Besides, the more quickly you get your equipment back, the more quickly you can move on to the next job. This makes you more available to your market and is especially important during a storm surge.

**Price : \$3,310.00**

---

Availability: This product was added to our catalog on Sunday 06 February, 2005