

Equipment: Restoration > Air Mover > Drieaz: AirWolf Hardwood Floor Drying Unit F228

**Drieaz: AirWolf Hardwood Floor Drying Unit F228**

Model : F228

Drieaz: AirWolf Hardwood Floor Drying Unit F228

Manufacturer : Drieaz



AirWolf  
Item #F228

**AIRWOLF SPECS**

Model  
F228

Height  
17" / 43 cm

Width  
21" / 53 cm

Depth  
16" / 41 cm

Weight  
35 lb / 16 kg

Equipment: Restoration > Air Mover > Drieaz: AirWolf Hardwood Floor Drying Unit F228

## Drieaz: AirWolf Hardwood Floor Drying Unit F228

Motor  
1.0 hp

Motor Speeds  
1-speed

Max. CFM  
(Free Air)  
800

Max. CFM (Full Load)  
450

Static Pressure  
(Free Air)  
7.75" / 19.7 cm

Static Pressure  
(Full Load)  
5" / 13 cm

Power (Free Air)  
11.6 amps

Power (Full Load)  
8.5 amps

Stackable  
Yes

UL Listed  
Yes

AirWolf/WolfPack  
Hardwood Floor Drying System

Dry Hardwoods Fast!

Equipment: Restoration > Air Mover > Drieaz: AirWolf Hardwood Floor Drying Unit F228

## Drieaz: AirWolf Hardwood Floor Drying Unit F228

The AirWolf uses an unbeatable combination of CFM and static pressure to literally force water out of damaged hardwood floors. The WolfPack system directs the high-velocity airflow of the AirWolf into the flutes between the flooring and the subfloor. This way the floor actually dries from the bottom out.

### Avoid Refinishing Costs

The AirWolf/WolfPack can dry out a hardwood floor in as little as 3 days! By drying fast from beneath, the AirWolf/WolfPack system can help reduce or eliminate cupping and associated refinishing costs. This means no sanding! Now that's a valuable service to offer your customers.

The world's best hardwood floor drying system

pressure

Up to 800 CFM and 7.75" of static

attachments

Powerful 1.0 hp motor

Stack the AirWolf for storage

Carrying case included for WolfPack

**Price : \$484.00**

Availability: This product was added to our catalog on Sunday 06 February, 2005