

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat



Model : S-300

Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

Manufacturer : Mytee

S300 Tempo Spotter

The Tempo Spotter is compact, rugged, and affordable. At 1-1/2 gallons, this upholstery spotter is easily carried in one hand. It's powerful high performance 2 stage vacuum motor helps reduce dry times, and the high quality stainless steel hand tool provides you with better durability than inferior plastic tools.

### SPECIFICATIONS

#### VACUUM MOTOR:

Single 2-Stage with 85" of water lift

#### PUMP:

55 PSI

#### TANK:

1.5 Gallon Solution and Recovery

#### POWER CORD:

Single 25'

#### WHEELS:

3"

#### UPHOLSTERY TOOL:

3" S/S with 8' high pressure vacuum and solution hose

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

DefSemiHidden="true" DefQFormat="false" DefPriority="99"  
LatentStyleCount="267">

UnhideWhenUsed="false" QFormat="true" Name="Normal" />

UnhideWhenUsed="false" QFormat="true" Name="heading 1"  
/>

UnhideWhenUsed="false" QFormat="true" Name="Title" />

UnhideWhenUsed="false" QFormat="true" Name="Subtitle" />

UnhideWhenUsed="false" QFormat="true" Name="Strong" />

UnhideWhenUsed="false" QFormat="true" Name="Emphasis"  
/>

UnhideWhenUsed="false" Name="Table Grid" />

UnhideWhenUsed="false" QFormat="true" Name="No  
Spacing" />

UnhideWhenUsed="false" Name="Light Shading" />

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

```
UnhideWhenUsed="false" Name="Light List" />
UnhideWhenUsed="false" Name="Light Grid" />
UnhideWhenUsed="false" Name="Medium Shading 1" />
UnhideWhenUsed="false" Name="Medium Shading 2" />
UnhideWhenUsed="false" Name="Medium List 1" />
UnhideWhenUsed="false" Name="Medium List 2" />
UnhideWhenUsed="false" Name="Medium Grid 1" />
UnhideWhenUsed="false" Name="Medium Grid 2" />
UnhideWhenUsed="false" Name="Medium Grid 3" />
UnhideWhenUsed="false" Name="Dark List" />
UnhideWhenUsed="false" Name="Colorful Shading" />
UnhideWhenUsed="false" Name="Colorful List" />
UnhideWhenUsed="false" Name="Colorful Grid" />
UnhideWhenUsed="false" Name="Light Shading Accent 1" />
UnhideWhenUsed="false" Name="Light List Accent 1" />
UnhideWhenUsed="false" Name="Light Grid Accent 1" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 1" />
UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" />
UnhideWhenUsed="false" QFormat="true" Name="Quote" />
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" />
```

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" />

UnhideWhenUsed="false" Name="Dark List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 1" />

UnhideWhenUsed="false" Name="Colorful List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 1" />

UnhideWhenUsed="false" Name="Light Shading Accent 2" />

UnhideWhenUsed="false" Name="Light List Accent 2" />

UnhideWhenUsed="false" Name="Light Grid Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2" />

UnhideWhenUsed="false" Name="Dark List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 2" />

UnhideWhenUsed="false" Name="Colorful List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 2" />

UnhideWhenUsed="false" Name="Light Shading Accent 3" />

UnhideWhenUsed="false" Name="Light List Accent 3" />

UnhideWhenUsed="false" Name="Light Grid Accent 3" />

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3" />

UnhideWhenUsed="false" Name="Dark List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 3" />

UnhideWhenUsed="false" Name="Colorful List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 3" />

UnhideWhenUsed="false" Name="Light Shading Accent 4" />

UnhideWhenUsed="false" Name="Light List Accent 4" />

UnhideWhenUsed="false" Name="Light Grid Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4" />

UnhideWhenUsed="false" Name="Dark List Accent 4" />

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

UnhideWhenUsed="false" Name="Colorful Shading Accent 4" />

UnhideWhenUsed="false" Name="Colorful List Accent 4" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 4" />

UnhideWhenUsed="false" Name="Light Shading Accent 5" />

UnhideWhenUsed="false" Name="Light List Accent 5" />

UnhideWhenUsed="false" Name="Light Grid Accent 5" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 5" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 5" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5" />

UnhideWhenUsed="false" Name="Dark List Accent 5" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 5" />

UnhideWhenUsed="false" Name="Colorful List Accent 5" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 5" />

UnhideWhenUsed="false" Name="Light Shading Accent 6" />

UnhideWhenUsed="false" Name="Light List Accent 6" />

UnhideWhenUsed="false" Name="Light Grid Accent 6" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 6" />

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6"  
/>

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6"  
/>

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6"  
/>

UnhideWhenUsed="false" Name="Dark List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 6"  
/>

UnhideWhenUsed="false" Name="Colorful List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 6" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle  
Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Intense  
Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle  
Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Intense  
Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Book Title"  
/>

/\* Font Definitions \*/

@font-face

{font-family:"Cambria Math";  
panose-1:2 4 5 3 5 4 6 3 2 4;  
mso-font-charset:1;  
mso-generic-font-family:roman;  
mso-font-format:other;  
mso-font-pitch:variable;  
mso-font-signature:0 0 0 0 0 0;}

@font-face

{font-family:Calibri;  
panose-1:2 15 5 2 2 2 4 3 2 4;  
mso-font-charset:0;  
mso-generic-font-family:swiss;  
mso-font-pitch:variable;  
mso-font-signature:-1610611985 1073750139 0 0 159 0;}

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

```
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{mso-style-unhide:no;
mso-style-qformat:yes;
mso-style-parent:"";
margin-top:0in;
margin-right:0in;
margin-bottom:10.0pt;
margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri", "sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->
```

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
```

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

mso-style-parent:"";  
mso-padding-alt:0in 5.4pt 0in 5.4pt;  
mso-para-margin-top:0in;  
mso-para-margin-right:0in;  
mso-para-margin-bottom:10.0pt;  
mso-para-margin-left:0in;  
line-height:115%;  
mso-pagination:widow-orphan;  
font-size:11.0pt;  
font-family:"Calibri","sans-serif";  
mso-ascii-font-family:Calibri;  
mso-ascii-theme-font:minor-latin;  
mso-fareast-font-family:"Times New Roman";  
mso-fareast-theme-font:minor-fareast;  
mso-hansi-font-family:Calibri;  
mso-hansi-theme-font:minor-latin;}

Receive half price shipping by picking up at Steam Brite San Antonio  
 $\$379.00 + \$23.50 = \$402.50$

### Warranty

#### Mytee Limited Warranty Policy

Mytee Products, Inc. endeavors to provide high quality products and product support to its customers and therefore backs up all of its new products purchased from Mytee Products Inc. ("Mytee") or any authorized Mytee distributor/service center with this limited warranty. This limited warranty begins on the date of the customer's purchase and is valid and available to the original purchaser only. Mytee's products are for commercial use only and are not intended for personal, family or household uses. HOWEVER, OTHER THAN SET FORTH HEREIN, MYTEE GIVES NO WARRANTY, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, INFRINGEMENT, OR OTHER MATTER, OF ANY GOODS WHICH MYTEE SHALL SUPPLY. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. MYTEE SHALL IN NO WAY BE RESPONSIBLE FOR THE PROPER USE AND APPLICATION OF THE GOODS. MYTEE NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR MYTEE ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF MYTEE'S GOODS. THIS LIMITED WARRANTY POLICY MAY BE CHANGED OR WITHDRAWN BY MYTEE AT ANY TIME

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

WITHOUT NOTICE.

**WEAR PARTS 90-DAY LIMITED WARRANTY:** Mytee will replace all wear parts for 90 days from the date of original purchase. "Wear parts" are items which wear out as a result of usage or the passage of time and are consumed despite attempts to maintain them, such as gaskets, wheels, brass, cords, wires, electrical terminals, hoses, switches, thermostats, plastisol parts, filters, bearings, brushes, solenoids, o-rings, bulbs, heating elements, castors, or other parts deemed wear items in Mytee's sole discretion. This warranty covers the cost of replacement only and does not cover shipping or labor costs.

**PUMP, VACUUM MOTOR AND HEATER 1-YEAR LIMITED WARRANTY:** Mytee warrants that pumps, vacuum and floor machine motors, and heaters will be free from manufacturing defects, defects in workmanship, and defects in material for one (1) year from the date of original purchase. This warranty does not apply and is void if the pump, vacuum motor, or heater has worn brush motors, water damage, chemical build-up, chemical damage, or evidence of abuse, neglect or tampering. This warranty covers the cost of replacement or repair only and does not cover shipping or labor costs.

**HOUSING 5-YEAR LIMITED WARRANTY:** For five (5) years from the date of purchase, Mytee warrants a percentage of the cost of replacement of rotationally-molded housings pro-rated as follows: Mytee will pay 100% of replacement cost in the first year from the date of purchase, 75% of replacement cost in the second year from the date of purchase, 50% in the third year, 25% in the fourth year, and 12% in the fifth year. Replacement cost does not include the cost of shipping or labor.

**LIMITATION OF DAMAGES: THE REMEDY OF REPLACEMENT OR REPAIR OF ANY DEFECTIVE GOODS SHALL BE THE EXCLUSIVE REMEDY UNDER ANY WARRANTY MADE BY MYTEE, WHETHER EXPRESS OR IMPLIED. IN NO EVENT SHALL MYTEE BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, PROPERTY DAMAGES, OR PERSONAL INJURIES.**

All limited warranties are void for, and Mytee does not warrant in any way, any product that evidences misapplication, improper installation, abuse, lack of maintenance, negligence in use or care, abnormal use, alteration of design, use of incompatible or corrosive chemicals, use in a rental service, and/or servicing, installation of parts, or repairs by anyone other than Mytee or a Mytee authorized distributor or service center. Mytee may make changes in products it manufactures and markets at any time; these

changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

Mytee has no obligation to honor the limited warranties set forth herein unless the original purchaser, promptly upon discovering the warranty claim and prior to continuing to use the product, contacts Mytee or a Mytee authorized distributor or service center to describe the claim and to receive and follow instructions for documenting and resolving the claim. In

> Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

## Mytee: Tempo Spotter Extractor - 1/2Vacs - 55psi - No Heat

In addition, the purchaser must provide the product to which the claim applies to Mytee or a Mytee authorized distributor or service center for a thorough inspection.

If any provision or portion of this limited warranty policy is found to be unenforceable, then the remaining provisions and portions shall remain valid and enforceable. If any provision or portion of this limited warranty policy is found to be limited by law, then that provision or portion shall be construed to make it effective within the bounds of law. For example, if there are legal limitations on the duration of warranties, the warranties made herein shall be construed to have the minimum duration required by law, or, if there are legal limitations of exclusion of remedies, the exclusions made herein shall be construed to apply to the fullest extent possible without violating the law. The validity, construction and performance of this warranty policy shall be governed by the laws of the State of California, without respect to conflicts of laws principles. The exclusive jurisdiction of any legal action arising from or related to this warranty policy shall be in the State of California and no legal action shall be commenced elsewhere.

**Price : \$379.00**

---

*Availability: This product was added to our catalog on Sunday 06 February, 2005*