

Powr-Flite: Flood Pumper - 5gpm



Model : PF85

Powr-Flite: Flood Pumper - 5gpm

Manufacturer : Powr-Flite

Commercial Flood Restoration Pump

The "Gulper II" flood extraction machine is designed specifically for flood restoration.

The hazardous conditions of a flooded site: structural damage, electrical hazards, pathogenic bacteria, mold and mildew present very specific cleaning issues. The professional Gulper Flood Pump is powerful enough to tackle the toughest recovery jobs, yet is easy to use. And its single power cord operation minimizes blown breakers and searching for additional circuits when electrical power is at a premium. The first step in flood restoration is to remove as much water as possible. The Gulper II is designed specifically for water recovery with a powerful vacuum motor that extracts liquids at the rate of 5 gallons per minute. And no worrying about the discharge hose not being long enough. We've made it super simple! An ordinary garden hose allows you to use as many hoses as necessary to put the water exactly where you want it.

Flood Pumper - 5gpm

Product Description

5 Gal Flood Pump Gulper II the hazardous conditions of a flooded site: structural damage, electrical hazards, pathogenic bacteria, mold and mildew present very specific cleaning issues. Gulper Flood Pump is powerful enough to tackle the toughest recovery jobs, yet is easy to use. and its single power cord operation minimizes blown

Powr-Flite: Flood Pumper - 5gpm

breakers and searching for additional circuits when electrical power is at a premium.

Gulper Flood Pump is first step in flood restoration is to remove as much water as possible. the gulper ii is designed specifically for water recovery with a powerful vacuum motor that extracts liquids at the rate of 5 gallons per minute.

Gulper Flood Pump uses an ordinary garden hose allows you to use as many hoses as necessary to put the water exactly where you want it. carpets, rugs and furniture must be completely dried to prevent biological contamination. water-borne contaminants and residue permeated through fabrics and carpet fibers can create foul odors and even toxicity in the air if not properly treated. (shown with optional wand)

Product Features:

- Extracts liquids at the rate of 5 gallons per minute.
- Designed exclusively for water recovery
- Stainless steel 50 mesh filter for pump protection
- 25 ft of 2 inch vacuum hose
- Discharge pump located in equipment bay rather than recovery tank
- Single power cord operation (wand not included)

Powr-Flite: Flood Pumper - 5gpm

```
/* Font Definitions */
@font-face
{font-family:"Cambria Math";
panose-1:2 4 5 3 5 4 6 3 2 4;
mso-font-charset:0;
mso-generic-font-family:roman;
mso-font-pitch:variable;
mso-font-signature:-1610611985 1107304683 0 0 159 0;}
@font-face
{font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;
mso-font-charset:0;
mso-generic-font-family:swiss;
mso-font-pitch:variable;
mso-font-signature:-1610611985 1073750139 0 0 159 0;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{mso-style-unhide:no;
mso-style-qformat:yes;
mso-style-parent:"";
margin-top:0in;
margin-right:0in;
margin-bottom:10.0pt;
margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri", "sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
```

Powr-Flite: Flood Pumper - 5gpm

mso-footer-margin:.5in;
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->

EQUIPMENT WARRANTY INFORMATION

All Powr-Flite equipment has been carefully tested and inspected at the factory. It is guaranteed, subject to the terms stated in this warranty, to be free of defects in materials and workmanship. We will repair or replace any parts which, upon examination, prove to be defective in material and workmanship. For warranty claims, call our Customer Service Department.

NOTE: Electric cable switches, carbon brushes and couplings are excepted from these guarantees, but the purchaser is assured meticulous care has been exercised in the selection, assembling and testing of these parts before shipping. This warranty does not apply to damage caused by accident, misuse, negligence, abuse, fire or to any Powr-Flite product which has been repaired by other than an authorized Powr-Flite distributor or factory personnel. Warranty is void if products are used for any purpose other than that which was intended. Please read instruction manuals and maintenance instructions carefully.

Equipment

Housing

Tank

Motor

Pump

Brush
Motor

Gear
Box

Materials

Equipment: Restoration > Flood Pumpers > Powr-Flite: Flood Pumper - 5gpm

Powr-Flite: Flood Pumper - 5gpm

Workmanship

Burnishers

10 yrs

2 yrs

1 yr

Floor Machines

10 yrs

5 yrs

3 yrs

1 yr

Powr-Flite: Flood Pumper - 5gpm

Scrubbers

10 yrs

1 yr

1 yr

1 yr

1 yr

1 yr

1 yr

Sweepers

5 yrs

10 yrs

1 yr

1 yr

Vacuums

Equipment: Restoration > Flood Pumpers > Powr-Flite: Flood Pumper - 5gpm

Powr-Flite: Flood Pumper - 5gpm

1 yr

1 yr

Wet/Dry Vacs

5 yrs

1 yr

1 yr

Extractors

5 yrs

Equipment: Restoration > Flood Pumpers > Powr-Flite: Flood Pumper - 5gpm

Powr-Flite: Flood Pumper - 5gpm

1 yr

1 yr

1 yr

PEB's

5 yrs

1 yr

3 yrs

1 yr

Powr-Dryer

5 yrs

Equipment: Restoration > Flood Pumpers > Powr-Flite: Flood Pumper - 5gpm

Powr-Flite: Flood Pumper - 5gpm

1 yr

1 yr

Price : \$1,448.00

Availability: This product was added to our catalog on Friday 19 December, 2008