

Shurflo: SIV series - 40 psi- 1 gpm



Model : SLV10-AA40
Shurflo: SIV series - 40 psi- 1 gpm
Manufacturer : SHURflo

Automatic Demand Pump
1.0 GPM open flow, Viton® valves,
Santoprene® diaphragm, 40 PSI Demand Switch,
3/8" Barb ports Integral on/off switch included

Model

SLV10-AA40

Description

1.0 GPM open flow, Viton® valves,
Santoprene® diaphragm, 40 PSI Demand Switch,
3/8" Barb Ports, Integral on/off switch included

Voltage

12 VDC

PSI

3

10

Shurflo: SIV series - 40 psi- 1 gpm

20

30

BAR

0.2

0.7

1.4

2.1

GPM

0.90

0.73

0.62

0.49

L/min

3.4

2.8

2.3

Shurflo: SIV series - 40 psi- 1 gpm

1.9

Amps

1.8

2.1

2.3

2.5

- Automatic demand; 25 PSI (1.72 bar) on /40 PSI
- Self priming up to 2.5 vertical feet (.76m)
- Long life pressure switch
- Santoprene®; diaphragm, Viton®; valves
- Thermally protected ball bearing motor with splash proof housing
 - Internal fan radiates heat; external heat sink not required.
 - Integral on/off switch optional.

New from SHURflo, the SLV is ideal for low volume intermittent duty application requiring a compact pump with low power consumption. Unique design has no metals in the fluid path for maximum chemical resistance. Automatic demand operation and elastomers that handle a wide variety of fluids offer great versatility. Perfect for low volume spraying and transfer. Cost effective yet with high performance and reliability; the SLV offers tremendous value.

Price : \$68.40

Availability: This product was added to our catalog on Thursday 13 November, 2008