

Wand Brush Attachment



Model : 8650

Wand Brush Attachment

Manufacturer : -

The patented Wand Brush is perfect for scrubbing spots and heavy traffic lanes. The spring loaded brush unit is held up out of the way until needed. With a gentle pull of the handle, the Wand Brush can be used with a regular cleaning stroke or, with a tighter pull, it can lift the wand off of the carpet for pure scrubbing power. This is one of the items listed in the Master Cleaner Start Up Packages

Wand

Assembly

Mounting Instructions

1.) Lay the brush assembly next to the wand and position the clips and clamps as shown. 2 clips and 3 clamps are provided.

3.) Locate and align the two slots in the brush head with the two clips. Rotate the brush head up and against the wand head. Insure both clips are in place and the assembly is centered on the wand. If the 1 inch strap is not already attached, slip it into place.

**** IMPORTANT ****

After attaching the mounting strap as shown in Step 3, mark the desired bend point with a felt pen. Then bend the strap over the edge of a table 1/8" below the mark. This

Wand Brush Attachment

will put pressure on the mounting clips ensuring that the brush is held securely.
Continue on to Step 4.

CAUTION: Note the 1 inch strap has a flange on both ends. Insure the flange is facing up and away from the wand tubing so it's resting flush against the wand neck.

6.) Complete the assembly by using the nylon tie to secure the cable. Leave a generous loop in the cable to prevent any kinks. Locate the tie approximately 3 inches above the wand neck.

Equipment: Carpet Cleaning > Wand > Specialty Wands > Wand Brush Attachment

Wand Brush Attachment

Also ask by email how to have welded by wand manufacturer.

Price : \$49.99

Availability: This product was added to our catalog on Sunday 06 February, 2005