
KÄRCHER

makes a difference





MOBILITY AND PERFORMANCE ANYWHERE NEEDED.

The upright and ergonomic hot water pressure washer.

HDS Upright Class



Mobility at its finest.

This high-performance, robust upright machine offers outstanding maneuverability, easy transport and intuitive operation. Ideal for tradesmen, commercial use and contract cleaners.





1 Ease of use

- Large, robust wheels that make it easy to transport over stairs and other uneven ground.
- Integrated tilting aid for effortless transport and cleaning.
- Optimally positioned handle allows for pushing and pulling with minimum effort.
- Easily accessible fuel tank for environmentally friendly filling without spilling.
- Central control panel features 3 modes (OFF/COLD/HOT).
- Safety lock prevents fuel loss during transport.
- Easy-to-view fuel level indicator makes it clear when a fill up is needed.

2 EASY!Force trigger gun

EASY!Force technology holds the trigger down once you start it, avoiding the strain on your hands associated with other trigger guns.

3 Economic efficiency

- Hot water to 175°F/80°C significantly increases cleaning power with lower operating costs.
- Efficient heat exchanger for low exhaust emissions and minimal operating costs.
- Downdraft burner is 92% efficient and boasts 25% less fuel consumption.

4 Smart design

- A considerably reduced footprint allows for an easy fit even in the tightest storage space.
- Power cord hook for simple, practical and fast storage.
- Durable professional pump set with brass cylinder head delivers extra power and increased endurance.
- Large fine mesh filter reliably protects against dirt particle damage.
 Exhaust temperature sensor offers protection against overheating.

Technical data and equipment.

| TECHNICAL DATA | | | | | | | | | | | | |
|----------------|---------------------|--------------------------------------------------------------------------|-----|------|--------|-----|----------------|------|---------------|-------------------|---------------------------------------|--|
| Model | | Part No. | GPM | PSI | Drive | HP | Electrical | Amps | Pump | Ship Weight (lbs) | Ship Dimensions (L x W x H) Inches | |
| НD | S 1.7/12 U Ed | 1.064-907.0 | 1.7 | 1200 | Direct | 2.3 | 110-120V / 1ph | 12.5 | Kärcher Axial | 178 | 28 x 28 x 46 | |
| | | | | | | | | | | | | |
| ACCESSORIES | | | | | | | | | | | | |
| | Order No. | Description | | | | | | | | | | |
| | 4.118-005.0 | EASY!Force trigger gun (German model) - zero force required. | | | | | | | | | | |
| | 4.112-006.0 | 33" spray lance | | | | | | | | | | |
| | 6.110-034.0 | 33' high-pressure hose | | | | | | | | | | |
| | 4.117-027.0 | Triple jet nozzle, 032 | | | | | | | | | | |
| | 2.112-015.0 | Gutter cleaning lance | | | | | | | | | | |
| | 4.112-032.0 | Underbody lance | | | | | | | | | | |
| | 6.110-051.0 | High-pressure hose, 10m DN8, suitable for food industry, extension piece | | | | | | | | | | |
| | 6.110-049.0 | Pipe cleaning hose | | | | | | | | | | |
| | 2.111-013.0 | FR 30 ME surface cleaner | | | | | | | | | | |
| | 2.111-011.0 | Surface cleaner FR 30 | | | | | | | | | | |
| | 4.115-000.0 | Wet blasting attachment | | | | | | | | | | |
| | 4.113-003.0 | Rotating washing brush natural fiber bristles | | | | | | | | | | |
| | 4.113-004.0 | Rotating washing brush nylon bristles | | | | | | | | | | |
| | 2.113-000.0 | Power nozzle 25° spray angle | | | | | | | | | | |
| | 4.114-019.0 | Dirtblaster Nozzle 035 | | | | | | | | | | |
| | 4.637-033.0 | Detergent injector for high pressure | | | | | | | | | | |
| | 2.115-000.0 | Quick coupling | | | | | | | | | | |
| | 2.115-001.0 | Plug nipple | | | | | | | | | | |
| | 4.112-000.0 | 41" Spray lance | e | | | | | | | | | |
| ∎ In | Included 🗆 Optional | | | | | | | | | | | |

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive Mississauga, ON L5T 2W9 Canada

Phone888-705-9444Fax905-672-3155

www.karcher.ca