

## K 2 POWER CONTROL

The Kärcher K 2 Power Control pressure washer is perfect for cleaning bicycles, garden tools, patio furniture and more.



### Order no.

1.673-609.0

- App support
- Telescopic handle, HD hose, suction hose for detergent
- Vario power spray lance, dirt blaster

### Technical data

EAN code		886622044222
Phase	Ph	1
Voltage	V	120
Cartridge filter PES	Hz	60
Pressure	psi	max. 1700
Flow rate	gal/min	max. 1.4
Area performance	ft <sup>2</sup> /hr	215
Color		yellow
Weight without accessories	lb	11.4
Weight incl. packaging	lb	15.4
Dimensions (L × W × H)	in	9.7 × 11 × 23.1

### What's included

High-pressure spray gun: G 120 Q  
 Vario PowerJet  
 Click Vario Power Spray lance  
 Dirt Blaster  
 High-pressure hose: 26 ft  
 Adapter for 3/4" garden hose 3/4"

### Equipment

Quick Connect on machine  
 Detergent application: Suction  
 Telescopic handle  
 Integrated water filter




## Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.
- Convenient and comprehensive - all info on the pressure washer and its cleaning applications.



## Spray gun and spray lances with Quick Connect

- Easy attaching and turning - two different spray lances are available.
- Optimal pressure setting - three pressure settings and one detergent setting can be selected.
- Easy control - symbols on the spray lances display the settings that have been set.



## Height-adjustable telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.

## EQUIPMENT FOR K 2 POWER CONTROL

### 1.673-609.0



		Order no.	Description	
<b>SPRAY LANCES</b>				
VP 135	1	2.644-427.0		<input checked="" type="checkbox"/>
Dirtblaster Spray Wand for K 1 and K 2 Entry Models	2	2.642-727.0	Dirtblaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 1 and K 2 Entry. For particularly stubborn dirt like that on mossy or weathered surfaces.	<input checked="" type="checkbox"/>
<b>HARD SURFACE CLEANERS</b>				
T 5 T-Racer Surface Cleaner	3	2.644-342.0	Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. Can be used to clean hard and delicate surfaces alike. Fits Kärcher K2-K5 pressure washers only.	<input type="checkbox"/>
PS 30 Power Scrub Brush	4	2.644-311.0	The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	<input type="checkbox"/>
<b>SPRAY GUNS</b>				
G 180 Q PC	5	2.644-434.0		<input type="checkbox"/>
Kärcher Bayonet Spray Gun	6	2.642-889.0	Replacement spray gun for Kärcher K2 – K5 electric pressure washers only. Made in Germany.	<input type="checkbox"/>
<b>FOAM JET</b>				
FJ 6 foam nozzle	7	2.643-147.0	The FJ 6 turns your Kärcher K1 – K5 electric pressure washer in to a personal car wash system, delivering luxurious foam for vehicle cleaning.	<input type="checkbox"/>
<b>MISCELLANEOUS</b>				
Suction hose SH 3	8	2.643-101.0	Three meters (approx. 9.8 feet) hose for drawing water from alternative sources such as a bucket or cistern.	<input type="checkbox"/>
Water filter	9	4.730-059.0	Genuine Kärcher water filter protects a pressure washer's pump against dirt particles in the water supply.	<input type="checkbox"/>
<b>HIGH PRESSURE HOSES</b>				
<b>High Pressure Replacement Hose with Anti-Twist system and Quick Connect system</b>				
H 10 Q PremiumFlex Anti-Twist	10	2.643-585.0	Innovative PremiumFlex high-pressure hose with anti-twist system. 10m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not compatible with Full Control.	<input type="checkbox"/>
<b>High pressure extension hose for devices with Quick Connect</b>				
Extension hose for K3 – K5 pressure washers	11	2.641-710.0	Genuine Kärcher extension hose, 32.8 ft, for K3, K4 and K5 pressure washers with Quick Connect adapter.	<input type="checkbox"/>
<b>HOSE STORAGE AND HOSE TROLLEY</b>				
Hose trolley HT 2	12	2.645-361.0		<input type="checkbox"/>
Hose trolley HT 2.20 Set	13	2.645-362.0		<input type="checkbox"/>
Hose trolley HT 3	14	2.645-363.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR K 2 POWER CONTROL 1.673-609.0



	Order no.	Description	
<b>HOSE STORAGE AND HOSE TROLLEY</b>			
Hose trolley HT 3.20 Set	15 2.645-364.0		<input type="checkbox"/>
Hose trolley HT 4	16 2.645-365.0		<input type="checkbox"/>
Hose trolley HT 4.20 Set	17 2.645-366.0		<input type="checkbox"/>
Hose trolley HT 5 M	18 2.645-367.0		<input type="checkbox"/>
Hose trolley HT 5.20 M Set	19 2.645-368.0		<input type="checkbox"/>
Hose trolley HT 6 M	20 2.645-369.0		<input type="checkbox"/>
Hose reel HR 2.10 Set	21 2.645-370.0		<input type="checkbox"/>
Hose reel HR 3	22 2.645-371.0		<input type="checkbox"/>
Wall-mounted hose reel HR 3.20 Set	23 2.645-372.0		<input type="checkbox"/>
Hose reel HR 4	24 2.645-373.0		<input type="checkbox"/>
Hose reel HR 4.20 Set	25 2.645-374.0		<input type="checkbox"/>
Hose Box HBX 4.15 Automatic	26 2.645-377.0		<input type="checkbox"/>
Hose Box HBX 4.20 Automatic	27 2.645-378.0		<input type="checkbox"/>
Hose Box HBX 5.25 Automatic	28 2.645-379.0		<input type="checkbox"/>

Available accessories.

## EQUIPMENT FOR K 2 POWER CONTROL 1.673-609.0



	Order no.	Description	
<b>HOSE STORAGE AND HOSE TROLLEY</b>			
Hose Box HBX 5.30 Automatic	29	2.645-380.0	<input type="checkbox"/>
Hose Box HBX 5.35 Automatic	30	2.645-381.0	<input type="checkbox"/>
<b>HOSES</b>			
PrimoFlex 1/2" 30m	31	2.645-248.0	<input type="checkbox"/>
K	32	2.645-296.0	<input type="checkbox"/>
PrimoFlex® 1/2" - 25 m	33	2.645-297.0	<input type="checkbox"/>
K	34	2.645-298.0	<input type="checkbox"/>
Hose PrimoFlex Plus 1/2" -20m	35	2.645-318.0	<input type="checkbox"/>
Hose PrimoFlex Plus 1/2" -50m	36	2.645-319.0	<input type="checkbox"/>
Hose PrimoFlex 5/8" -25m	37	2.645-320.0	<input type="checkbox"/>
Hose PrimFlex Plus 5/8" -50m	38	2.645-321.0	<input type="checkbox"/>
Hose PrimoFlex Plus 3/4" -25m	39	2.645-322.0	<input type="checkbox"/>
Hose PrimoFlex Plus 3/4" -50m	40	2.645-323.0	<input type="checkbox"/>
Hose PrimoFlex Premium 1/2" -20m	41	2.645-324.0	<input type="checkbox"/>
Hose PrimoFlex Premium 1/2"-50m	42	2.645-325.0	<input type="checkbox"/>

Available accessories.

## EQUIPMENT FOR K 2 POWER CONTROL

### 1.673-609.0




41, 43



42, 44



45



46, 48, 50



31-34, 47, 49



51



52



53



54



55



56

	Order no.	Description	
<b>HOSES</b>			
Hose PrimoFlex Premium 5/8"-25m	43	2.645-326.0	<input type="checkbox"/>
Hose PrimoFlex Premium 5/8" -50m	44	2.645-327.0	<input type="checkbox"/>
The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology.			
Hose set 1/2" 10m	45	2.645-399.0	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 50 m	46	2.645-139.0	<input type="checkbox"/>
Primo Flex® hose 5/8" - 25 m	47	2.645-140.0	<input type="checkbox"/>
PrimoFlex® hose 5/8" - 50 m	48	2.645-141.0	<input type="checkbox"/>
PrimoFlex® quality garden hose (5/8"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.			
PrimoFlex® hose 3/4" - 25 m	49	2.645-142.0	<input type="checkbox"/>
PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.			
PrimoFlex® hose 3/4" - 50 m	50	2.645-143.0	<input type="checkbox"/>
<b>CONNECTORS/TAP ADAPTORS</b>			
HOSE CONNECTOR MIDDLE UNIVERSAL	51	2.645-193.0	<input type="checkbox"/>
Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.			
HOSE CONNECTOR MIDDLE AQUA UNIVERSAL	52	2.645-194.0	<input type="checkbox"/>
Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.			
<b>AK-USA</b>			
Pump Guard	53	9.558-998.0	<input type="checkbox"/>
Kärcher's Pump Guard is specifically formulated to prolong the life of your pressure washer.			
<b>UNIVERSAL CLEANERS</b>			
RM 626	54	6.296-225.0	<input type="checkbox"/>
Universal Cleaner RM 555	55	6.295-357.0	<input type="checkbox"/>
<b>VEHICLE MAINTENANCE</b>			
Ultra Foam Cleaner RM 527	56	6.296-173.0	<input type="checkbox"/>

Available accessories.  Cleaning agents.

## EQUIPMENT FOR K 2 POWER CONTROL 1.673-609.0



	Order no.	Description	
<b>VEHICLE MAINTENANCE</b>			
Car shampoo 500ml Konz. GBP*int	57	6.295-843.0	<input type="checkbox"/>
RM 610 1l car shampoo 3in1	58	6.296-226.0	<input type="checkbox"/>
Insect remover cleaning agents 618, 3in1	59	6.295-761.0	<input type="checkbox"/>
RM 640N RTU	60	6.296-288.0	<input type="checkbox"/>
RM 667** 0,5l rim cleaners	61	6.296-048.0	<input type="checkbox"/>
Car Shampoo 3-in-1	62	6.295-750.0	<input type="checkbox"/>
Car shampoo	63	6.295-360.0	<input type="checkbox"/>
Ultra foam cleaner 3-in-1	64	6.295-743.0	<input type="checkbox"/>
<b>ALL AROUND THE HOUSE</b>			
<b>Glas Finisher</b>			
Glass finisher 3-in-1	65	6.295-474.0	<input type="checkbox"/>
<b>Stone cleaning &amp; amp</b>			
Stone- / cladding maintenace high-pressu	66	6.295-594.0	<input type="checkbox"/>
Patio & Deck Cleaner 500ml Konz. GBP*int	67	6.295-842.0	<input type="checkbox"/>
Stone and façade cleaner 3-in-1	68	6.295-765.0	<input type="checkbox"/>
Stone and facade cleaners	69	6.295-359.0	<input type="checkbox"/>
<b>Wood cleaning &amp; amp</b>			
Wood cleaner **5 L	70	6.295-361.0	<input type="checkbox"/>

O Cleaning agents.

## EQUIPMENT FOR K 2 POWER CONTROL 1.673-609.0



		Order no.	Description	
<b>ALL AROUND THE HOUSE</b>				
<b>Plastic cleaning &amp; amp</b>				
Plastic cleaner 3-in-1	71	6.295-758.0		<input type="radio"/>
Plastics cleaner	72	6.295-358.0		<input type="radio"/>

Cleaning agents.