

TABLE OF CONTENTS

1. 4K Projectors
2. Air Compressors
3. Automotive Lifts
4. Coffee & Espresso Machines
5. Commercial Food Mixers
6. Concrete Grinders & Surface Prep
7. Concrete Vacuums / HEPA Vacuums / Industrial Vacuums
8. Dust Collectors
9. EV Chargers
10. Hammer Drills
11. HVAC & Portable AC Units
12. Lab & Testing Equipment
13. Laser Cinema Projectors
14. Meat Grinders
15. PDUs / UPS Systems
16. Plasma Cutters (<=20A Low-Power Models)
17. Polyurethane Spray Foam Machines
18. Pressure Washers
19. Sanders
20. Shop Tools & Industrial Machinery
21. Space Heaters
22. Three-Spindle Shapers
23. Vapor & Steam Cleaning Equipment
24. Woodworking Machines

4K PROJECTORS

Barco F80-4K12 4K UHD laser phosphor projector 200-240V <=20A

Barco F80-Q12 4K UHD laser projector 200-240V <=20A

Barco UDX-4K26 4K laser projector 200-240V <=20A

Barco UDX-4K32 4K laser projector 200-240V <=20A

Barco UDX-W40 WUXGA laser projector 200-240V <=20A

AIR COMPRESSORS

Husky C602H 60-gallon compressor 230V <=20A

Husky VT6314 60-gallon compressor 230V <=20A

California Air Tools 20040CAD 4HP 20-gallon 220-240V <=20A

California Air Tools 6004CAD 4HP 60-gallon 220-240V <=20A

California Air Tools 60040DCADC 4HP 60-gallon 220-240V <=20A

California Air Tools 60040DCAD 4HP 60-gallon 220-240V <=20A

Campbell Hausfeld VT6195 3.75HP 60-gallon 230V <=20A

AUTOMOTIVE LIFTS

BendPak XPR-10S 10,000 lb two-post 220-240V <=20A

BendPak XPR-12FDL 12,000 lb two-post 220-240V <=20A

BendPak HD-9 9,000 lb four-post 220-240V <=20A

BendPak HD-9ST 9,000 lb narrow-body 220-240V <=20A

BendPak HD-9XW 9,000 lb extra-wide 220-240V <=20A

COFFEE & ESPRESSO MACHINES

La Marzocco Linea Mini dual-boiler 220-240V <=20A

La Marzocco GS3 dual-boiler 220-240V <=20A

Nuova Simonelli Appia II Compact 220-240V <=20A

Nuova Simonelli Aurelia II 220-240V <=20A

COMMERCIAL FOOD MIXERS

Hobart HL200 20-qt mixer 200-240V <=20A

Hobart HL300 30-qt mixer 200-240V <=20A

Hobart HL600 60-qt mixer 200-240V <=20A

Globe SP20 20-qt mixer 220-240V <=20A

Globe SP30 30-qt mixer 220-240V <=20A

CONCRETE GRINDERS & SURFACE PREP

Edco TG-10-5B 10" turbo grinder 230V <=20A

Edco TG-10-5B-230 10" turbo grinder 230V <=20A

Edco 2EC-NG dual-disc grinder 230V <=20A

Edco SEC-NG single-disc grinder 230V <=20A

Husqvarna PG 280 single-disc 220-240V <=20A

Husqvarna PG 400 planetary 220-240V <=20A

Husqvarna PG 450 planetary 220-240V <=20A

SPACE HEATERS

Dr. Heater DR-PS11524 240V <=20A

Dr. Heater DR-966 240V <=20A

Fahrenheat FUH724 240V <=20A

Fahrenheat PLF Series 240V <=20A

King KB2406-1 240V <=20A

King KBP2406 240V <=20A

THREE-SPINDLE SHAPERS

SCM Minimax TW 55ES 230V <=20A

SCM Minimax TF 130 230V <=20A

Felder F 700 Z 230V <=20A

Felder F 900 Z 230V <=20A

Powermatic PM2700 230V <=20A

Powermatic PM3000B 230V <=20A

VAPOR & STEAM CLEANING EQUIPMENT

Vaporlux 3000 220-240V <=20A

Vaporlux 4000 220-240V <=20A

Dupray Hill Injection 220-240V <=20A

Dupray SteamPro 220-240V <=20A

Vapamore MR-750 Ottimo 220-240V <=20A

Sargent Steam Cleaner Pro 220-240V <=20A

Fortador Volt Mini 220-240V <=20A

Fortador Volt Electra 220-240V <=20A

WOODWORKING MACHINES

Powermatic PM2000B 230V <=20A

Powermatic PM3000B 230V <=20A

Powermatic PJ-882HH 230V <=20A

Powermatic 60HH 230V <=20A

Powermatic 209HH 230V <=20A

Jet JJP-12HH 230V <=20A

Jet JWP-208HH 230V <=20A

Jet JWBS-18-3 230V <=20A

Jet JTS-10 230V <=20A

Laguna 18BX 220-240V <=20A

Laguna 14BX (220V) 220-240V <=20A

Laguna PX22 220-240V <=20A

Laguna JX8 220-240V <=20A

Grizzly G1023RL 230V <=20A

Grizzly G0453Z 230V <=20A

Grizzly G0490X 230V <=20A

Grizzly G0634Z 230V <=20A

SawStop PCS31230-TGP252 230V <=20A

SawStop ICS53230-52 230V <=20A

SawStop JSS-120A60 230V <=20A

Hammer A3-31 230V <=20A

Hammer K3 Winner 230V <=20A

Felder AD 741 230V <=20A

Felder FB 510 230V <=20A

SCM Minimax S 400P 230V <=20A

SCM Minimax FS 41C 230V <=20A

SCM Minimax CU 300C 230V <=20A

UNIVERSAL COMPATIBILITY STATEMENT

All equipment listed operates within 200-240V single-phase electrical ranges and draws 20 amps or less under normal running conditions. This ensures full plug-compatibility with the Reverse6-20R adapter system when used according to manufacturer specifications and applicable electrical codes. Equipment requiring

more than 20A running current, three-phase power, or voltages outside 200-240V has been excluded to maintain universal compatibility and safe operation. Users must verify nameplate voltage and amperage, circuit breaker rating, cord and plug type, local code compliance, and any manufacturer-specific requirements for startup surge, duty cycle, or continuous load. The Reverse6-20R system is intended only for equipment meeting these criteria. Improper use with incompatible equipment may result in equipment damage, tripped breakers, or unsafe conditions.