

FastBreak™

Ultra Concentrated Carpet Pre-Spray

FastBreak is an ultra-concentrated blend (32-64:1) of solvents, surfactants and builders that will make fast work of even the toughest traffic lanes. **FastBreak** is a special blend of surfactants, and is packed with soil busting, grease cutting and dissolving ingredients with an unbeatable cleaning power that out-cleans competitive products – at a safe pH of 9.5.

RTU pH 9.5 - 9.9
1:32-64
Synthetic Residential Carpets
Commercial Carpets



If for any reason you are not thrilled with the performance of **FastBreak** return it to your distributor and we'll get you a product that does.

Net Contents:
Five U.S. Gallons (18.93 liters)

PRE-SPRAY

RTU pH 9.5 - 9.9
1:32-64

Synthetic Residential Carpets
Commercial Carpets

Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in conjunction therewith. The user should thoroughly review the material safety data sheet for this product and follow recommendations for mixing, application, disposal, and the use of any applicable personal protective equipment (PPE). The manufacturer, distributor, and seller of this product warrant that the chemical contained herein conforms to its standard specifications.

Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. The manufacturer and seller make no representation or warranty, including merchantability or any other kind, expressed or implied. The foregoing may not be altered except by written agreement by officers of the manufacturer.

FastBreak is an ultra-concentrated blend (32-64:1) of solvents, surfactants and builders that will make fast work of even the toughest traffic lanes. **FastBreak** is a special blend of surfactants, and is packed with soil busting, grease cutting and dissolving ingredients with an unbeatable cleaning power that out-cleans competitive products – at a safe pH of 9.5. It has special thickening agents which allow it to contain 30% more active ingredients than other pre-sprays. At the standard dilution rate of 1:32, **FastBreak** melts greasy soils like nothing else. On lightly soiled carpets, you can even dilute as much as 1:64 and it's still very effective. **FastBreak** is so effective that it will produce outstanding results on even heavily soiled commercial or residential carpets, and yet it is so safe it can be used on all synthetic fibers, even commercial wool carpets when used as directed. The alkaline builders soften water, neutralize acid soiling, dissolve and deflocculate ground in soil and sequester mineral deposits. They also help dissolve oil based soiling and prevent that soiling from re-attaching to the fiber. Finally, stabilizing additives hold the ultra-concentrated solids level of the formulation in suspension. Because **FastBreak** has a ready to use pH of 9.5, it can be used on stain resist residential carpets and is compliant with the warranty provisions.

Directions:

1. Always pre-test all cleaning solutions in an inconspicuous area for colorfastness prior to application.
2. For increased efficiency, apply **FastBreak** with an injection sprayer to take advantage of solution pressure and heat created by your high performance portable extractor or truckmount. You can also use a "pump-up" pressure sprayer, or electric or battery powered sprayer. Apply in even overlapping patterns.
3. For medium to heavy soiling, mix one part solution with 32 parts water (four ounces to a gallon/ .12 liters to 3.785 liters). For lighter soiling mix one part solution with 64 parts water (2 ounces to a gallon/.06 liters to 3.785 liters) For standard injection sprayer, mix one quart solution with four quarts of water into five quart container.
4. For carpets with high levels of caked-on grease and oil contamination, consider boosting by adding two ounces of GreaseBreaker with each mixed gallon of **FastBreak**.
5. Extract with a compatible alkaline extraction detergent or acid/neutralizing rinse. For faster cleaning, reduced fatigue, and more effective soil removal, extract with the **RX-20 Rotary Extraction Tool**. In furniture dense environments use the **Evolution cleaning wand**.
6. For faster drying, especially in humid environments, consider the use of an axial, centrifugal, or downdraft air mover after cleaning.

Contents: Tetrapotassium Pyrophosphate (7320-34-5); 2-Butoxyethanol (111-76-2); Sodium Alkylphthalenesulfonate blend (trade secret); Water (7732-18-5)

www.HydraMaster.com

Instrucciones:

1. Antes de utilizar pruebe todas las soluciones limpiadoras en áreas ocultas para verificar que no afecte el color de la alfombra.
2. Para incrementar la eficiencia, aplique **FastBreak** utilizando un spray de inyección para tomar ventaja de la presión de la solución y del calor creado por su extractor portátil de alto desempeño o de uno montado en una camioneta. También puedes utilizar un spray de bomba, o uno eléctrico o de baterías. Aplique uniformemente sobre la superficie.
3. Para superficies medianamente o muy sucias, mezcle una parte de la solución con 32 partes de agua (4 onzas por 1 galón, 0.12 litros a 3.785 litros). Para superficies poco sucias mezcle una parte de la solución con 64 partes de agua (2 onzas por 1 galón, 0.06 litros por 3.785 litros). Para spray por inyección estándar, mezcle ¼ de la solución con 4/4 de agua en un contenedor de 5/4.
4. Para alfombras con altos niveles de contaminación por grasa y aceite, considere mejorar la mezcla agregando 2 onzas de Greasebreaker con cada galón mezclado de **FastBreak**.
5. Extraiga con algún detergente alcalino compatible o enjuague neutralizador de ácidos. Para una limpieza más rápida, menos esfuerzo y mejores resultados, extraiga con el **RX-20 Rotary Extractor Tool**. En ambientes con muchos muebles utilice el **Evolution cleaning wand**.
6. Para un secado más rápido, especialmente en ambientes húmedos, considere el uso de un ventilador axial, centrífugo o de corriente descendente después de limpiar.

GHS U.S. – CLASSIFICATION: WARNING

Harmful if swallowed. Causes skin irritation.
Causes serious eye irritation.



PRECAUTIONARY STATEMENTS (GHS-USA)

The product is classified and labeled according to the Globally Harmonized System (GHS)

If medical advice is needed, have product container or label at hand.

- Keep out of reach of children.
- Read label before use.
- Wash skin and contaminated clothing thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear suitable protective gloves/protective clothing/eye protection/face protection.
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- IF ON SKIN: Wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If skin irritation occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

CLASSIFICATION SYSTEM: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4): Health = 2, Fire = 0, Reactivity = 0
HMIS RATINGS (SCALE 0-5): Health = 2, Fire = 0, Reactivity = 0



See Safety Data Sheet (SDS): scan here or visit www.hydramaster.com for additional safety and regulatory information.

Lot:
Part # 950-130-C Art 950-130-C-R2

HydraMaster
11015 47th Avenue West
Mukilteo, WA 98275
425.775.7272

