SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : CLEARWATER RINSE

SYNONYMS : Product is a mixture: No synonyms are available.

PRODUCT USE : Moderately Acidic Material SUPPLIER : HYDRAMASTER CORP. SUPPLIER'S ADDRESS : 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

EMERGENCY RESPONSE PHONE:

NUMBER

: PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed. : H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

!

SIGNAL WORD : WARNING

HAZARD STATEMENTS : Not established

(GHS-US)

: H302 Harmful if swallowed.: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS: P101

(GHS-US)

: P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.

: P103 Read label before use.

: P260 Do not breathe dust/fume/gas/mist/vapors/spray.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P280 Wear suitable protective gloves / protective clothing / eye protection /

face protection.

: P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

: P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.

: P332+P313 If skin irritation occurs: Get medical advice/attention.

: P337+P313 If eye irritation persists: Get medical advice/attention.

: P501 Dispose of contents/container in accordance with local /regional /

national / international regulations.

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC

: Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
Hydroxyacetic acid	1-5	79-14-1	201-180-5	Skin Irrit Cat 1B, Eye Dam Cat 1, Acute Tox Aquatic Cat3, Acute Tox Inhal & Oral Cat 4	
Methyl-oxirane polymer with oxirane	1-5	9003-11-6	Not Found	No need for classification according to GHS criteria for this product.	
Sodium Dodecylbenzene Sulfonate	1-5	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2 Acute Tox Cat 4, STOT SE Cat 3	
Sodium Octane Sulfonate	1-5	5324-84-5	226-195-4	Skin Irrit Cat 2, Eye Irrit Cat 2A STOT SE Cat 3	

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure. Also contains <1% non-hazardous fragrance, surfactant, and acrylic polymer(s).

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION)

: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION

: Remove to fresh air. If symptoms persist, get immediate medical attention.

OTHER INSTRUCTIONS

Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

: Water spray, fog, carbon dioxide, foam, dry chemical

EXPLOSION HAZARDS

: Product is not explosive.

REACTIVITY (FIRE)

: Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits

toxic fumes. May be corrosive to metals.

SPECIAL INSTRUCTIONS TO FIRE FIGHTERS

PRECAUTIONARY MEASURES

: Exercise caution when fighting any chemical fire.

FIREFIGHTING INSTRUCTIONS

Use water spray or fog for cooling exposed containers.

PROTECTION DURING

protection.

FIREFIGHTING HAZARDOUS COMBUSTION

: Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides.

Do not enter fire area without proper protective equipment, including respiratory

PRODUCTS

Nitrogen oxides. Carbon oxides (CO, CO₂). Explosive Hydrogen gas.

OTHER INFORMATION (FIRE)

: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES
ENVIRONMENTAL PROCEDURES
METHODS AND MATERIALS

FOR CONTAINMENT AND

CLEAN-UP

- : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
- : Keep spilled material away from sewage/drainage systems and waterways.
- : All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink, or smoke when using this product. Wash hands and forearms thoroughly after handling.

CONDITIONS FOR SAFE STORAGE

: Store in a dry, cool, and well-ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat, and incompatible materials (Strong acid, Strong oxidizers).





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Hydroxyacetic acid	Not Established	Not Established	Not Established
Methyl-oxirane polymer with oxirane	Not Established	Not Established	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Sodium Octane Sulfonate	Not Established	Not Established	Not Established

EYE PROTECTION
SKIN PROTECTION

: Wear chemical splash goggles or face shield.

IN PROTECTION : Mini

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear amber liquid with mild odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 2.5 ± 0.5
MELTING POINT/FREEZING : Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : Non flammable, Non combustible

EVAPORATION RATE : Not available

FLAMMABILITY : Non flammable-Non combustible

LOWER FLAMMABILITY LIMIT : Not available
UPPER FLAMMABILITY LIMIT : Not available
VAPOR PRESSURE : Not available
VAPOR DENSITY (AIR=1) : Not available
RELATIVE DESNITY : 1.03

SOLUBILITY IN WATER : Soluble in water
PARTITION COEFFICIENT n- : Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available DECOMPOSITION : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY: Thermal decomposition generates: Corrosive vapors. If the product is involved in a

fire, it can release explosion hydrogen gas. When heated to decomposition, emits

toxic fumes. May be corrosive to metals.

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO

AVELE

AVOID

Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials.

Incompatible materials.

INCOMPATIBLE MATERIALS : Chlorinated products such as bleach, alkaline materials, metals, metal powder,

carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with

chemicals such as chlorine bleach, cyanides, sulfides and carbides.

HAZARDOUS DECOMPOSITION

PRODUCTS

Carbon oxides (CO, CO₂). Thermal decomposition generates: Corrosive vapors. Toxic

gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides.

Potassium oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION : Hydroxyacetic Acid

ACUTE TOXICITY : LD50 Oral (rat): 1357 mg/kg. LC50 Inhalation (male rat): 2.52 mg/L.

SKIN CORROSION AND EYE

DAMAGE

: Corrosive

CARCINOGENICITY : No data available.

TOXICOLOGICAL INFORMATION : Methyl-oxirane polymer with oxirane

ACUTE ORAL TOXICITY : LD50 Oral (rat): > 2000 mg/kg, LD50 Dermal (rabbit): 10,200 mg/kg

SKIN AND EYE IRRITATION : Draize Test: Eyes: Nonirritant, Skin: Non irritant.

SENSITISATION : Skin sensitizing effects were not observed in animal studies.

SYMPTOMS OF EXPOSURE : No significant symptoms are expected due to the non-classification of the product.

TOXICOLOGICAL INFORMATION

: Sodium Dodecylbenzene Sulfonate

ACUTE TOXICITY

LD50 Oral rat: 438 mg/kg.

INHALATION TOXICITY DERMAL TOXICITY

No data available : No data available

SKIN CORROSION/IRRITATION

GERM CELL MUTAGENICITY

: Skin – rabbit Result: Skin irritation - 24 h

SERIOUS EYE

: Eyes – rabbit Result: Severe eye irritation - 24 h

DAMAGE/IRRITATION **RESPIRATORY/SKIN**

: No data available

SENSITISATION

No data available

CARCINOGENICITY

No components of this product present at levels greater than or equal to 0.1% are

identified as probable, possible, or confirmed human carcinogen by IARC ACGIH, NTP

or OSHA.

TOXICOLOGICAL INFORMATION

: Sodium Octane Sulfonate

INHALATION

ACUTE TOXICITY IRRITATION

Inhalation may cause pain in respiratory system, sneezing coughing and difficulty in

CARCINOGENICITY

: This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION

Hydroxyacetic Acid

AQUATIC TOXICITY FISH

LC50/48 h/Lepomis macrochirus (Bluegill sunfish): 93 mg/L.

BIOACCUMULATION

: No data available.

PERSISTENCE AND **DEGRADABILITY**

Readily biodegradable, according to appropriate OECD test.

ECOLOGICAL INFORMATION

ECOTOXICITY

Methyl-oxirane polymer with oxirane

Toxicity to fish: LC50 (96 h) 105 mg/l, Oncorhynchus mykiss

Aquatic invertebrates: EC50 (48 h) 1,033 mg/l, Daphnia magna

Aquatic plants: EC50 (72 h) 370 mg/l, algae

PERSISTENCE AND BIODEGRADABILITY : Assessment: Readily biodegradable (according to OECD criteria)

MOBILITY

: The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

ECOLOGICAL INFORMATION

: Sodium Dodecylbenzene Sulfonate

TOXICITY TO FISH

Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h

ECOLOGICAL INFORMATION

ACUTE TOXICITY FISH, DAPHNIA, BACTERIA

Sodium Octane Sulfonate

No ecological data available for this material.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL RECOMMENDATIONS : This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

ECOLOGY-WASTE MATERIALS: This material is hazardous to the aquatic environment. Keep out of sewers and

waterways.

SECTION 14 - TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER :

SHIPPING NAME

N/A

HAZARD CLASS AND LABEL : N/A UN NUMBER : N/A PACKAGING GROUP : N/A

EPA REPORTABLE QUANTITY

(RQ)

Not applicable.

MARINE POLLUTANT : N/A EMERGENCY RESPONSE GUIDE : N/A

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed

TSC STATUS : The ingredients of this product are listed on TSCA (Toxic Substances Control Act)

inventory (40CFR 710.)

SARA SECTION 302 : None SARA SECTION 311/312 : None

HAZARD CLASS

SARA SECTION 313 : Not Listed

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Irritant

DSD/DPD RISK (R) PHRASES: R22: Harmful is swallowed.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.

DSD/DPD HAZARD SYMBOL : C: Corrosive, Xn: Harmful

CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY : Class D2B: Materials that cause other toxic effects (TOXIC).

DOMESTIC SUBSTANCES LIST

(DSL)

: Listed



INGREDIENT DISCLOSURE LIST : Listed, this product has been classified in accordance with

the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all the information required by

the CPR.

SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in

the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS: European Inventory of Existing Commercial Chemical Substances

IMDG: International Maritime Code for Dangerous GoodsIARC: International Agency for Research on CancerIATA: International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : MAR 1, 2018 **DATE REVISED** : NOV 7, 2022