

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product identifier**

Product Label Name 2112 Powdered Prespray
Other means of identification
UPC Code(s) Not applicable
Product code 2697-4206, 2690-4209
Synonyms Esteam 2112 Powdered Prespray

Recommended use of the chemical and restrictions on use

Recommended Use Carpet cleaning solution.
Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address
Esteam Cleaning Systems
1-3680 Odyssey Drive
Mississauga, ON L5M 0Y9
Canada

Manufacturer Address
Aramco Inc.
4282 South 590 West
Salt Lake City, UT 84123
USA

Emergency telephone number

Company Phone Number 1-800-767-6933
Company Emergency Phone Number United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)
International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)
Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION**Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

GHS Label elements, including precautionary statements**Emergency Overview****Warning****Hazard Statements**

Harmful if inhaled
Causes skin irritation
Causes serious eye irritation



Appearance Granules	Physical state Solid	Odor Lemon Cherry
----------------------------	-----------------------------	--------------------------

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- Harmful to aquatic life
- May be harmful if swallowed

General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium carbonate	497-19-8	30 - 70	*
Alcohols, C9-11, Ethoxylated	68439-46-3	5 - 10	*
Sodium metasilicate	6834-92-0	5 - 10	*
Diethylene glycol monobutyl ether	112-34-5	1 - 5	*
Sodium Percarbonate	15630-89-4	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes**General advice**

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required.

Toxic - Inhalation

Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician.

Ingestion

Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use: Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal precautions Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not

eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Packaging material Keep product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face shields.

Skin and body protection Wear protective gloves/ protective clothing. Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Provide regular cleaning of equipment, work area and clothing. Do not eat, drink, or smoke when using this product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Solid	Odor	Lemon Cherry
Appearance	Granules	Odor threshold	No information available
Color	Yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.3	(as 1% solution)
Melting point	No information available	
Boiling point/boiling range	No information available	
Flash Point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limit	No information available	

Lower Flammability Limit	No information available
Vapor pressure	17.5
Vapor density	0.670
Specific Gravity	0.980
Water solubility	Soluble in water
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing Properties	No information available

Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density VALUE	0.980 g/mg
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Reactivity**Chemical stability**

Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Exposure to air or moisture over prolonged periods

Incompatible Materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Toxic - Inhalation	Harmful by inhalation. Toxic by inhalation. Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Eye contact	Risk of serious damage to eyes. Avoid contact with eyes.
Skin contact	Irritating to skin. Avoid contact with skin.
Ingestion	Do not taste or swallow. Ingestion may cause stomach discomfort. May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

Sodium carbonate 497-19-8	= 4090 mg/kg (rat)	2210 mg/kg (rat)	= 2300 mg/m ³ (rat) 2 h
Alcohols, C9-11, Ethoxylated 68439-46-3	= 1400 mg/kg (rat) = 1378 mg/kg (rat)	> 2 g/kg (rabbit)	-
Sodium metasilicate 6834-92-0	= 1153 mg/kg (rat)	>5000 mg/kg (rat)	-
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg (rat)	= 2700 mg/kg (rabbit)	-
Sodium Percarbonate 15630-89-4	= 1034 mg/kg (rat)	>1000 mg/kg (rat)	4580 mg/kg (rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP
None	-	-	-

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

Developmental Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic toxicity Avoid repeated exposure.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 3282 mg/kg

ATEmix (dermal) 2099 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

35.69% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Butoxyethanol 111-76-2	242: 120 h Nitzschia mg/L EC50	310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Diethylene glycol monobutyl ether 112-34-5	-	210: 96 h Brachydanio rerio mg/L LC50 210: 96 h Brachydanio rerio mg/L LC50 semi-static	216: 96 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Sodium Percarbonate 15630-89-4	70: 240 h Chlorella emersonii mg/L EC50	70.7: 96 h Pimephales promelas mg/L LC50 static	4.9: 48 h Daphnia pulex mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment****Waste Disposal Methods**

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Disposal should be in accordance with applicable local, regional, national and international laws and regulations.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Percarbonate 15630-89-4	Ignitable
Sodium Carbonate 497-19-8	Corrosive

14. TRANSPORT INFORMATION**DOT**

Not regulated

IMDG

Not regulated

IATA

Not regulated

15. REGULATORY INFORMATION**International Inventories****TSCA**

Complies

DSL/NDSL

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

Chemical Name	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether 112-34-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product can expose you to chemicals including Acetaldehyde and Lead, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

This product contains one or more substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	California
Water 7732-18-5	-	-	X	X
Trisodium Phosphate 7601-54-9	X	X	X	X
Diethylene glycol monobutyl ether 112-34-5	X	-	X	X

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health hazard 1 Flammability 0 Instability 1 Physical and chemical hazards -

HMIS Health hazard 1 Flammability 0 Physical Hazard 1 Personal protection X

Prepared By Aramsco
Environmental Health & Safety

Revision Date 23 Apr 2023

Revision Note
23 Apr 2023 No information available

References Raw ingredient SDSs

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet