

Floor Machines

Heavy-Duty, Multi-Purpose Floor Machines

The Pacesetter™ is a multi-purpose floor machine designed to meet any of your demands, whether you're stripping, scrubbing, screening or bonnet cleaning. Heavy-duty construction and durability set this machine above the competition.

Benefits of Pacesetter Heavy-Duty Floor Machines




With four different models to choose from, the Pacesetter family has a machine for any job. The 1.5 hp, 175 RPM Pacesetter HD comes in 17" and 20" sizes and offers a long-lasting triple-planetary gear design. The 20SD model is a super-duty 20" floor machine, offering 1.75 hp, 175 RPM and the same triple-planetary gear design. The 20TS is a two-speed machine that runs at 180 and 320 RPM, with a 1.5 hp DC rectified motor.

- Invest in a burnisher that's built to last — all-cast metal frame, chrome-plated base and long-lasting motor
- Ensure safety with ergonomic molded handle, safety activation switch and clear hospital grade plug
- Improve operator comfort and efficiency with easy-to-use handle height adjustment, pad holders and super-flex cord for easy handling and reduced tangling





Picture shown may not represent model quoted


● Standard equipment

Included accessories		Ref. no.	Min. required	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
Pad Holder						
	PAD HOLDER-17 NP92 CLUTCH	56505910	0		●	
	PAD HOLDER-20 NP92 CLUTCH	56505920	0	●		●
Accessory						
	NP92 CLUTCH PLATE	56506006	0	●	●	●

● Standard equipment

Included accessories		Ref. no.	Min. required	PACESETTER 20SD
Pad Holder				
	PAD HOLDER-17 NP92 CLUTCH	56505910	0	
	PAD HOLDER-20 NP92 CLUTCH	56505920	0	●

Floor Machines

Included accessories		Ref. no.	Min. required	PACESETTER 20SD
Accessory				
	NP92 CLUTCH PLATE	56506006	0	•

Model	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
Ref. no.	01440A	01330A	01410A

PRODUCT FEATURES

Adjustable handle	•	•	•
Ergonomic handle	•	•	•
Safety Yellow Cord	•	•	•
Safety Lock-out Switch	•	•	•
Non-marking Wheels	•	•	•
Cord wrap	•	•	•

Model	PACESETTER 20SD
Ref. no.	01460A

PRODUCT FEATURES

Adjustable handle	•
Ergonomic handle	•
Safety Yellow Cord	•
Safety Lock-out Switch	•
Non-marking Wheels	•
Cord wrap	•

Technical specifications	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
Approvals	ETL, CSA	ETL, CSA	ETL, CSA
Transmission	Triple planetary severe duty	Triple planetary gears - all metal	Triple planetary gears - all metal
Voltage (V)	120 V	120 V	120 V
Sound level	70 dB A	65 dB A	65 dB A
Weight (lbs)	87 lb (40 kg)	100 lb (45 kg)	102 lb (46 kg)
Construction	All steel with chrome plated bell housing and handle shaft with compression style handle height adjustment. Includes rubber wheels for transportation. - ALL MODELS	All steel with chrome plated bell housing and handle shaft with compression style handle height adjustment. Includes rubber wheels for transportation. - ALL MODELS	All steel with chrome plated bell housing and handle shaft with compression style handle height adjustment. Includes rubber wheels for transportation. - ALL MODELS

Floor Machines

Technical specifications	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
Pad/Brush Size	20 in (50.8 cm)	17 in (43.2 cm)	17 in (43.2 cm)
Pad Drive System - Horsepower	1.5 hp DC Rectified	1.5 hp AC	1.5 hp AC
Frame size	66	66	66
Motor Amps	15 A	15 A	15 A
Capacitors	N/A	Dual, start and run	Dual, start and run
Revolutions per minute	180/320 rpm	175 rpm	175 rpm
Clutch plate	NP 92 (industry standard)	NP 92 (industry standard)	NP 92 (industry standard)
Power cord - length	50 ft (15.25 m)	50 ft (15.25 m)	50 ft (15.25 m)
Power cord - type	Safety Yellow Super-flex with hospital grade plug	Safety Yellow Super-flex with hospital grade plug	Safety Yellow Super-flex with hospital grade plug
Operator control handle	Comfortable and solid handle with safety interlock activation preventing accidental start-up — ALL MODELS	Comfortable and solid handle with safety interlock activation preventing accidental start-up — ALL MODELS	Comfortable and solid handle with safety interlock activation preventing accidental start-up — ALL MODELS

Technical specifications	PACESETTER 20SD
Approvals	ETL, CSA
Transmission	Triple planetary gears - all metal gears box
Voltage (V)	120 V
Sound level	65 dB A
Weight (lbs)	102 lb (46 kg)
Construction	All steel with chrome plated bell housing and handle shaft with compression style handle height adjustment. Includes rubber wheels for transportation. - ALL MODELS
Pad/Brush Size	20 in (50.8 cm)
Pad Drive System - Horsepower	1.5 hp AC
Frame size	66
Motor Amps	15 A
Capacitors	Dual, start and run
Revolutions per minute	175 rpm
Clutch plate	NP 92 (industry standard)
Power cord - length	50 ft (15.25 m)
Power cord - type	Safety Yellow Super-flex with hospital grade plug

Floor Machines






Technical specifications

PACESETTER
20SD




Operator control handle

Comfortable and
solid handle with
safety interlock
activation preventing
accidental start-up
— ALL MODELS



● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
Splash Guard						
	SPLASH GUARD ASSY	56172313	0	○	○	○
Other						
	PAD RETAINER	56505195	0	○	○	○
	RETAINER PAD	56393567	0	○	○	○
Accessory Kit						
	KIT WEIGHT	11022A	0	○	○	○
	PAD CENTERING KIT	56505019	0	○	○	○
Pad Holder						
	PAD DRIVER 20	30639A	0	○		○
	PAD HOLDER-17 NP92 CLUTCH	56505910	0		●	
	PAD HOLDER-17 NP92 LEV SET	56505270	0		○	
	PAD HOLDER-20 NP92 CLUTCH	56505920	0	●		●
	PAD HOLDER-20 NP92 LEV SET	56505280	0	○		○
Brush Cylindrical						
	BRUSH MAGNAGRIT 17	56505911	0		○	
	DISC BRUSH-17 DYNAGRIT CLUTCH	56505912	0		○	
Disc Brush						
	BRUSH MIDGRIT 17	56505917	0		○	
	BRUSH MIDLITE 17	56505918	0		○	
	BRUSH PROLENE 17	56505914	0		○	







Floor Machines

Accessories		Ref. no.	Min. required	PACESETTER 20TS	PACESETTER 17HD	PACESETTER 20HD
	DISC BRUSH-17 PROLITE	56505915	0		○	
	DISC BRUSH-20 AGLITE CLUTCH	56505923	0	○		○
	DISC BRUSH-20 DYNAGRIT CLUTCH	56505922	0	○		○
	DISC BRUSH-20 MAGNAGRIT CLUTCH	56505921	0	○		○
	DISC BRUSH-20 MIDGRIT CLUTCH	56505927	0	○		○
	DISC BRUSH-20 MIDLITE CLUTCH	56505928	0	○		○
	DISC BRUSH-20 PROLENE CLUTCH	56505924	0	○		○
	DISC BRUSH-20 PROLITE CLUTCH	56505925	0	○		○
Accessory						
	NP92 CLUTCH PLATE	56506006	0	●	●	●
Pad						
	PAD DRIVER 17	30638A	0		○	
Tank						
	TANK ASM POLISHERS	53853A	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	PACESETTER 20SD
Splash Guard				
	SPLASH GUARD ASSY	56172313	0	○
Other				
	PAD RETAINER	56505195	0	○
	RETAINER PAD	56393567	0	○
Accessory Kit				
	KIT WEIGHT	11022A	0	○
	PAD CENTERING KIT	56505019	0	○
Pad Holder				
	PAD DRIVER 20	30639A	0	○

Floor Machines

Accessories		Ref. no.	Min. required	PACESETTER 20SD
	PAD HOLDER-17 NP92 CLUTCH	56505910	0	
	PAD HOLDER-17 NP92 LEV SET	56505270	0	
	PAD HOLDER-20 NP92 CLUTCH	56505920	0	•
	PAD HOLDER-20 NP92 LEV SET	56505280	0	○
Brush Cylindrical				
	BRUSH MAGNAGRIT 17	56505911	0	
	DISC BRUSH-17 DYNAGRIT CLUTCH	56505912	0	
Disc Brush				
	BRUSH MIDGRIT 17	56505917	0	
	BRUSH MIDLITE 17	56505918	0	
	BRUSH PROLENE 17	56505914	0	
	DISC BRUSH-17 PROLITE	56505915	0	
	DISC BRUSH-20 AGLITE CLUTCH	56505923	0	○
	DISC BRUSH-20 DYNAGRIT CLUTCH	56505922	0	○
	DISC BRUSH-20 MAGNAGRIT CLUTCH	56505921	0	○
	DISC BRUSH-20 MIDGRIT CLUTCH	56505927	0	○
	DISC BRUSH-20 MIDLITE CLUTCH	56505928	0	○
	DISC BRUSH-20 PROLENE CLUTCH	56505924	0	○
	DISC BRUSH-20 PROLITE CLUTCH	56505925	0	○
Accessory				
	NP92 CLUTCH PLATE	56506006	0	•
Pad				
	PAD DRIVER 17	30638A	0	
Tank				
	TANK ASM POLISHERS	53853A	0	○