

Rider Sweepers

Industrial Sweeping with Exceptional Dust Control With its wide 64" sweeping path, exceptional maneuverability and high capacity hopper, the Proterra™ Industrial Rider Sweeper will make fast work of large sweeping jobs in factories, warehouses, parking garages, foundries and more.

Benefits of Proterra Industrial Rider Sweepers The Advance Proterra is an easy-to-operate, high-performance sweeping solution that comes equipped with our industry exclusive DustGuard™, which uses a light mist to suppress dust at the side brooms. The result is a dust controlled sweep path that's 75% more productive than its nearest competitor.

Control dust with our industry exclusive DustGuard™, part of our DustClear™ Five-stage Dust Control System Capture more debris with the tailgate style hopper door Simplify operation and maximize efficiency — Analog-logic™ interface provides intuitive single motion activation of the sweep system, and the Set-'N-Forget™ pressure setting automatically adjusts sweep pressure as the main broom wears Ensure operator safety with our Clear-View™ design, large ergonomic operator comfort zone and large pneumatic tires Invest in a sweeper that's built to last — rust-proof structural roto-molded hopper, integrated 5 mph bumper and rugged Kubota® industrial engine (battery power also available) Expedite service and repair with MaxAccess™ interlocking compartments for industry-best access to critical components



Picture shown may not represent model quoted

● Standard equipment

| Included accessories | Ref. no. | Min. required | SWEeper PROTERRA 5130 B | SWEeper PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|-----------------------|----------|---------------|-------------------------|----------------------------|-------------------|
| Battery and Charger | | | | | |
| BATTERY SET-48V 400AH | 56380540 | 0 | | | |

● Standard equipment

| Included accessories | Ref. no. | Min. required | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|-----------------------|----------|---------------|-------------------------|-------------------------|-----------------------------|
| Battery and Charger | | | | | |
| BATTERY SET-48V 400AH | 56380540 | 0 | ● | ● | |

● Standard equipment

| Included accessories | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
|-----------------------|----------|---------------|--------------------------------|--------------------------------|-----------------|
| Battery and Charger | | | | | |
| BATTERY SET-48V 400AH | 56380540 | 0 | ● | ● | |

● Standard equipment

| Included accessories | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP |
|-----------------------|----------|---------------|---------------------------|
| Battery and Charger | | | |
| BATTERY SET-48V 400AH | 56380540 | 0 | |



Rider Sweepers

| Model | SWEeper PROTERRA 5130 B | SWEeper PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|----------|----------------------------|----------------------------------|----------------------|
| Ref. no. | 13300107 | 13300109 | 56380602 |

PRODUCT FEATURES

| | | | |
|-------------------------------------|---|---|---|
| Multi-frequency filter shaker | • | • | • |
| DustGuard™ Dust-control System | • | • | • |
| MaxAccess™ | • | • | • |
| Clear-View™ | • | • | • |
| Ergonomic operator comfort-zone | • | • | • |
| Analog-logic™ Controls | • | • | • |
| Dust-Clear™ Five stage dust control | • | • | • |
| Optional soft sided cab | • | • | • |

| Model | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|----------|----------------------------|----------------------------|--------------------------------|
| Ref. no. | 56380604 | 56380605 | 56380607 |

PRODUCT FEATURES

| | | | |
|-------------------------------------|---|---|---|
| Multi-frequency filter shaker | • | • | • |
| DustGuard™ Dust-control System | • | • | • |
| MaxAccess™ | • | • | • |
| Clear-View™ | • | • | • |
| Ergonomic operator comfort-zone | • | • | • |
| Analog-logic™ Controls | • | • | • |
| Dust-Clear™ Five stage dust control | • | • | • |
| Optional soft sided cab | • | • | • |

| Model | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
|----------|-----------------------------------|-----------------------------------|-----------------|
| Ref. no. | 56380609 | 56380610 | 56380611 |

PRODUCT FEATURES

| | | | |
|-------------------------------------|---|---|---|
| Multi-frequency filter shaker | • | • | • |
| DustGuard™ Dust-control System | • | • | • |
| MaxAccess™ | • | • | • |
| Clear-View™ | • | • | • |
| Ergonomic operator comfort-zone | • | • | • |
| Analog-logic™ Controls | • | • | • |
| Dust-Clear™ Five stage dust control | • | • | • |
| Optional soft sided cab | • | • | • |

Rider Sweepers

| | |
|----------|------------------------------|
| Model | PROTERRA 5130 B TRIOSWEEP |
| Ref. no. | 56380612 |

PRODUCT FEATURES

| | |
|-------------------------------------|---|
| Multi-frequency filter shaker | • |
| DustGuard™ Dust-control System | • |
| MaxAccess™ | • |
| Clear-View™ | • |
| Ergonomic operator comfort-zone | • |
| Analog-logic™ Controls | • |
| Dust-Clear™ Five stage dust control | • |
| Optional soft sided cab | • |

| Technical specifications | SWEEPER PROTERRA 5130 B | SWEEPER PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|---------------------------------------|--|---|---|
| Engine type | 48 V, electric over hydraulic design, 400 Ah C6 battery system | LP - Kubota DF972, 3 cylinder, 31.0 hp | LP - Kubota DF972, 3 cylinder, 31.0 hp |
| Sound level | | 87 dB A at operator ear | 87 dB A at operator ear |
| Cleaning path - Dual Side Broom | 64 in (162 cm) | 64 in (162 cm) | 64 in (162 cm) |
| Side broom diameter | 21.7 in (55 cm) | 21.7 in (55 cm) | 21.7 in (55 cm) |
| Debris hopper volume | 11 cb ft (315 L) | 11 cb ft (315 L) | 11 cb ft (315 L) |
| Debris hopper dump height | 62 in (159 cm) | 62 in (159 cm) | 62 in (159 cm) |
| Stage 1 DustGuard™ (optional) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) |
| Stage 2 Vacuumized Main Broom Chamber | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom |
| Cleaning path - Single Side Broom | 51 in (128 cm) | 51 in (128 cm) | 51 in (128 cm) |
| Main broom length | 35.5 in (90 cm) | 35.5 in (90 cm) | 35.5 in (90 cm) |
| Stage 3 Airflow Labyrinth | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream |
| Stage 4 Ultra-Web Nanofiber Filter | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles |
| Stage 5 Airflow Restoration System | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system |
| Ramp climbing | 17%, 9.6 degrees | 20%, 11 degrees | 20%, 11 degrees |
| Dimensions front tires | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply |
| Dimensions rear tires | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply |
| Aisle U-Turn | 120 in (306 cm) | 120 in (306 cm) | 120 in (306 cm) |
| Length | 87.4 in (222 cm) | 87.4 in (222 cm) | 87.4 in (222 cm) |

Rider Sweepers

| Technical specifications | SWEeper PROTERRA 5130 B | SWEeper PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|--|-------------------------------------|----------------------------------|----------------------|
| Width | 52 in (132 cm) | 52 in (132 cm) | 52 in (132 cm) |
| Height | 57.5 in (146 cm) | 57.5 in (146 cm) | 57.5 in (146 cm) |
| Height with overhead guard | 79 in (200 cm) | 79 in (200 cm) | 79 in (200 cm) |
| Net weight | 3,140 lb (1,425 kg) with battery | 2,083 lb (945 kg) | 2,083 lb (945 kg) |
| National Recognized Test Lab Certification | ETL | ETL | ETL |

| Technical specifications | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|---------------------------------------|--|--|---|
| Engine type | 48 V, electric over hydraulic design, 400 Ah C6 battery system | 48 V, electric over hydraulic design, 400 Ah C6 battery system | LP - Kubota DF972, 3 cylinder, 31.0 hp |
| Sound level | | | 87 dB A at operator ear |
| Cleaning path - Dual Side Broom | 64 in (162 cm) | 64 in (162 cm) | 64 in (162 cm) |
| Side broom diameter | 21.7 in (55 cm) | 21.7 in (55 cm) | 21.7 in (55 cm) |
| Debris hopper volume | 11 cb ft (315 L) | 11 cb ft (315 L) | 11 cb ft (315 L) |
| Debris hopper dump height | 62 in (159 cm) | 62 in (159 cm) | 62 in (159 cm) |
| Stage 1 DustGuard™ (optional) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) |
| Stage 2 Vacuumized Main Broom Chamber | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom |
| Cleaning path - Single Side Broom | 51 in (128 cm) | 51 in (128 cm) | 51 in (128 cm) |
| Main broom length | 35.5 in (90 cm) | 35.5 in (90 cm) | 35.5 in (90 cm) |
| Stage 3 Airflow Labyrinth | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream |
| Stage 4 Ultra-Web Nanofiber Filter | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles |
| Stage 5 Airflow Restoration System | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system |
| Ramp climbing | 17%, 9.6 degrees | 17%, 9.6 degrees | 20%, 11 degrees |
| Dimensions front tires | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply |
| Dimensions rear tires | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply |
| Aisle U-Turn | 120 in (306 cm) | 120 in (306 cm) | 120 in (306 cm) |
| Length | 87.4 in (222 cm) | 87.4 in (222 cm) | 87.4 in (222 cm) |
| Width | 52 in (132 cm) | 52 in (132 cm) | 52 in (132 cm) |
| Height | 57.5 in (146 cm) | 57.5 in (146 cm) | 57.5 in (146 cm) |
| Height with overhead guard | 79 in (200 cm) | 79 in (200 cm) | 79 in (200 cm) |
| Net weight | 3,140 lb (1,425 kg) with battery | 3,140 lb (1,425 kg) with battery | 2,083 lb (945 kg) |


Rider Sweepers

| Technical specifications | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|--|--|--|--|
| National Recognized Test Lab Certification | ETL | ETL | ETL |
| Technical specifications | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
| Engine type | 48 V, electric over hydraulic design, 400 Ah C6 battery system | 48 V, electric over hydraulic design, 400 Ah C6 battery system | 48 V, electric over hydraulic design, 400 Ah C6 battery system |
| Sound level | | | |
| Cleaning path - Dual Side Broom | 64 in (162 cm) | 64 in (162 cm) | 64 in (162 cm) |
| Side broom diameter | 21.7 in (55 cm) | 21.7 in (55 cm) | 21.7 in (55 cm) |
| Debris hopper volume | 11 cb ft (315 L) | 11 cb ft (315 L) | 11 cb ft (315 L) |
| Debris hopper dump height | 62 in (159 cm) | 62 in (159 cm) | 62 in (159 cm) |
| Stage 1 DustGuard™ (optional) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) | Side broom "fog" system 12 gal (45 L) |
| Stage 2 Vacuumized Main Broom Chamber | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom | Captures all dust kicked up from main broom |
| Cleaning path - Single Side Broom | 51 in (128 cm) | 51 in (128 cm) | 51 in (128 cm) |
| Main broom length | 35.5 in (90 cm) | 35.5 in (90 cm) | 35.5 in (90 cm) |
| Stage 3 Airflow Labyrinth | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream | Removes 90% of dust from the air stream |
| Stage 4 Ultra-Web Nanofiber Filter | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles | > 98% efficient on 0.3 - 1.0 micron particles |
| Stage 5 Airflow Restoration System | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system | Liberator™ variable frequency shaker system |
| Ramp climbing | 17%, 9.6 degrees | 17%, 9.6 degrees | 17%, 9.6 degrees |
| Dimensions front tires | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply | 17.5 in (44 cm) .8 ply |
| Dimensions rear tires | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply | 16.5 in (42 cm) .8 ply |
| Aisle U-Turn | 120 in (306 cm) | 120 in (306 cm) | 120 in (306 cm) |
| Length | 87.4 in (222 cm) | 87.4 in (222 cm) | 87.4 in (222 cm) |
| Width | 52 in (132 cm) | 52 in (132 cm) | 52 in (132 cm) |
| Height | 57.5 in (146 cm) | 57.5 in (146 cm) | 57.5 in (146 cm) |
| Height with overhead guard | 79 in (200 cm) | 79 in (200 cm) | 79 in (200 cm) |
| Net weight | 3,140 lb (1,425 kg) with battery | 3,140 lb (1,425 kg) with battery | 3,140 lb (1,425 kg) with battery |
| National Recognized Test Lab Certification | ETL | ETL | ETL |


Rider Sweepers

| Technical specifications | | PROTERRA 5130 B TRIOSWEEP |
|--|--|--|
| Engine type | | 48 V, electric over hydraulic design, 400 Ah C6 battery system |
| Sound level | | |
| Cleaning path - Dual Side Broom | | 64 in (162 cm) |
| Side broom diameter | | 21.7 in (55 cm) |
| Debris hopper volume | | 11 cb ft (315 L) |
| Debris hopper dump height | | 62 in (159 cm) |
| Stage 1 DustGuard™ (optional) | | Side broom "fog" system 12 gal (45 L) |
| Stage 2 Vacuumized Main Broom Chamber | | Captures all dust kicked up from main broom |
| Cleaning path - Single Side Broom | | 51 in (128 cm) |
| Main broom length | | 35.5 in (90 cm) |
| Stage 3 Airflow Labyrinth | | Removes 90% of dust from the air stream |
| Stage 4 Ultra-Web Nanofiber Filter | | > 98% efficient on 0.3 - 1.0 micron particles |
| Stage 5 Airflow Restoration System | | Liberator™ variable frequency shaker system |
| Ramp climbing | | 17%, 9.6 degrees |
| Dimensions front tires | | 17.5 in (44 cm) .8 ply |
| Dimensions rear tires | | 16.5 in (42 cm) .8 ply |
| Aisle U-Turn | | 120 in (306 cm) |
| Length | | 87.4 in (222 cm) |
| Width | | 52 in (132 cm) |
| Height | | 57.5 in (146 cm) |
| Height with overhead guard | | 79 in (200 cm) |
| Net weight | | 3,140 lb (1,425 kg) with battery |
| National Recognized Test Lab Certification | | ETL |





● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | SWEEPER PROTERRA 5130 B | SWEEPER PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|---|--|----------|---------------|-------------------------|----------------------------|-------------------|
| Main Broom | | | | | | |
|  | BROOM MAIN 310X900 SPIRAL 6R MIX STEEL | 33018858 | 0 | ○ | ○ | ○ |



Rider Sweepers

| Accessories | | Ref. no. | Min. required | SWEeper PROTERRA 5130 B | SWEeper PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|--|--------------------------------------|----------|------------------|-------------------------------|----------------------------------|----------------------|
|  | BROOM MAIN 310X900 SPIRAL 6R NYLON | 33018856 | 0 | ○ | ○ | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R PPL 0.7 | 33018857 | 0 | ○ | ○ | ○ |
| Side Broom | | | | | | |
|  | BROOM SIDE 260X550 MIX STEEL | 33018889 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 260X550 NYLON | 33023366 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 300X500 PPL 1.5 | 33021313 | 0 | ○ | ○ | ○ |
| | LEFT HAND SIDE BROOM | 56380357 | 0 | ○ | ○ | ○ |
| Other | | | | | | |
| | BACKUP AUDIO ALARM | 56380364 | 0 | ○ | ○ | ○ |
| | BUMPER REAR METAL WRAP AROUND | 56380370 | 0 | ○ | ○ | ○ |
| | CAP NOZZLE | 56507908 | 0 | ○ | ○ | ○ |
| | DUST GUARD BATTERY MODELS | 56380356 | 0 | ○ | ○ | ○ |
| | DUST GUARD-ENGINE MODELS | 56380355 | 0 | ○ | ○ | ○ |
| | FLOOR MAT KIT | 56380371 | 0 | ○ | ○ | ○ |
| | FRONT CORNER GUARDS | 56380361 | 0 | ○ | ○ | ○ |
| | HOPPER TEMP SENSOR KIT | 56507029 | 0 | ○ | ○ | ○ |
| | MIRROR KIT FOR CAB AND OHG | 56508663 | 0 | ○ | ○ | ○ |
|  | NOZZLE SPRAY | 56508450 | 0 | ○ | ○ | ○ |
| | NOZZLE SPRAY .10 | 56508709 | 0 | ○ | ○ | ○ |
| | PLATE HOPPER BOTTOM METAL | 56380373 | 0 | ○ | ○ | ○ |
| | SEAT BELT-STD SEAT | 56380369 | 0 | ○ | ○ | ○ |
| | SOFT SIDED CAB | 56380374 | 0 | ○ | ○ | ○ |







Rider Sweepers

| Accessories | | Ref. no. | Min. required | SWEeper PROTERRA 5130 B | SWEeper PROTERRA 5130 LPG3 | PROTERRA 5130 LPG |
|--|--------------------------------|--------------|------------------|-------------------------------|----------------------------------|----------------------|
|  | STRAINER CHECK VALVE 5 PSI | 56507916 | 0 | ○ | ○ | ○ |
| | SUSPENSION SEAT KIT | 56507040 | 0 | ○ | ○ | ○ |
| | TANK-LP | 8-83-04016 | 0 | ○ | ○ | ○ |
| | TILT STEERING WHEEL | 56380358 | 0 | ○ | ○ | ○ |
| | TIRES-SOLID SET OF 3 | 56380362 | 0 | ○ | ○ | ○ |
| Filter for Sweeping | | | | | | |
| | CLOGGED FILTER INDICATOR | 56380360 | 0 | ○ | ○ | ○ |
|  | FILTER PANEL POLY HIGH FLOW | 56382789 | 0 | ○ | ○ | ○ |
|  | FLTR PANEL ULTRA-WEB CELLULOSE | 8-24-04139-1 | 0 | ○ | ○ | ○ |
| Light Option | | | | | | |
|  | AMBER STROBE FOR OHG | 56507039 | 0 | ○ | ○ | ○ |
| | AMBER STROBE NO OHG | 56507038 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS BATTERY MODEL | 56380367 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS-ENGINE MODEL | 56380365 | 0 | ○ | ○ | ○ |
| Guard Option | | | | | | |
| | OVERHEAD GUARD | 56380368 | 0 | ○ | ○ | ○ |
| Battery and Charger | | | | | | |
| | BATTERY SET-48V 400AH | 56380540 | 0 | ○ | ○ | ○ |




● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|---|--|----------|------------------|-------------------------------|-------------------------------|-----------------------------------|
| Main Broom | | | | | | |
|  | BROOM MAIN 310X900 SPIRAL 6R MIX STEEL | 33018858 | 0 | ○ | ○ | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R NYLON | 33018856 | 0 | ○ | ○ | ○ |




Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|--|--------------------------------------|------------|------------------|-------------------------------|-------------------------------|-----------------------------------|
|  | BROOM MAIN 310X900 SPIRAL 6R PPL 0.7 | 33018857 | 0 | ○ | ○ | ○ |
| Side Broom | | | | | | |
|  | BROOM SIDE 260X550 MIX STEEL | 33018889 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 260X550 NYLON | 33023366 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 300X500 PPL 1.5 | 33021313 | 0 | ○ | ○ | ○ |
| | LEFT HAND SIDE BROOM | 56380357 | 0 | ○ | ○ | ○ |
| Other | | | | | | |
| | BACKUP AUDIO ALARM | 56380364 | 0 | ○ | ○ | ○ |
| | BUMPER REAR METAL WRAP AROUND | 56380370 | 0 | ○ | ○ | ○ |
| | CAP NOZZLE | 56507908 | 0 | ○ | ○ | ○ |
| | DUST GUARD BATTERY MODELS | 56380356 | 0 | ○ | ○ | ○ |
| | DUST GUARD-ENGINE MODELS | 56380355 | 0 | ○ | ○ | ○ |
| | FLOOR MAT KIT | 56380371 | 0 | ○ | ○ | ○ |
| | FRONT CORNER GUARDS | 56380361 | 0 | ○ | ○ | ○ |
| | HOPPER TEMP SENSOR KIT | 56507029 | 0 | ○ | ○ | ○ |
| | MIRROR KIT FOR CAB AND OHG | 56508663 | 0 | ○ | ○ | ○ |
|  | NOZZLE SPRAY | 56508450 | 0 | ○ | ○ | ○ |
| | NOZZLE SPRAY .10 | 56508709 | 0 | ○ | ○ | ○ |
| | PLATE HOPPER BOTTOM METAL | 56380373 | 0 | ○ | ○ | ○ |
| | SEAT BELT-STD SEAT | 56380369 | 0 | ○ | ○ | ○ |
| | SOFT SIDED CAB | 56380374 | 0 | ○ | ○ | ○ |
|  | STRAINER CHECK VALVE 5 PSI | 56507916 | 0 | ○ | ○ | ○ |
| | SUSPENSION SEAT KIT | 56507040 | 0 | ○ | ○ | ○ |
| | TANK-LP | 8-83-04016 | 0 | ○ | ○ | ○ |






Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B 1 PHASE | PROTERRA 5130 B 3 PHASE | PROTERRA 5130 LPG TRIOSWEEP |
|---|--------------------------------|--------------|------------------|-------------------------------|-------------------------------|-----------------------------------|
| | TILT STEERING WHEEL | 56380358 | 0 | ○ | ○ | ○ |
| | TIRES-SOLID SET OF 3 | 56380362 | 0 | ○ | ○ | ○ |
| Filter for Sweeping | | | | | | |
| | CLOGGED FILTER INDICATOR | 56380360 | 0 | ○ | ○ | ○ |
|  | FILTER PANEL POLY HIGH FLOW | 56382789 | 0 | ○ | ○ | ○ |
|  | FLTR PANEL ULTRA-WEB CELLULOSE | 8-24-04139-1 | 0 | ○ | ○ | ○ |
| Light Option | | | | | | |
|  | AMBER STROBE FOR OHG | 56507039 | 0 | ○ | ○ | ○ |
| | AMBER STROBE NO OHG | 56507038 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS BATTERY MODEL | 56380367 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS-ENGINE MODEL | 56380365 | 0 | ○ | ○ | ○ |
| Guard Option | | | | | | |
| | OVERHEAD GUARD | 56380368 | 0 | ○ | ○ | ○ |
| Battery and Charger | | | | | | |
| | BATTERY SET-48V 400AH | 56380540 | 0 | ● | ● | ○ |




● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
|---|--|----------|------------------|---|---|--------------------|
| Main Broom | | | | | | |
|  | BROOM MAIN 310X900 SPIRAL 6R MIX STEEL | 33018858 | 0 | ○ | ○ | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R NYLON | 33018856 | 0 | ○ | ○ | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R PPL 0.7 | 33018857 | 0 | ○ | ○ | ○ |
| Side Broom | | | | | | |





Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
|---|-------------------------------|------------|------------------|---|---|--------------------|
|  | BROOM SIDE 260X550 MIX STEEL | 33018889 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 260X550 NYLON | 33023366 | 0 | ○ | ○ | ○ |
|  | BROOM SIDE 300X500 PPL 1.5 | 33021313 | 0 | ○ | ○ | ○ |
| | LEFT HAND SIDE BROOM | 56380357 | 0 | ○ | ○ | ○ |
| Other | | | | | | |
| | BACKUP AUDIO ALARM | 56380364 | 0 | ○ | ○ | ○ |
| | BUMPER REAR METAL WRAP AROUND | 56380370 | 0 | ○ | ○ | ○ |
| | CAP NOZZLE | 56507908 | 0 | ○ | ○ | ○ |
| | DUST GUARD BATTERY MODELS | 56380356 | 0 | ○ | ○ | ○ |
| | DUST GUARD-ENGINE MODELS | 56380355 | 0 | ○ | ○ | ○ |
| | FLOOR MAT KIT | 56380371 | 0 | ○ | ○ | ○ |
| | FRONT CORNER GUARDS | 56380361 | 0 | ○ | ○ | ○ |
| | HOPPER TEMP SENSOR KIT | 56507029 | 0 | ○ | ○ | ○ |
| | MIRROR KIT FOR CAB AND OHG | 56508663 | 0 | ○ | ○ | ○ |
|  | NOZZLE SPRAY | 56508450 | 0 | ○ | ○ | ○ |
| | NOZZLE SPRAY .10 | 56508709 | 0 | ○ | ○ | ○ |
| | PLATE HOPPER BOTTOM METAL | 56380373 | 0 | ○ | ○ | ○ |
| | SEAT BELT-STD SEAT | 56380369 | 0 | ○ | ○ | ○ |
| | SOFT SIDED CAB | 56380374 | 0 | ○ | ○ | ○ |
|  | STRAINER CHECK VALVE 5 PSI | 56507916 | 0 | ○ | ○ | ○ |
| | SUSPENSION SEAT KIT | 56507040 | 0 | ○ | ○ | ○ |
| | TANK-LP | 8-83-04016 | 0 | ○ | ○ | ○ |
| | TILT STEERING WHEEL | 56380358 | 0 | ○ | ○ | ○ |
| | TIRES-SOLID SET OF 3 | 56380362 | 0 | ○ | ○ | ○ |
| Filter for Sweeping | | | | | | |
| | CLOGGED FILTER INDICATOR | 56380360 | 0 | ○ | ○ | ○ |






Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP 1 PH | PROTERRA 5130 B TRIOSWEEP 3 PH | PROTERRA 5130 B |
|---|--------------------------------|--------------|------------------|---|---|--------------------|
|  | FILTER PANEL POLY HIGH FLOW | 56382789 | 0 | ○ | ○ | ○ |
|  | FLTR PANEL ULTRA-WEB CELLULOSE | 8-24-04139-1 | 0 | ○ | ○ | ○ |
| Light Option | | | | | | |
|  | AMBER STROBE FOR OHG | 56507039 | 0 | ○ | ○ | ○ |
| | AMBER STROBE NO OHG | 56507038 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS BATTERY MODEL | 56380367 | 0 | ○ | ○ | ○ |
| | FRONT HEADLIGHTS-ENGINE MODEL | 56380365 | 0 | ○ | ○ | ○ |
| Guard Option | | | | | | |
| | OVERHEAD GUARD | 56380368 | 0 | ○ | ○ | ○ |
| Battery and Charger | | | | | | |
| | BATTERY SET-48V 400AH | 56380540 | 0 | ● | ● | ○ |



● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP |
|---|--|----------|------------------|---------------------------------|
| Main Broom | | | | |
|  | BROOM MAIN 310X900 SPIRAL 6R MIX STEEL | 33018858 | 0 | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R NYLON | 33018856 | 0 | ○ |
|  | BROOM MAIN 310X900 SPIRAL 6R PPL 0.7 | 33018857 | 0 | ○ |
| Side Broom | | | | |
|  | BROOM SIDE 260X550 MIX STEEL | 33018889 | 0 | ○ |

Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP |
|---|-------------------------------|------------|------------------|---------------------------------|
|  | BROOM SIDE 260X550 NYLON | 33023366 | 0 | ○ |
|  | BROOM SIDE 300X500 PPL 1.5 | 33021313 | 0 | ○ |
| | LEFT HAND SIDE BROOM | 56380357 | 0 | ○ |
| Other | | | | |
| | BACKUP AUDIO ALARM | 56380364 | 0 | ○ |
| | BUMPER REAR METAL WRAP AROUND | 56380370 | 0 | ○ |
| | CAP NOZZLE | 56507908 | 0 | ○ |
| | DUST GUARD BATTERY MODELS | 56380356 | 0 | ○ |
| | DUST GUARD-ENGINE MODELS | 56380355 | 0 | ○ |
| | FLOOR MAT KIT | 56380371 | 0 | ○ |
| | FRONT CORNER GUARDS | 56380361 | 0 | ○ |
| | HOPPER TEMP SENSOR KIT | 56507029 | 0 | ○ |
| | MIRROR KIT FOR CAB AND OHG | 56508663 | 0 | ○ |
|  | NOZZLE SPRAY | 56508450 | 0 | ○ |
| | NOZZLE SPRAY .10 | 56508709 | 0 | ○ |
| | PLATE HOPPER BOTTOM METAL | 56380373 | 0 | ○ |
| | SEAT BELT-STD SEAT | 56380369 | 0 | ○ |
| | SOFT SIDED CAB | 56380374 | 0 | ○ |
|  | STRAINER CHECK VALVE 5 PSI | 56507916 | 0 | ○ |
| | SUSPENSION SEAT KIT | 56507040 | 0 | ○ |
| | TANK-LP | 8-83-04016 | 0 | ○ |
| | TILT STEERING WHEEL | 56380358 | 0 | ○ |
| | TIRES-SOLID SET OF 3 | 56380362 | 0 | ○ |
| Filter for Sweeping | | | | |
| | CLOGGED FILTER INDICATOR | 56380360 | 0 | ○ |
|  | FILTER PANEL POLY HIGH FLOW | 56382789 | 0 | ○ |

Rider Sweepers

| Accessories | | Ref. no. | Min. required | PROTERRA 5130 B TRIOSWEEP |
|--|--------------------------------|--------------|------------------|---------------------------------|
|  | FLTR PANEL ULTRA-WEB CELLULOSE | 8-24-04139-1 | 0 | ○ |
| Light Option | | | | |
|  | AMBER STROBE FOR OHG | 56507039 | 0 | ○ |
| | AMBER STROBE NO OHG | 56507038 | 0 | ○ |
| | FRONT HEADLIGHTS BATTERY MODEL | 56380367 | 0 | ○ |
| | FRONT HEADLIGHTS-ENGINE MODEL | 56380365 | 0 | ○ |
| Guard Option | | | | |
| | OVERHEAD GUARD | 56380368 | 0 | ○ |
| Battery and Charger | | | | |
| | BATTERY SET-48V 400AH | 56380540 | 0 | ○ |