

Rider Floor Scrubbers

Superior Cleaning in a Compact Design The SC3000™ is a compact rider floor scrubber delivering an ergonomic design, superior scrub system and innovative features for maximum efficiency and performance in hospitals, healthcare facilities, educational facilities, government buildings and more.



Benefits of SC3000 Compact Rider Floor Scrubbers The optimized performance and innovative features of the SC3000 — including the sustainable EcoFlex™ System, patented SafetyGlide™ Scrub Deck, and Quiet Mode™ for daytime cleaning — make this the perfect compact floor scrubber for a range of applications, including those with limited access.

Eliminate wasted time and money with the patented SafetyGlide Deck — ensuring 100% water pickup and precise, straight-edge cleaning Simplify user operation with the fully integrated steering wheel control panel, including a graphical display indicating clean water level, detergent ratio and hours of use Reduce costs by saving water and detergent, deliver a green-cleaning solution, and match cleaning performance to the demands of the job with the EcoFlex™ System Scrub continuously for over an hour on a single tank of water thanks to the large 21 gal. tank and optimized operator comfort and safety Clean during the day and in noise-sensitive healthcare facilities by switching the SC3000 to Quiet Mode™



Picture shown may not represent model quoted

● Standard equipment

Included accessories		Ref. no.	Min. required	SC3000 26D ECOFLEX W242 OBC PH	SC3000 26D ECOFLEX A255 OBC PH
Ecoflex System					
	CHEM BOTTLE ASSY-ECOFLEX	56601545	0	●	●
Pad Holder					
	PAD HOLDER BRIST. 13 330MM W/CENTER LOCK	909 5330 000	0	●	●
Battery Wet					
	BATTERY 6V 242AH WET	56206079	0	●	

Model	SC3000 26D ECOFLEX W242 OBC PH	SC3000 26D ECOFLEX A255 OBC PH
Ref. no.	56381802	56381803

PRODUCT FEATURES

Non marking traction wheels	●	●
Built-in squeegee hanger	●	●
Ecoflex installed	●	●
SafetyGlide Deck	●	●
Open machine design	●	●

Rider Floor Scrubbers

Model	SC3000 26D ECOFLEX W242 OBC PH	SC3000 26D ECOFLEX A255 OBC PH
Ref. no.	56381802	56381803
PRODUCT FEATURES		
Large recovery tank opening	•	•
Low step for easy on/off	•	•
Adjustable heel rest	•	•
Technical specifications		
Approvals	ETL, CSA	ETL, CSA
Maximum running time	3.5 hours	3.5 hours
Power source	(4) 6 V Batteries (Wet Acid and AGM Maintenance-Free)	(4) 6 V Batteries (Wet Acid and AGM Maintenance-Free)
Voltage (V)	24 VDC	24 VDC
Ip protection class	IPX3	IPX3
Min. turn-around aisle width (CM)	59 in (150 cm)	59 in (150 cm)
Brush motor hp (W)	0.54 hp (400 Watts)	0.54 hp (400 Watts)
Brush speed (RPM)	230 RPM	230 RPM
Weight with batteries lbs (kg)	984 lb (446 kg)	984 lb (446 kg)
Water flow (l/min.)	0.26/0.8 GPM (1/3 L/min)	0.26/0.8 GPM (1/3 L/min)
Weight without batteries	386 lb (175 kg)	386 lb (175 kg)
Vacuum motor	0.56 hp (420 Watts)	0.56 hp (420 Watts)
Scrub head type	Dual Disc	Dual Disc
Scrub path	26 in (66 cm)	26 in (66 cm)
Capacity	21 gal (80 L)	21 gal (80 L)
Max. speed	3.7 MPH (6 km/hr)	3.7 MPH (6 km/hr)
Vacuum airflow	55.3 CFM (26.1 L/ sec)	55.3 CFM (26.1 L/ sec)
Vacuum waterlift	57 in (14.2 KPA)	57 in (14.2 KPA)
Max. ramp climbing	16 Degrees	16 Degrees
Battery charger	24 VDC Onboard	24 VDC Onboard
Dimensions (W/O Squeegee)	L = 53.5 in (136 cm) W = 26.4 in (67 cm) H = 47.3 in (120 cm)	L = 53.5 in (136 cm) W = 26.4 in (67 cm) H = 47.3 in (120 cm)
Brush pressure	Setting 1 = 65 lb (30 kg) ; Setting 2 = 105 lb (48 kg)	Setting 1 = 65 lb (30 kg) ; Setting 2 = 105 lb (48 kg)
Squeegee width	35 in (89 cm)	35 in (89 cm)
Productivity at 3.7 mph	42,328 sq ft/hour (3,932 m2/hr)	42,328 sq ft/hour (3,932 m2/hr)

Rider Floor Scrubbers

Technical specifications

SC3000 26D
ECOFLEX W242
OBC PH












SC3000 26D
ECOFLEX A255
OBC PH

Sound pressure level EN ISO 11201: 1995



High Setting = 65 dB A ; Low setting = 61 dB A

High Setting = 65 dB A ; Low setting = 61 dB A

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SC3000 26D ECOFLEX W242 OBC PH	SC3000 26D ECOFLEX A255 OBC PH
Battery Wet					
	BATTERY 6V 242AH WET	56206079	0	●	
Battery					
	KIT BATTERY WATERING	56601527	0	○	○
Ecoflex System					
	CHEM BOTTLE ASSY-ECOFLEX	56601545	0	●	●
Squeegee Blade					
	BLADES SQUEEGEE 890MM 35 GUM RUBBER KIT	9097804000	0	○	○
	BLADES SQUEEGEE 890MM 35 PU KIT	9099855000	0	○	○
	SQUEEGEE 890MM 35 ALU KIT	9098728000	0	○	○
Light Option					
	BEACON FLASHING KIT	9098164000	0	○	○
Other					
	MUFF FRESH WATER	9098224000	0	○	○
Pad Holder					
	PAD HOLDER BRIST. 13 330MM W/CENTER LOCK	909 5330 000	0	●	●
Disc Brush 330 mm					
	BRUSH DISC 330MM 13 PROLITE	909 5338 000	0	○	○
	BRUSH DISC 330MM 13 MID GRIT 240	909 5334 000	0	○	○

Rider Floor Scrubbers

Accessories		Ref. no.	Min. required	SC3000 26D ECOFLEX W242 OBC PH	SC3000 26D ECOFLEX A255 OBC PH
	BRUSH DISC 330MM 13 MIDLITE GRIT 180	909 5336 000	0	○	○
	BRUSH DISC 330MM 13 PROLENE BLUE	909 5332 000	0	○	○