
### A Deeper Clean, Even on the Move

The ET610™ is a portable carpet extractor that was purpose-designed and engineered with direct input from cleaners who use these machines, every day. The result is an innovative, high-performance carpet extractor for a range of applications.

### Benefits of ET610 Portable Carpet Extractors

The ET610 offers innovative features designed to improve your cleaning productivity and the durability of your extractor. With a three-stage vacuum motor for unrestricted airflow and superior water recovery, a sealed system to extend motor life and a pressure regulator to adjust for the floor surface, you can count on this portable, efficient machine.

- Easily maneuver and transport thanks to the ergonomic design, including a unique transport handle, extension cord wraps and tank handle
- Simplify tank filling with the easy-fill solution tank access port, which is located away from the electronic switch and controls to reduce maintenance issues
- Completely empty the recovery tank thanks to the sloped tank design
- Use less water at higher heat for reduced costs, improved sustainability, faster drying and less chance of shrinkage or soil wicking





Picture shown may not represent model quoted

#### Standard equipment

	Included accessories	Ref. no.	Min. required	ET610 100H	ET610 100SC	ET610 100H-15-SW	
Vacuum Hos	Vacuum Hose and Connection						
	VAC HOSE/PRESSURE LN. 15 EXTR	FP153	0	•	•	•	

#### Standard equipment

Included accessories		Ref. no.	Min. required	ET610 100SC-15-SW	ET610 100C-15-SW	ET610 100C	
Vacuum Hos	Vacuum Hose and Connection						
	VAC HOSE/PRESSURE LN. 15 EXTR	FP153	0	•	•	•	

Model	ET610 100H	ET610 100SC	ET610 100H-15-SW
Ref. no.	56105293	56105294	56105423

### PRODUCT FEATURES

Heater	•	•	•
Easy-to-carry handle	•	•	•
Wand caddy	•	•	•
Ergonomic Design	•	•	•
Two Handles for Easy Maneuverability	•	•	•
Recessed electric switch plate	•	•	•
Two Front panel Roller Wheels	•	•	•
Oversized, rubber grip rear wheels	•	•	•
Easy-fill Solution Tank Access Port	•	•	•



PRODUCT FEATURES         6         6           Model         E1610 100SC-15-SW SW-01-SW SW-01-SW SW-01-S	Model	ET610 100H	ET610 100SC	ET610 100H-15-SW
Easy-to-service Clamshell Design         •         <	Ref. no.	56105293	56105294	56105423
Model         ET610 100SC-15 SW         ET610 100C-15-SW         ET610 100C           Ref. no.         56105421         56105420         56105292           PRODUCT FEATURES         S         56105421         56105420         56105292           Heater         •         •         •         •         •           Easy-to-carry handle         •	PRODUCT FEATURES			
Ref. no.         56105421         56105420         56105429           PRODUCT FEATURES           Heater         •         •         •         •           Easy-to-carry handle         • <td< td=""><td>Easy-to-service Clamshell Design</td><td>•</td><td>•</td><td>•</td></td<>	Easy-to-service Clamshell Design	•	•	•
PRODUCT FEATURES           Heater         • • • • • • • • • • • • • • • • • • •	Model		ET610 100C-15-SW	ET610 100C
Heater         • </td <td>Ref. no.</td> <td>56105421</td> <td>56105420</td> <td>56105292</td>	Ref. no.	56105421	56105420	56105292
Easy-to-carry handle         •         •         •           Wand caddy         •         •         •           Ergonomic Design         •         •         •           Two Handles for Easy Maneuverability         •         •         •           Recessed electric switch plate         •         •         •           Two Front panel Roller Wheels         •         •         •           Oversized, rubber grip rear wheels         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Easy-to-service Clamshell Design         •         •         •           Technical specifications         ET610 100H         ET610 100SC         ET610 100H-15-SW           Pump         Diaphragm pump         Single 5.7 in, 3-stage         Stage	PRODUCT FEATURES			
Wand caddy         •         •         •           Ergonomic Design         •         •         •           Two Handles for Easy Maneuverability         •         •         •           Recessed electric switch plate         •         •         •           Two Front panel Roller Wheels         •         •         •           Oversized, rubber grip rear wheels         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Easy-to-service Clamshell Design         •         •         •           Technical specifications         ET610 100H         ET610 100SC         ET610 100H-15-SW           Pump         Diaphragm pump         Single 5.7 in, 3-stage         stage         stage         Single 5.7 in, 3-stage         Single 5.7 in, 3-stage         stage         Single 5.7 in, 3-stage         Single	Heater	•	•	•
Ergonomic Design         •         •         •           Two Handles for Easy Maneuverability         •         •         •           Recessed electric switch plate         •         •         •           Two Front panel Roller Wheels         •         •         •           Oversized, rubber grip rear wheels         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Easy-to-service Clamshell Design         •         •         •           Technical specifications         ET610 100H         ET610 100SC         ET610 100H-15-SW           Pump         Diaphragm pump         Single 5.7 in, 3-stage         stage         stage         stage         40.5 in x 21 in x 42	Easy-to-carry handle	•	•	•
Two Handles for Easy Maneuwerability  Recessed electric switch plate  Two Front panel Roller Wheels  Oversized, rubber grip rear wheels  Easy-fill Solution Tank Access Port  Easy-foll Solution Tank Access Port  Easy-to-service Clamshell Design  Technical specifications  ET610 100H  ET610 100SC  ET610 100H-15-SW  Pump  Diaphragm pump  Diaphragm pump  Vacuum  Single 5.7 in, 3-  stage  Weight (lbs)  R7 lb  R7 lb  R8 7 lb  R7 lb  R8 7 lb  R8 7 lb  R8 7 lb  R9 lb	Wand caddy	•	•	•
Recessed electric switch plate         • <t< td=""><td>Ergonomic Design</td><td>•</td><td>•</td><td>•</td></t<>	Ergonomic Design	•	•	•
Two Front panel Roller Wheels       •       •       •         Oversized, rubber grip rear wheels       •       •       •         Easy-fill Solution Tank Access Port       •       •       •         Easy-to-service Clamshell Design       •       •       •         Technical specifications       ET610 100H       ET610 100SC       ET610 100H-15-SW         Pump       Diaphragm pump       Single 5.7 in, 3-stage       3-stage       3-stage       3-stage       40.5 in x 21 in x 42 in x	Two Handles for Easy Maneuverability	•	•	•
Coversized, rubber grip rear wheels         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Easy-to-service Clamshell Design         •         •         •           Technical specifications         ET610 100H         ET610 100SC         ET610 100H-15-SW           Pump         Diaphragm pump         Single 5.7 in, 3-stage	Recessed electric switch plate	•	•	•
Easy-foll Solution Tank Access Port Easy-to-service Clamshell Design  • • • •  Technical specifications  ET610 100H  ET610 100SC  ET610 100H-15-SW  Pump  Diaphragm pump  Diaphragm pump  Diaphragm pump  Vacuum  Single 5.7 in, 3- stage Single 5.7 in, 3- stage Weight (lbs)  87 lb  87 lb  87 lb  87 lb  87 lb  Dimensions L x W x H  40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in in 40.5 in x 21 in x 42 in 40.5 in x 21 in x 4	Two Front panel Roller Wheels	•	•	•
Easy-to-service Clamshell Design         ●         ●         ●           Technical specifications         ET610 100H         ET610 100SC         ET610 100H-15-SW           Pump         Diaphragm pump         Single 5.7 in, 3-stage         40.5 in x 21 in x 42         Yes         Yes         Yes         Yes	Oversized, rubber grip rear wheels	•	•	•
Technical specifications       ET610 100H       ET610 100SC       ET610 100H-15-SW         Pump       Diaphragm pump       Single 5.7 in, 3-stage       40.5 in x 21 in x 42 i	Easy-fill Solution Tank Access Port	•	•	•
Pump       Diaphragm pump	Easy-to-service Clamshell Design	•	•	•
Vacuum       Single 5.7 in, 3-stage       Single 5.7 in, 3-stage       Single 5.7 in, 3-stage       Single 5.7 in, 3-stage         Weight (lbs)       87 lb       87 lb       87 lb       87 lb         Dimensions L x W x H       40.5 in x 21 in x 42 in x 42 in x 21 i	Technical specifications	ET610 100H	ET610 100SC	ET610 100H-15-SW
Weight (lbs)  87 lb  40.5 in x 21 in x 42 in	Pump	Diaphragm pump	Diaphragm pump	Diaphragm pump
Dimensions L x W x H  40.5 in x 21 in x 42 in	Vacuum			
in in in in  Vac shutoff  Vac shutoff  Power cord - type  Dual  Single  Dual  Heat  Yes  Yes  Yes  Yes  Yes  Pressure gauge  N/A  N/A  N/A  N/A  Waterlift/Airflow  140 in  140 in  140 in  Heater  1,750 W  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  N/A  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  N/A  N/A  N/A  N/A  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	Weight (lbs)	87 lb	87 lb	87 lb
Power cord - type  Heat  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Waterlift/Airflow  Heater  1,750 W  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  (AquaWand™ optional upgrade)  Dual  Single  Dual  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	Dimensions L x W x H			
Heat Yes Yes Yes  Pressure gauge  N/A  N/A  N/A  N/A  Waterlift/Airflow  Heater  1,750 W  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  12 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  13 in stainless steel scrub wand (AquaWand™ optional upgrade)  N/A  N/A  N/A  140 in  140 i	Vac shutoff	Ball float	Ball float	Ball float
Pressure gauge  N/A  N/A  N/A  N/A  N/A  Waterlift/Airflow  140 in  1	Power cord - type	Dual	Single	Dual
Waterlift/Airflow       140 in       140 in       140 in         Heater       1,750 W       1,100 W       1,750 W         Wand       12 in stainless steel scrub wand (AquaWand™ optional upgrade)       12 in stainless steel scrub wand (AquaWand™ optional upgrade)       12 in stainless steel scrub wand (AquaWand™ optional upgrade)	Heat	Yes	Yes	Yes
Heater 1,750 W 1,100 W 1,750 W  12 in stainless steel scrub wand (AquaWand™ optional upgrade) 12 in stainless steel scrub wand (AquaWand™ optional upgrade) 12 in stainless steel scrub wand (AquaWand™ optional upgrade) 12 in stainless steel scrub wand (AquaWand™ optional upgrade) 12 in stainless steel scrub wand optional upgrade) 12 in stainless steel scrub wand optional upgrade) 12 in stainless steel scrub wand optional upgrade)	Pressure gauge	N/A	N/A	N/A
Wand  12 in stainless steel scrub wand Scrub wand Scrub wand Scrub wand Scrub wand (AquaWand™ (AquaWand™ (AquaWand™ optional upgrade) optional upgrade)  12 in stainless steel Scrub wand Scrub wand Scrub wand Optional upgrade) Scrub wand Scrub wand Scrub wand Scrub wand Scrub wand Scrub wand Optional upgrade) Optional upgrade)	Waterlift/Airflow	140 in	140 in	140 in
Wand scrub wand scrub wand scrub wand (AquaWand™ (AquaWand™ optional upgrade) optional upgrade) optional upgrade)	Heater	1,750 W	1,100 W	1,750 W
CRI certified Bronze None Bronze				scrub wand
	Wand	(AquaWand™	(AquaWand™	



Technical specifications	ET610 100SC-15- SW	ET610 100C-15-SW	ET610 100C
Pump	Diaphragm pump	Diaphragm pump	Diaphragm pump
Vacuum	Single 5.7 in, 3- stage	Single 5.7 in, 3- stage	Single 5.7 in, 3- stage
Weight (lbs)	87 lb	87 lb	87 lb
Dimensions L x W x H	40.5 in x 21 in x 42 in	40.5 in x 21 in x 42 in	40.5 in x 21 in x 42 in
Vac shutoff	Ball float	Ball float	Ball float
Power cord - type	Single	Single	Single
Heat	Yes	N/A	N/A
Pressure gauge	N/A	N/A	N/A
Waterlift/Airflow	140 in	None	None
Heater	1,100 W	N/A	N/A
Wand	12 in stainless steel scrub wand (AquaWand™ optional upgrade)	12 in stainless steel scrub wand (AquaWand™ optional upgrade)	12 in stainless steel scrub wand (AquaWand™ optional upgrade)
CRI certified	None	None	None

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	ET610 100H	ET610 100SC	ET610 100H-15-SW	
Accessory	Accessory						
	CLOSED HP TOOL 4	52832A	0	0	0	0	
	EXTRACTOR HAND TOOL	56102807	0	0	0	0	
	MINI TURBO HARD SURFACE TOOL	HFT-43	0	0	0	0	
	TURBO HARD SURFACE TOOL COMPL	HFT-40	0	0	0	0	
Extension Tul	pe						
~	CARPET SCRUB WAND 12HEAD HP	CSW-12HP	0	0	0	0	
	CARPET SCRUB WAND 12HEAD-LP	CSW-12	0	0	0	0	
Vacuum Hose	e and Connection						
	VAC HOSE/PRESSURE LN. 15 EXTR	FP153	0	•	•	•	
	VAC HOSE/PRESSURE LN. 25 1/8	FP195	0	0	0	0	
	VAC HOSE/PRESSURE LN. 25 EXTE	FP196	0	0	0	0	
Bag							
	BAG W/HANDLE BLACK MESH	54084A	0	0	0	0	



ullet Standard equipment,  ${}^{\bigcirc}$  Supplementary accessories,  ${}^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	ET610 100SC-15-SW	ET610 100C-15-SW	ET610 100C	
Accessory							
	CLOSED HP TOOL 4	52832A	0	0	0	0	
	EXTRACTOR HAND TOOL	56102807	0	0	0	0	
	MINI TURBO HARD SURFACE TOOL	HFT-43	0	0	0	0	
	TURBO HARD SURFACE TOOL COMPL	HFT-40	0	0	0	0	
Extension Tu	be						
1	CARPET SCRUB WAND 12HEAD HP	CSW-12HP	0	0	0	0	
	CARPET SCRUB WAND 12HEAD-LP	CSW-12	0	0	0	0	
Vacuum Hos	e and Connection			'	'		
	VAC HOSE/PRESSURE LN. 15 EXTR	FP153	0	•	•	•	
	VAC HOSE/PRESSURE LN. 25 1/8	FP195	0	0	0	0	
	VAC HOSE/PRESSURE LN. 25 EXTE	FP196	0	0	0	0	
Bag							
	BAG W/HANDLE BLACK MESH	54084A	0	0	0	0	

