## Engineered to make carpet cleaning easier

Now there's a carpet extractor built for the way you clean carpets not the other way around. Clarke® EX20™ Portable Extractors are the result of a major engineering and design initiative at Clarke that began with direct field input from cleaning technicians who used high performance portable extraction machines every day.

## Convenient. Rugged. Affordable.

The result is a line of machines designed to alleviate the most common annoyances of professional cleaning technicians—going far beyond the pumps and vacuum motors of traditional extractors.

Unique, productivity-enhancing features of Clarke® EX20™ Portable Extractors cover even the smallest details to help make cleaning carpets easier, faster, safer and more convenient.

- Unique, engineered handles at key points on the machine—as well as front-panel roller wheels and a molded wand caddy-make maneuverability, loading and unloading easier, faster and simpler
- Standard, 12-inch stainless steel scrub wand with AquaWand™ option and 15-foot vacuum and recovery hoses (25-foot option) expand productivity



Picture shown may not represent model quoted

EX20 100H

- Low-moisture/environmental footprint reduction system uses less water and higher heat to cut drying time, reduce wicking of soil from pad and reduce chemical usage
- 3-stage, closed, sealed vacuum motor system maximizes water recovery, reduces wear on motor and extends vacuum motor life
- In-line, after-the-pump heater features lifetime warranty
- Standard equipment
- Standard equipment

Model

| Ref. no.                            | 56105289 | 56105288 | 56105290 |
|-------------------------------------|----------|----------|----------|
| PRODUCT FEATURES                    |          |          |          |
| Heater                              | •        | •        | •        |
| Wand caddy                          | •        | •        | •        |
| Ergonomic handle                    | •        | •        | •        |
| Tilting recovery tank               | •        | •        | •        |
| Ergonomic Design                    | •        | •        | •        |
| Recessed electric switch plate      | •        | •        | •        |
| Two Front panel Roller Wheels       | •        | •        | •        |
| Stowable Handle on Tank             | •        | •        | •        |
| Oversized, rubber grip rear wheels  | •        | •        | •        |
| Extension Cord Wraps                | •        | •        | •        |
| Easy-fill Solution Tank Access Port | •        | •        | •        |
| Sloped Recovery Tank                | •        | •        | •        |





EX20 100C

EX20 100SC

| Ergonomic handle         • • • • • • • • • • • • • • • • • • •   | Model                               | EX20 100H-15-SW                               | EX20 100SC-15-SW                              | EX20 100C-15-SW                               |
|--|-------------------------------------|---|---|---|
| Mand caddy   | Ref. no.                            | 56105418                                      | 56105417                                      | 56105416                                      |
| ### ### ### ### ### ### ### ### ### ##   | PRODUCT FEATURES                    |   |   |   |
| ### Figuration in Analite ### Figuration in Tilling recovery tank #### Figuration in Tilling recovery tank ### Figuration in Tilling recovery tank #### Figuration in Tilling recovery tank ##### Figuration in Tilling recovery tank ##### Figuration in Tilling recovery tank ##### | Heater                              | •   | •   | •   |
| ### Filting recovery tank  Figonomic Design  Recessed electric switch plate  Fixo Front panel Roller Wheels  Stowable Handle on Tank  Oversized, rubber grip rear wheels  Extension Cord Wraps  Easy-fill Solution Tank Access Port  Sloped Recovery Tank  Technical specifications  Ex20 100H  Ex20 100C  Fixound  Ball float  Ball floa  | Wand caddy                          | •   | •   | •   |
| Ergonomic Design         •         •         •           Recessed electric switch plate         •         •         •           Two Front panel Roller Wheels         •         •         •           Stowable Handle on Tank         •         •         •           Oversized, rubber grip rear wheels         •         •         •           Extension Cord Wraps         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Sloped Recovery Tank         •         •         •         •           Technical specifications         EX20 100H         EX20 100C         EX20 100SC           Pump         100 psi         100 psi         100 psi         100 psi           Vacuum         \$single 5.7 in, 3-stage         \$single 5.7 in, 3-stage <td< td=""><td>Ergonomic handle</td><td>•</td><td>•</td><td>•</td></td<>  | Ergonomic handle                    | •   | •   | •   |
| Recessed electric switch plate         • <t< td=""><td>Tilting recovery tank</td><td>•</td><td>•</td><td>•</td></t<>   | Tilting recovery tank               | •   | •   | •   |
| Two Front panel Roller Wheels         • <td< td=""><td>Ergonomic Design</td><td>•</td><td>•</td><td>•</td></td<>   | Ergonomic Design                    | •   | •   | •   |
| Stowable Handle on Tank         • <td>Recessed electric switch plate</td> <td>•</td> <td>•</td> <td>•</td>   | Recessed electric switch plate      | •   | •   | •   |
| Coversized, rubber grip rear wheels         •         •         •           Extension Cord Wraps         •         •         •           Easy-fill Solution Tank Access Port         •         •         •           Sloped Recovery Tank         •         •         •           Technical specifications         EX20 100H         EX20 100C         EX20 100SC           Pump         100 psi         100 psi         100 psi         100 psi           Vacuum         Single 5.7 in, 3 stage   | Two Front panel Roller Wheels       | •   | •   | •   |
| Extension Cord Wraps         •   | Stowable Handle on Tank             | •   | •   | •   |
| Easy-fill Solution Tank Access Port         ●         ●         ●         ●           Sloped Recovery Tank         ●         ●         ●         ●           Technical specifications         EX20 100H         EX20 100C         EX20 100SC           Pump         100 psi         100 psi         100 psi           Vacuum         Single 5.7 in, 3-stage         Single 5.7 in, 3-stage         Single 5.7 in, 3-stage           Weight (lbs)         87 lb         87 lb         87 lb           Dimensions L x W x H         40.5 in x 21 in x 42 in         40.5 in x 21 in x 42 in         40.5 in x 21 in x 42 in           Vac shutoff         Ball float         Ball float         Ball float         Ball float           Power cord - type         Dual         Single         Single           Heat         Yes         No         Yes           Pressure gauge         N/A         N/A         N/A           Waterlift/Airflow         140 in         140 in         140 in         140 in           Heater         1,750 Watts         N/A         1,100 Watts         12 in stainless steel scrub wand comes standard. AquaWand ™ is optional upgrade. aquaWand ™ is optional upgrade. applicational upgrade.         12 in stainless steel scrub wand comes standard. AquaWand ™ is optional upgrade. applicational upgrade.   | Oversized, rubber grip rear wheels  | •   | •   | •   |
| Sloped Recovery Tank         ●         ●         ●           Technical specifications         EX20 100H         EX20 100C         EX20 100SC           Pump         100 psi         100 psi         100 psi           Vacuum         Single 5.7 in, 3-stage         Single 5.7 in, 3-stage         Single 5.7 in, 3-stage           Weight (lbs)         87 lb         87 lb         87 lb           Dimensions L x W x H         40.5 in x 21 in x 42 in         40.5 in x 21 in x 42 in x 42 in         40.5 in x 21 in x 42 in x 42 in           Vac shutoff         Ball float         Ball float         Ball float         Ball float           Power cord - type         Dual         Single         Single         Single           Heat         Yes         No         Yes           Pressure gauge         N/A         N/A         N/A           Waterlift/Airflow         140 in         140 in         140 in         140 in           Heater         1,750 Watts         N/A         1,100 Watts           Wand         12 in stainless steel         scrub wand comes standard. AquaWand™ is optional upgrade.         12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.   | Extension Cord Wraps                | •   | •   | •   |
| Technical specifications         EX20 100H         EX20 100C         EX20 100SC           Pump         100 psi         100 psi         100 psi           Vacuum         Single 5.7 in, 3- stage         Single 5.7 in, 3- stage         Single 5.7 in, 3- stage           Weight (lbs)         87 lb         87 lb         87 lb           Dimensions L x W x H         40.5 in x 21 in x 42 in x  | Easy-fill Solution Tank Access Port | •   | •   | •   |
| Pump       100 psi       100 psi       100 psi       100 psi         Vacuum       Single 5.7 in, 3- stage         Weight (lbs)       87 lb       87 lb <th< td=""><td>Sloped Recovery Tank</td><td>•</td><td>•</td><td>•</td></th<>  | Sloped Recovery Tank                | •   | •   | •   |
| VacuumSingle 5.7 in, 3- stageSingle 5.7 in, 3- stageSingle 5.7 in, 3- stageWeight (lbs)87 lb87 lb87 lbDimensions L x W x H40.5 in x 21 in x 42 in40.5 in x 21 in x 42 in40.5 in x 21 in x 42 inVac shutoffBall floatBall floatBall floatPower cord - typeDualSingleSingleHeatYesNoYesPressure gaugeN/AN/AN/AWaterlift/Airflow140 in140 in140 in140 inHeater1,750 WattsN/A1,100 WattsWand12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.   | Technical specifications            | EX20 100H                                     | EX20 100C                                     | EX20 100SC                                    |
| Vaccount       stage       97 lb       90 </td <td>Pump</td> <td>100 psi</td> <td>100 psi</td> <td>100 psi</td>  | Pump                                | 100 psi                                       | 100 psi                                       | 100 psi                                       |
| Dimensions L x W x H       40.5 in x 21 in x 42 in x   | Vacuum                              |   |   |   |
| in in in  Vac shutoff  Power cord - type  Dual  Single  Single  Single  Heat  Yes  No  Yes  Pressure gauge  N/A  Waterlift/Airflow  140 in  Heater  1,750 Watts  Wand  12 in stainless steel scrub wand comes standard.  AquaWand™ is optional upgrade.  AquaWand™ is optional upgrade.  | Weight (lbs)                        | 87 lb   | 87 lb   | 87 lb   |
| Power cord - type  Heat  Yes  No  Yes  Pressure gauge  N/A  Waterlift/Airflow  140 in  | Dimensions L x W x H                |   |   |   |
| Heat       Yes       No       Yes         Pressure gauge       N/A       N/A       N/A         Waterlift/Airflow       140 in       140 in       140 in         Heater       1,750 Watts       N/A       1,100 Watts         Wand       12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.       12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.       12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.  | Vac shutoff                         | Ball float                                    | Ball float                                    | Ball float                                    |
| Pressure gauge  N/A  N/A  N/A  N/A  N/A  Waterlift/Airflow  140 in  1  | Power cord - type                   | Dual  | Single  | Single  |
| Waterlift/Airflow  140 in  14  | Heat                                | Yes   | No  | Yes   |
| Heater 1,750 Watts N/A 1,100 Watts  12 in stainless steel scrub wand comes standard. AquaWand™ is optional upgrade.  12 in stainless steel scrub wand comes scrub wand comes scrub wand comes scrub wand comes optional upgrade.  12 in stainless steel scrub wand comes scrub wand comes scrub wand comes optional upgrade.  12 in stainless steel scrub wand comes optional upgrade.  12 in stainless steel scrub wand comes optional upgrade.  12 in stainless steel scrub wand comes optional upgrade.   | Pressure gauge                      | N/A   | N/A   | N/A   |
| 12 in stainless steel scrub wand comes scrub wand comes standard.  Wand standard. Standard. Standard. AquaWand™ is optional upgrade. 12 in stainless steel scrub wand comes scrub wand comes standard. Standard. Standard. Optional upgrade. Optional upgrade.   | Waterlift/Airflow                   | 140 in  | 140 in  | 140 in  |
| Scrub wand comes scrub wand comes standard. standard. standard. AquaWand™ is AquaWand™ is optional upgrade. standard. optional upgrade.  | Heater                              | 1,750 Watts                                   | N/A   | 1,100 Watts                                   |
| CRI certified Bronze Single Single   | Wand                                | scrub wand comes<br>standard.<br>AquaWand™ is | scrub wand comes<br>standard.<br>AquaWand™ is | scrub wand comes<br>standard.<br>AquaWand™ is |
|  | CRI certified                       | Bronze  | Single  | Single  |



| Technical specifications | EX20 100H-15-SW   | EX20 100SC-15-SW  | EX20 100C-15-SW   |
|--------------------------|---|---|---|
| Pump                     | 100 psi   | 100 psi   | 100 psi   |
| Vacuum                   | Single 5.7 in, 3-<br>stage  | Single 5.7 in, 3-<br>stage  | Single 5.7 in, 3-<br>stage  |
| Weight (lbs)             | 87 lb   | 87 lb   | 87 lb   |
| Dimensions L x W x H     | 40.5 in x 21 in x 42<br>in  | 40.5 in x 21 in x 42<br>in  | 40.5 in x 21 in x 42<br>in  |
| Vac shutoff              | Ball float  | Ball float  | Ball float  |
| Power cord - type        | Dual  | Single  | Single  |
| Heat                     | Yes   | Yes   | No  |
| Pressure gauge           | N/A   | N/A   | N/A   |
| Waterlift/Airflow        | 140 in  | 140 in  | 140 in  |
| Heater                   | 1,750 Watts   | 1,100 Watts   | N/A   |
| Wand                     | 12 in stainless steel<br>scrub wand comes<br>standard.<br>AquaWand™ is<br>optional upgrade. | 12 in stainless steel<br>scrub wand comes<br>standard.<br>AquaWand™ is<br>optional upgrade. | 12 in stainless steel<br>scrub wand comes<br>standard.<br>AquaWand™ is<br>optional upgrade. |
| CRI certified            | Bronze  | Single  | Single  |

ullet Standard equipment, ullet Supplementary accessories, ullet Mountable equipment

|               | Accessories                   | Ref. no. | Min.<br>required | EX20 100H | EX20 100C | EX20 100SC |
|---------------|-------------------------------|----------|------------------|-----------|-----------|------------|
| Accessory     |                               |          |                  |           |           |            |
|               | CLOSED HP TOOL 4              | 52832A   | 0                | 0         | 0         | 0          |
|               | EXTRACTOR HAND TOOL           | 56102807 | 0                | 0         | 0         | 0          |
|               | MINI TURBO HARD SURFACE TOOL  | HFT-43   | 0                | 0         | 0         | 0          |
|               | TURBO HARD SURFACE TOOL COMPL | HFT-40   | 0                | 0         | 0         | 0          |
| Extension Tul | be                            |          |                  |           |           |            |
|               | CARPET SCRUB WAND 12HEAD HP   | CSW-12HP | 0                | 0         | 0         | 0          |
|               | CARPET SCRUB WAND 12HEAD-LP   | CSW-12   | 0                | 0         | 0         | 0          |
| Vacuum Hose   | e and Connection              |          |                  |           |           |            |
|               | VAC HOSE/PRESSURE LN. 15 EXTR | FP153    | 0                | 0         | 0         | 0          |
|               | VAC HOSE/PRESSURE LN. 25 1/8  | FP195    | 0                | 0         | 0         | 0          |
|               | VAC HOSE/PRESSURE LN. 25 EXTE | FP196    | 0                | 0         | 0         | 0          |
| Bag           | Bag                           |          |                  |           |           |            |
|               | BAG W/HANDLE BLACK MESH       | 54084A   | 0                | 0         | 0         | 0          |



 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

|                            | Accessories                   | Ref. no. | Min.<br>required | EX20<br>100H-15-SW | EX20<br>100SC-15-SW | EX20<br>100C-15-SW |
|----------------------------|-------------------------------|----------|------------------|--------------------|---------------------|--------------------|
| Accessory                  |                               |          |                  |                    |                     |                    |
|                            | CLOSED HP TOOL 4              | 52832A   | 0                | 0                  | 0                   | 0                  |
|                            | EXTRACTOR HAND TOOL           | 56102807 | 0                | 0                  | 0                   | 0                  |
|                            | MINI TURBO HARD SURFACE TOOL  | HFT-43   | 0                | 0                  | 0                   | 0                  |
|                            | TURBO HARD SURFACE TOOL COMPL | HFT-40   | 0                | 0                  | 0                   | 0                  |
| Extension Tu               | be                            |          |                  |                    |                     |                    |
|                            | CARPET SCRUB WAND 12HEAD HP   | CSW-12HP | 0                | 0                  | 0                   | 0                  |
|                            | CARPET SCRUB WAND 12HEAD-LP   | CSW-12   | 0                | 0                  | 0                   | 0                  |
| Vacuum Hose and Connection |                               |          |                  |                    |                     |                    |
|                            | VAC HOSE/PRESSURE LN. 15 EXTR | FP153    | 0                | 0                  | 0                   | 0                  |
|                            | VAC HOSE/PRESSURE LN. 25 1/8  | FP195    | 0                | 0                  | 0                   | 0                  |
|                            | VAC HOSE/PRESSURE LN. 25 EXTE | FP196    | 0                | 0                  | 0                   | 0                  |
| Bag                        |                               |          |                  |                    |                     |                    |
|                            | BAG W/HANDLE BLACK MESH       | 54084A   | 0                | 0                  | 0                   | 0                  |

