

Self-Contained Carpet Extractor

Extend carpet life, improve indoor air

Keeping carpets clean can extend their life and improve indoor air quality. But many facilities put off this necessary chore because it can leave carpets wet and disrupt day-to-day business. Now there's a carpet extractor that allows you to deep clean your carpets with minimal disruption.

Clarke® EX40® 16ST & 18LX Self-Contained Carpet Extractors are so easy to use and clean so efficiently that you can clean more frequently.

The user-friendly extractors

Featuring a Carpet & Rug Institute GOLD Certification, Clarke EX40 16ST & 18LX Self-Contained Carpet Extractors combine Clarke's proven, reliable cleaning performance with new features that make these compact, carpet-cleaning workhorses even easier to use and more efficient. In fact, Clarke EX40 16ST & 18LX Carpet Extractors could be the most user-friendly extractors on the market today. Convenient features include One-Touch™ Controls, a unique rotating handle that helps eliminate backing up and a large, easily removable tank that makes emptying a snap



Picture shown may not represent model quoted

- One machine, many applications: carpets, multi-level applications, hard floors, upholstery and spot cleaning
- One-Touch™ Controls make cleaning as simple as switching on and choosing your cleaning mode
- Fully Rotating Handle makes maneuvering easy, almost eliminating the need to back up in tight spaces (18LX only)
- Innovative floating brush head creates better contact with surfaces, leaving your carpets drier
- Integrated tools allow you to switch cleaning modes quickly and easily
- 17 optional accessories expand cleaning functionality, making the Clarke® EX40® 16ST & 18LX Extractors the “clean everything” machine
- 12-gallon, removable tank extends cleaning range; small footprint takes up minimal storage space
- Yellow color-coded machine parts simplify operation, cleanup and maintenance
- Certified Gold by the Carpet and Rug Institute

• Standard equipment

Model	CLARKE EX40 18LX	CLARKE EX40 16ST
Ref. no.	56265505	56265504

PRODUCT FEATURES





Adjustable handle	•	•
One touch control panel	•	•
Ergonomic handle	•	•
Front-mounted Drain Hose	•	•
Removable tank	•	•
Integrated Hand Tool (optional)	•	•
Floating Brush Head	•	•
Self-aligning vacuum shoe	•	•



Self-Contained Carpet Extractor



Technical specifications	CLARKE EX40 18LX	CLARKE EX40 16ST
Power cable ft. (m)	50 ft	50 ft
Pump	120 psi	120 psi
Sound level	68 dB A	68 dB A
Solution tank capacity gal (l)	12 gal (45 L)	9 gal (34 L)
Recovery tank capacity gal (l)	10 gal (38 L)	7 gal (26.3 L)
Brush motor hp (W)	1/3 hp	1/3 hp
Brush size in (cm)	18 in (46 cm)	16 in (41 cm)
Gross vehicle weight lbs (kg)	114 lb	102 lb
Vacuum shoe width (cm)	20.75 in (53 cm)	18.75 in (48 cm)
Flip handle	Yes	No
Width	22.75 in	19.25 in
Vacuum motor	1.5 hp 3 stage	1.5 hp 3 stage
Cleaning path	18 in (46 cm)	16 in (41 cm)
Waterlift/Airflow	120 in	120 in
Flow Rate Interim Cleaning Mode	n/a	n/a
Flow Rate Restorative Mode	0.7 gpm	0.7 gpm
Min. machine length	29.25 in	28 in
Tank height	35.25 in	32 in

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	CLARKE EX40 18LX	CLARKE EX40 16ST
Other					
	CARPET WAND 12	56265305	0	○	○
	HARD FLOOR TOOL ASSEMBLY	56265675	0	○	○
	PLUG ADAPTOR KIT	56265309	0	○	○
	UPHOLSTERY HAND TOOL	56220070	0	○	○
	WAND ASSY. W/SOFT FLOOR TOOL	56265173	0	○	○
Broom Cylinder					
	BRUSH ASSEMBLY 16	56265044	0	○	○



Self-Contained Carpet Extractor

Accessories		Ref. no.	Min. required	CLARKE EX40 18LX	CLARKE EX40 16ST
	BRUSH ASSEMBLY 240 GRIT 16	56265176	0	○	○
	BRUSH ASSEMBLY BLUE 16 HARD	56265175	0	○	○
Brush					
	BRUSH ASSEMBLY 18	56265099	0	○	○
	BRUSH ASSEMBLY 240 GRIT 18	56265178	0	○	○
	BRUSH ASSEMBLY BLUE 18 HARD	56265177	0	○	○
Tube					
	WAND ASSEMBLY	56314402	0	○	○
Hose Vacuum Cleaner					
	HAND TOOL/HOSES ASSEMBLY	56265767	0	○	○
Hose and Connection					
	HOSE ASSY-96 IN.	56265753	0	○	○
	HOSE ASSY-184 IN.	56265754	0	○	○