

6 proven models, 3 unique technologies, 1 choice: Clarke

Whether you need a conventional disc-powered scrub deck, a cylindrical model for rough or textured floors, or the green-cleaning sustainability of BOOST® Technology, there's a rugged, reliable Clarke® Focus® II Mid-Size Scrubber that can improve your floor cleaning efficiency.

Custom-design your floor scrubbing solution

Clarke® Focus® II Mid-Size – BOOST® 28 & 32

Clarke's revolutionary BOOST Technology not only allows you to reduce water and chemical use by up to 70%, but also extends pad life by 40% and can strip floor finish without chemicals.

Clarke® Focus® II Mid-Size – Disc 26, 28 & 34

Powered by two heavy-duty brush motors, Clarke's conventional disc floor scrubbers are designed for efficient, everyday cleaning.

Clarke® Focus® II Mid-Size – Cylindrical 28

If you need to scrub grouted tile or imperfect or textured floors, Clarke's cylindrical floor scrubber could be your ideal solution. Our 28-inch cylindrical floor scrubber combines superior floor scrubbing with wet sweeping capability—collecting larger debris in a convenient, easily removable tray.

High capacity, long run times, simple operation

- 6 models allow you to select for your specific floor scrubbing needs
- Quiet operation allow use in noise-sensitive areas
- Chemical Mixing System (optional) ensures precise mixture of chemicals and water
- Patented Pulse-Modulated Solution Control delivers precise, consistent solutions to floor surface
- Gimble-Mounted Brushes and Pad Drivers ride easily over uneven floors, ensuring even scrubbing agitation
- Ergonomically placed controls, including distinctive yellow “palm buttons,” ensure easy operation for almost any operator
- Onboard battery charger allows re-charging in any location, reducing downtime
- Clarke® Green-Certified Equipment

- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment

Model	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
Ref. no.	05381A	05371A	05374A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•



Picture shown may not represent model quoted

6 proven models, 3 unique technologies, 1 choice: Clarke

Model	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
Ref. no.	05381A	05371A	05374A

PRODUCT FEATURES

Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology	•	•	•
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•

Model	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
Ref. no.	05375A	05378A	05384A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology	•	•	•
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•



6 proven models, 3 unique technologies, 1 choice: Clarke

Model	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
Ref. no.	05385A	05388A	05391A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology	•	•	
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•

Model	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
Ref. no.	05395A	05401A	05404A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology			
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•



6 proven models, 3 unique technologies, 1 choice: Clarke

Model	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Ref. no.	05405A	05408A	05411A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology			
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•

Model	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
Ref. no.	05415A	05418A	05421A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology			
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•



6 proven models, 3 unique technologies, 1 choice: Clarke

Model	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Ref. no.	05425A	05428A	05394A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology			
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•

Model	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
Ref. no.	05398A	05414A	05424A

PRODUCT FEATURES

Low working sound level	•	•	•
On-board charger	•	•	•
One touch control panel	•	•	•
Thermal overload protection	•	•	•
Superior Line of Sight	•	•	•
Security Key Switch	•	•	•
Low battery protection	•	•	•
BOOST® Technology			
Easy Access Battery Compartment	•	•	•
Adjustable squeegee knob	•	•	•
Yellow Palm Buttons	•	•	•
Rear-fill solution tank	•	•	•
Urethane Squeegee Blades	•	•	•
Large Diameter Traction Wheels	•	•	•



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	63 dB A	63 dB A	63 dB A
Dimensions L x W x H	60.5 x 32.75 x 44 in	60.5 x 29 x 44 in	60.5 x 29 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	14 x 32 in (35.6 x 81 cm)	14 x 28 in (35.6 x 71 cm)	14 x 28 in (35.6 x 71 cm)
Solution flow	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)
Brush pressure	95 lb (43 kg) & 150 lb (68 kg)	65 lb (29.5 kg) & 125 lb (56.7 kg)	65 lb (29.5 kg) & 125 lb (56.7 kg)
Squeegee width	41 in (107 cm)	35 in (89 cm)	35 in (89 cm)
Brush motor power	3/4 hp (0.56 kW) 2,250 RPM	3/4 hp (0.56 kW) 2,250 RPM	3/4 hp (0.56 kW) 2,250 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	63 dB A	63 dB A	63 dB A
Dimensions L x W x H	60.5 x 29 x 44 in	60.5 x 29 x 44 in	60.5 x 32.75 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	14 x 28 in (35.6 x 71 cm)	14 x 28 in (35.6 x 71 cm)	14 x 32 in (35.6 x 81 cm)
Solution flow	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)
Brush pressure	65 lb (29.5 kg) & 125 lb (56.7 kg)	65 lb (29.5 kg) & 125 lb (56.7 kg)	95 lb (43 kg) & 150 lb (68 kg)
Squeegee width	35 in (89 cm)	35 in (89 cm)	41 in (107 cm)
Brush motor power	3/4 hp (0.56 kW) 2,250 RPM	3/4 hp (0.56 kW) 2,250 RPM	3/4 hp (0.56 kW) 2,250 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	63 dB A	63 dB A	65 dB A
Dimensions L x W x H	60.5 x 32.75 x 44 in	60.5 x 32.75 x 44 in	61 x 28 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	14 x 32 in (35.6 x 81 cm)	14 x 32 in (35.6 x 81 cm)	(2) 13 in (33 cm)
Solution flow	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	Normal mode: 0.12 gal/min (0.45 L/min) / Full range: 0.0-0.65 gal/min (0.0-2.5 L/min)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	95 lb (43 kg) & 150 lb (68 kg)	95 lb (43 kg) & 150 lb (68 kg)	80 lb (36 kg) 150 lb (68 kg)
Squeegee width	41 in (107 cm)	41 in (107 cm)	32.5 in (81 cm)
Brush motor power	3/4 hp (0.56 kW) 2,250 RPM	3/4 hp (0.56 kW) 2,250 RPM	(2) 3/4 hp (0.56 kW) 200 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583

6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	65 dB A	65 dB A	65 dB A
Dimensions L x W x H	61 x 28 x 44 in	62 x 30 x 44 in	62 x 30 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	(2) 13 in (33 cm)	(2) 14 in (36 cm)	(2) 14 in (36 cm)
Solution flow	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)
Squeegee width	32.5 in (81 cm)	35 in (89 cm)	35 in (89 cm)
Brush motor power	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583

Technical specifications	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	65 dB A	65 dB A	67 dB A
Dimensions L x W x H	62 x 30 x 44 in	62 x 30 x 44 in	64 x 36 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	(2) 14 in (36 cm)	(2) 14 in (36 cm)	(2) 17 in (43 cm)
Solution flow	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)
Squeegee width	35 in (89 cm)	35 in (89 cm)	41 in (107 cm)
Brush motor power	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)	Forward: 0-260 ft/min (0-4.8 km/hour) / Reverse: 0-174 ft/min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583

Technical specifications	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	67 dB A	67 dB A	71 dB A
Dimensions L x W x H	64 x 36 x 44 in	64 x 36 x 44 in	59.5 x 31 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	(2) 17 in (43 cm)	(2) 17 in (43 cm)	(2) 5.75 x 28 in (14.5 x 69 cm)
Solution flow	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg)
Squeegee width	41 in (107 cm)	41 in (107 cm)	35 in (89 cm)



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
Brush motor power	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 0.81 hp (0.6 kW) 613 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583

Technical specifications	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	71 dB A	71 dB A	65 dB A
Dimensions L x W x H	59.5 x 31 x 44 in	59.5 x 31 x 44 in	61 x 28 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	(2) 5.75 x 28 in (14.5 x 69 cm)	(2) 5.75 x 28 in (14.5 x 69 cm)	(2) 13 in (33 cm)
Solution flow	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	80 lb (36 kg)	80 lb (36 kg)	80 lb (36 kg) 150 lb 68 kg)
Squeegee width	35 in (89 cm)	35 in (89 cm)	32.5 in (81 cm)
Brush motor power	(2) 0.81 hp (0.6 kW) 613 RPM	(2) 0.81 hp (0.6 kW) 613 RPM	(2) 3/4 hp (0.56 kW) 200 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled
Speed (forward/reverse)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583
Technical specifications	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
Battery power (V)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)	24 V, (4) 6 V batteries, 242 Ah, 310 Ah wet or 312 Ah maint-free (AGM)
Sound level	65 dB A	67 dB A	71 dB A
Dimensions L x W x H	61 x 28 x 44 in	64 x 36 x 44 in	59.5 x 31 x 44 in
Vacuum motor power	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge	0.75 hp (550 W) 3 stage tangential discharge
Battery charger	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp	Onboard, 24 V, 25 amp
Pad/Brush Size	(2) 13 in (33 cm)	(2) 17 in (43 cm)	(2) 5.75 x 28 in (14.5 x 69 cm)
Solution flow	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)	0-1 gal/min (0-3.2 km/hour)
Brush pressure	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg) 150 lb 68 kg)	80 lb (36 kg)
Squeegee width	32.5 in (81 cm)	41 in (107 cm)	35 in (89 cm)
Brush motor power	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 3/4 hp (0.56 kW) 200 RPM	(2) 0.81 hp (0.6 kW) 613 RPM
Solution/recovery tank capacity	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose	23 gal (87 L) each tank / Rear fill with bucket or hose
Warranty	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)	Polydur® Body - 8 Years, Parts - 3 Years, Labor - 1 Year, Battery 18 months pro-rated (1st 90 days unconditional)
Wheels	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled	(2) 10.24 x 3.35 in (260 x 85 mm) Light gray, non-marking, foam filled



6 proven models, 3 unique technologies, 1 choice: Clarke

Technical specifications	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
Speed (forward/reverse)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)	Forward: 0-260 ft/ min (0-4.8 km/hour) / Reverse: 0-174 ft/ min (0-3.2 km/hour)
Cleaning Grade	6 degree incline	6 degree incline	6 degree incline
Casters	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane	(2) 3.94 in (10 cm) Polyurethane
Squeegee material	Urethane front and rear blade	Urethane front and rear blade	Urethane front and rear blade
Agency approval	UL 583	UL 583	UL 583

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0		○	○
	PAD-BLACK-14X28-10/CS	997016	0		○	○
	PAD-BLACK-14X32-5/CS	997003	0	○		
	PAD-BLUE-14X28-5/CS	997006	0		○	○
	PAD-BLUE-14X32-5/CS	997007	0	○		
	PAD-MAROON-14X28-10/CS	997018	0		○	○
	PAD-RED-14X28-5/CS	997001	0		○	○
	PAD-RED-14X32-5/CS	997004	0	○		
	PAD-WHITE-14X28-5/CS	997002	0		○	○
	PAD-WHITE-14X32-5/CS	997005	0	○		
	SCR SAND 14X28 80GRIT CS/10EA	997009	0		○	○
	SCR SAND 14X28 100GRIT CS/10EA	997010	0		○	○
	SCR SAND 14X28 120GRIT CS/10EA	997011	0		○	○



6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0		○	○
Pad						
	PAD-MAROON-14X32-10/CS	997019	0	○		
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			
	BRUSH 80 GRIT 28-BLACK	56412194	0			
	BRUSH HARD NYLON 28-NATURAL	56412192	0			
	BRUSH POLYPROPYLENE 28-RED	56412046	0			
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			
	BRUSH ASM POLYPROPYLENE 13 ODV	11438A	0			
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			
	BRUSH ASM LITE GRIT 17	10384A	0			
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			
	BRUSH ASM. POLYPROPYLENE 17 OD	11424B	0			
Other						
	HOUR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0			
	SQUEEGEE ASSY 35	10399A	0		○	○
	SQUEEGEE ASSY 41	10748A	0	○		
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 O	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH	FOCUS II BOOST28 242AH	FOCUS II BOOST28 312AGM
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0		○	○
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○		
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○		
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			
	DRIVER PAD 13 GIMBAL	38035A	0			
	DRIVER PAD 14 GIMBAL	38036A	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0	○	○	
	PAD-BLACK-14X28-10/CS	997016	0	○	○	
	PAD-BLACK-14X32-5/CS	997003	0			○

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
	PAD-BLUE-14X28-5/CS	997006	0	○	○	
	PAD-BLUE-14X32-5/CS	997007	0			○
	PAD-MAROON-14X28-10/CS	997018	0	○	○	
	PAD-RED-14X28-5/CS	997001	0	○	○	
	PAD-RED-14X32-5/CS	997004	0			○
	PAD-WHITE-14X28-5/CS	997002	0	○	○	
	PAD-WHITE-14X32-5/CS	997005	0			○
	SCR SAND 14X28 80GRIT CS/10EA	997009	0	○	○	
	SCR SAND 14X28 100GRIT CS/10EA	997010	0	○	○	
	SCR SAND 14X28 120GRIT CS/10EA	997011	0	○	○	
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0	○	○	
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			○
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			
	BRUSH 80 GRIT 28-BLACK	56412194	0			
	BRUSH HARD NYLON 28-NATURAL	56412192	0			
	BRUSH POLYPROPYLENE 28-RED	56412046	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			
	BRUSH ASM POLYPROPYLENE 13 ODV	11438A	0			
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			
	BRUSH ASM LITE GRIT 17	10384A	0			
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			
	BRUSH ASM. POLYPROPYLENE 17 OD	11424B	0			
Other						
	HOUR METER KIT	11371A	0	○	○	○

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
	SQUEEGEE ASSY 32.5	10398A	0			
	SQUEEGEE ASSY 35	10399A	0	○	○	
	SQUEEGEE ASSY 41	10748A	0			○
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 0	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0	○	○	
	SQUEEGEE KIT-BLADE-GUM	56115334	0			○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0			○
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST28 242AH CHEM	FOCUS II BOOST28 312 AGM CHEM	FOCUS II BOOST32 312AGM
	DRIVER PAD 13 GIMBAL	38035A	0			
	DRIVER PAD 14 GIMBAL	38036A	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0	○	○	
	PAD-BLUE-14X28-5/CS	997006	0			
	PAD-BLUE-14X32-5/CS	997007	0	○	○	
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0	○	○	
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0	○	○	
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
Pad						
	PAD-MAROON-14X32-10/CS	997019	0	○	○	
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			
	BRUSH 80 GRIT 28-BLACK	56412194	0			
	BRUSH HARD NYLON 28-NATURAL	56412192	0			
	BRUSH POLYPROPYLENE 28-RED	56412046	0			
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			○
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			○
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			○
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			○
	BRUSH ASM POLYPROPLENE 13 ODV	11438A	0			○
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			
	BRUSH ASM LITE GRIT 17	10384A	0			
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			
	BRUSH ASM. POLYPROPYLENE 17 OD	11424B	0			
Other						
	HOUR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0			○
	SQUEEGEE ASSY 35	10399A	0			
	SQUEEGEE ASSY 41	10748A	0	○	○	
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 O	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			○
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II BOOST32 242AH CHEM	FOCUS II BOOST32 312AGM CHEM	FOCUS II DISC26 242AH
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			○
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0			
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			
	DRIVER PAD 13 GIMBAL	38035A	0			○
	DRIVER PAD 14 GIMBAL	38036A	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0			
	PAD-BLUE-14X28-5/CS	997006	0			

Clarke[®]

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
	PAD-BLUE-14X32-5/CS	997007	0			
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0			
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0			
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			
	BRUSH 80 GRIT 28-BLACK	56412194	0			
	BRUSH HARD NYLON 28-NATURAL	56412192	0			
	BRUSH POLYPROPYLENE 28-RED	56412046	0			
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			
Disc Brush 330 mm						

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
	BRUSH LITE GRIT 13	10382A	0	○		
	BRUSH ASM GRIT 13 OD VIS V	11440A	0	○		
	BRUSH ASM NYLON 13 OD VIS V	11437A	0	○		
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0	○		
	BRUSH ASM POLYPROPLENE 13 ODV	11438A	0	○		
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0		○	○
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0		○	○
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			
	BRUSH ASM LITE GRIT 17	10384A	0			
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			
	BRUSH ASM. POLYPROPLENE 17 OD	11424B	0			
Other						
	HOUR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0	○		
	SQUEEGEE ASSY 35	10399A	0		○	○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
	SQUEEGEE ASSY 41	10748A	0			
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0		○	○
	BRUSH ASM. GRIT MEDIUM 14 0	11431B	0		○	○
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0		○	○
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0	○		
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0	○		
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0	○		
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0		○	○
	SQUEEGEE KIT-BLADE-GUM	56115334	0			
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0			
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 242AH	FOCUS II DISC28 312AGM
	DRIVER PAD 13 GIMBAL	38035A	0	○		
	DRIVER PAD 14 GIMBAL	38036A	0		○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II DISC26 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0			
	PAD-BLUE-14X28-5/CS	997006	0			
	PAD-BLUE-14X32-5/CS	997007	0			
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0			
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0			
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			
	BRUSH 80 GRIT 28-BLACK	56412194	0			
	BRUSH HARD NYLON 28-NATURAL	56412192	0			
	BRUSH POLYPROPYLENE 28-RED	56412046	0			
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			
	BRUSH ASM POLYPROPLENE 13 ODV	11438A	0			
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0	○	○	
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0	○	○	

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			○
	BRUSH ASM LITE GRIT 17	10384A	0			○
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			○
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			○
	BRUSH ASM. POLYPROPYLENE 17 OD	11424B	0			○
Other						
	HOUR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0			
	SQUEEGEE ASSY 35	10399A	0	○	○	
	SQUEEGEE ASSY 41	10748A	0			○
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0	○	○	
	BRUSH ASM. GRIT MEDIUM 14 O	11431B	0	○	○	
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0	○	○	
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC28 242AH CHEM	FOCUS II DISC28 312AGM CHEM	FOCUS II DISC34 242AH
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0	○	○	
	SQUEEGEE KIT-BLADE-GUM	56115334	0			○
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0			○
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			○
	DRIVER PAD 13 GIMBAL	38035A	0			
	DRIVER PAD 14 GIMBAL	38036A	0	○	○	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0			

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
	PAD-BLUE-14X28-5/CS	997006	0			
	PAD-BLUE-14X32-5/CS	997007	0			
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0			
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0			
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			○
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			○
	BRUSH 80 GRIT 28-BLACK	56412194	0			○
	BRUSH HARD NYLON 28-NATURAL	56412192	0			○
	BRUSH POLYPROPYLENE 28-RED	56412046	0			○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			○
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			
	BRUSH ASM POLYPROPLENE 13 ODV	11438A	0			
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0	○	○	
	BRUSH ASM LITE GRIT 17	10384A	0	○	○	
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0	○	○	
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0	○	○	
	BRUSH ASM. POLYPROPLENE 17 OD	11424B	0	○	○	
Other						
	HOURLY METER KIT	11371A	0	○	○	○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
	SQUEEGEE ASSY 32.5	10398A	0			
	SQUEEGEE ASSY 35	10399A	0			○
	SQUEEGEE ASSY 41	10748A	0	○	○	
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 0	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0			○
	SQUEEGEE KIT-BLADE-GUM	56115334	0	○	○	
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0	○	○	
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0	○	○	

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC34 242AH CHEM	FOCUS II DISC34 312AGM CHEM	FOCUS II CYL28 242AH
	DRIVER PAD 13 GIMBAL	38035A	0			
	DRIVER PAD 14 GIMBAL	38036A	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0			
	PAD-BLUE-14X28-5/CS	997006	0			
	PAD-BLUE-14X32-5/CS	997007	0			
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0			
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0			
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0	○	○	
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0	○	○	
	BRUSH 80 GRIT 28-BLACK	56412194	0	○	○	
	BRUSH HARD NYLON 28-NATURAL	56412192	0	○	○	
	BRUSH POLYPROPYLENE 28-RED	56412046	0	○	○	
	BRUSH SOFT NYLON 28-YELLOW	56412191	0	○	○	
Disc Brush 330 mm						
	BRUSH LITE GRIT 13	10382A	0			○
	BRUSH ASM GRIT 13 OD VIS V	11440A	0			○
	BRUSH ASM NYLON 13 OD VIS V	11437A	0			○
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0			○
	BRUSH ASM POLYPROPYLENE 13 ODV	11438A	0			○
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0			
	BRUSH ASM LITE GRIT 17	10384A	0			
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0			
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0			
	BRUSH ASM. POLYPROPYLENE 17 OD	11424B	0			
Other						
	HOOR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0			○
	SQUEEGEE ASSY 35	10399A	0	○	○	
	SQUEEGEE ASSY 41	10748A	0			
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 O	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0			○
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0			○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II CYL28 242AH CHEM	FOCUS II CYL28 312 AGM CHEM	FOCUS II DISC26 312AGM
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0			○
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0	○	○	
	SQUEEGEE KIT-BLADE-GUM	56115334	0			
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0			
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0			
	DRIVER PAD 13 GIMBAL	38035A	0			○
	DRIVER PAD 14 GIMBAL	38036A	0			

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
Pad Boost						
	PAD-BLACK-14X28-5/CS	997000	0			
	PAD-BLACK-14X28-10/CS	997016	0			
	PAD-BLACK-14X32-5/CS	997003	0			
	PAD-BLUE-14X28-5/CS	997006	0			

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
	PAD-BLUE-14X32-5/CS	997007	0			
	PAD-MAROON-14X28-10/CS	997018	0			
	PAD-RED-14X28-5/CS	997001	0			
	PAD-RED-14X32-5/CS	997004	0			
	PAD-WHITE-14X28-5/CS	997002	0			
	PAD-WHITE-14X32-5/CS	997005	0			
	SCR SAND 14X28 80GRIT CS/10EA	997009	0			
	SCR SAND 14X28 100GRIT CS/10EA	997010	0			
	SCR SAND 14X28 120GRIT CS/10EA	997011	0			
	VELCRO 2 SIDE SHT 14X28 BOOST	30794A	0			
Pad						
	PAD-MAROON-14X32-10/CS	997019	0			
Brush Cylindrical						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	0			○
	BRUSH 46 GRIT 28-ORANG/BROWN	56412195	0			○
	BRUSH 80 GRIT 28-BLACK	56412194	0			○
	BRUSH HARD NYLON 28-NATURAL	56412192	0			○
	BRUSH POLYPROPYLENE 28-RED	56412046	0			○
	BRUSH SOFT NYLON 28-YELLOW	56412191	0			○
Disc Brush 330 mm						

Clarke®

All information provided in this document is subject to change without prior notice

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
	BRUSH LITE GRIT 13	10382A	0	○		
	BRUSH ASM GRIT 13 OD VIS V	11440A	0	○		
	BRUSH ASM NYLON 13 OD VIS V	11437A	0	○		
	BRUSH ASM CLEAN GRIT 13 ODVIS	11439A	0	○		
	BRUSH ASM POLYPROPLENE 13 ODV	11438A	0	○		
Disc Brush 355 mm						
	BRUSH ASM LITE GRIT 14	10383A	0			
	BRUSH ASM. GRIT HEAVY 14 O	11426B	0			
Disc Brush 430 mm						
	BRUSH 17 NYLON	10875A	0		○	
	BRUSH ASM LITE GRIT 17	10384A	0		○	
	BRUSH ASM. GRIT HEAVY 17 OD	11425B	0		○	
	BRUSH ASM. GRIT MEDIUM 17 O	11430B	0		○	
	BRUSH ASM. POLYPROPLENE 17 OD	11424B	0		○	
Other						
	HOUR METER KIT	11371A	0	○	○	○
	SQUEEGEE ASSY 32.5	10398A	0	○		
	SQUEEGEE ASSY 35	10399A	0			○

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
	SQUEEGEE ASSY 41	10748A	0		○	
Disc Brush 370 mm						
	BRUSH 28 NYLON	10874A	0			
	BRUSH ASM. GRIT MEDIUM 14 0	11431B	0			
	BRUSH ASM. POLYPROPYLENE 14 OD	11427B	0			
Squeegee Blade						
	SQUEEGEE BLADE KIT 32.5 GUM	11336A	0	○		
	SQUEEGEE BLADE KIT 32.5 LINAT	11339A	0	○		
	SQUEEGEE BLADE KIT 32.5 URETH	11333A	0	○		
	SQUEEGEE BLADE KIT 35URETHANE	11332A	0			○
	SQUEEGEE KIT-BLADE-GUM	56115334	0		○	
	SQUEEGEE KIT-BLADE-LINATEX	56115333	0		○	
Detergent Equipment						
	CHEMICAL MIXING KIT	11363A	0	○	○	○
Pad Holder						
	DRIVE PAD 17 GIMBAL	38034A	0		○	

Clarke®

6 proven models, 3 unique technologies, 1 choice: Clarke

Accessories		Ref. no.	Min. required	FOCUS II DISC26 312AGM CHEM	FOCUS II DISC34 312AGM	FOCUS II CYL28 312AGM
	DRIVER PAD 13 GIMBAL	38035A	0	○		
	DRIVER PAD 14 GIMBAL	38036A	0			

