

Rider Floor Scrubbers

Take a stand for higher floor cleaning performance and productivity
Designed for reliable, efficient floor cleaning, the Clarke® SA40™ Stand-On Disc Scrubber provides a flexible, extremely maneuverable and compact solution for small- to medium-size areas. Maximize your cleaning productivity with a 12-gallon solution tank and low flow rate, which provides up to 75 minutes of scrub time without refilling. In addition, you can increase down pressure on the cleaning pad to 75 pounds to clean problem areas fast.


True Blue™ sustainability and reliability The Clarke SA40 Scrubber is designed to clean with minimal consumption of detergent and water, helping you reduce your cost to clean, without compromising performance or the environment. And like all Clarke autoscrubbers, the Clarke SA40 features low noise levels, enhanced operator ergonomics, onboard chargers and superior water pickup to make sure you're left with clean, dry, safe floors.

Large, 12-gallon solution tank combined with a low flow rate provide up to 75 minutes of scrub time between refills Solution flow rate control located right at your fingertips allows you to select from low, medium or high rates to match the cleaning level needed without stopping Easy-to-read, LCD graphical display allows you to easily control all scrubbing parameters—brush pressure, solution flow and vacuum—with individual buttons Clam-Shell Design minimizes footprint, while making charging and storage easy



Picture shown may not represent model quoted

● Standard equipment

Included accessories		Ref. no.	Min. required	SA40 20B W208 OBC PH	SA40 20B A150 OBC PH
Pad Holder					
	PAD HOLDER-20 3 LUG	56505790	0	●	●
Battery					
	BATTERY 12V 140AH AGM	56380239	0		●

Model	SA40 20B W208 OBC PH	SA40 20B A150 OBC PH
Ref. no.	56104484	56104486

PRODUCT FEATURES


Polyurethane front & rear wheels	●	●
One-Touch™ Button	●	●
Silent mode	●	●
Safety Dead-man Switch	●	●
Front Solution fillport	●	●
Intuitive Control Panel	●	●
Easy-to-service Clamshell Design	●	●
Large recovery tank opening	●	●













Rider Floor Scrubbers

Technical specifications	SA40 20B W208 OBC PH	SA40 20B A150 OBC PH
Drive motor hp (W)	0.375 hp (280 W)	0.375 hp (280 W)
Max. transport speed mph (km/h)	3 mph (4.8 kph)	3 mph (4.8 kph)
Voltage (V)	24 V	24 V
Sound pressure level (dB(A))	63 dB A / .029344 μPa	63 dB A / .029344 μPa
Solution tank capacity gal (l)	12 gal (45 L)	12 gal (45 L)
Min. aisle turn (cm)	59.5 in (151 cm)	59.5 in (151 cm)
Recovery tank capacity gal (l)	12.5 gal (47 L)	12.5 gal (47 L)
Gross vehicle weight lbs (kg)	718 lb (326 kg)	718 lb (326 kg)
Dimensions L x W x H	48.5 x 24 x 52.5 in (123.2 x 61 x 133.4 cm)	48.5 x 24 x 52.5 in (123.2 x 61 x 133.4 cm)
Scrub head	Disc	Disc
Vacuum motor	0.66 hp (492 W) 3-stage	0.66 hp (492 W) 3-stage
Scrub path	20 in (51 cm)	20 in (51 cm)
Squeegee width	26.5 in (67.3 cm)	26.5 in (67.3 cm)
Scrub motor	0.51 hp (380 W)	0.51 hp (380 W)
Scrub motor RPM	140	140
Low Scrub Pressure Max	51 lb (23 kg)	51 lb (23 kg)
High scrub pressure max.	75 lb (34 kg)	75 lb (34 kg)
Max. scrub speed	2.6 mph (4.2 kph)	2.6 mph (4.2 kph)
Max. coverage	26,400 sq ft (2,453 sq m)	26,400 sq ft (2,453 sq m)

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SA40 20B W208 OBC PH	SA40 20B A150 OBC PH
Pad 20" / 508 mm					
	PAD 20-IN RED 5100 CS/5EA	976068	0	○	○
	PAD-WHITE-20-5/CS	976067	0	○	○
Squeegee Blade					
	BLADE SQUEEGEE 510MM 20 RED GUM KIT	56104326	0	○	○
	SQUEEGEE KIT-BLADE-PU	56104325	0	○	○
Battery					
	BATTERY 12V 140AH AGM	56380239	0		●
Pad					

Rider Floor Scrubbers

Accessories		Ref. no.	Min. required	SA40 20B W208 OBC PH	SA40 20B A150 OBC PH
	PAD MICRO FIBER	56390079	0	○	○
Pad Holder					
	PAD HOLDER-20 3 LUG	56505790	0	●	●
Disc Brush 510 mm					
	DISC BRUSH-20 AGLITE 3 LUG	56505793	0	○	○
	DISC BRUSH-20 DYNA GRIT 3 LUG	56505792	0	○	○
	DISC BRUSH-20 MAGNAGRIT 3 LUG	56505791	0	○	○
	DISC BRUSH-20 MIDGRIT 3 LUG	56505797	0	○	○
	DISC BRUSH-20 MIDLITE 3 LUG	56505798	0	○	○
	DISC BRUSH-20 PROLENE 3 LUG	56505794	0	○	○
	DISC BRUSH-20 PROLITE 3 LUG	56505795	0	○	○
	DISC BRUSH-20 UNION MIX 3 LUG	56505796	0	○	○