SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME	:	HYDRA-CLEAN
SYNONYMS	:	Product is a mixture: No synonyms are available.
PRODUCT USE	:	Moderately Alkaline Material
SUPPLIER	:	HydraMaster Corp.
SUPPLIER'S ADDRESS	:	1500 Industry St. Suite 300
		Everett, WA 98203 (425) 775-7272
EMERGENCY RESPONSE PHONE	:	PERS: 1-800-633-8253
NUMBER		

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTA	NCI			
GHS U.S. – CLASSIFICATION	:	H302 H315 H319	Harmful if swallowed. Causes skin irritation Causes serious eye irr	
LABEL ELEMENTS	:	GHS – US H	AZARD PICTOGRAMS	The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:			
SIGNAL WORD	:	WARNING		
HAZARD STATEMENTS (GHS-US)	:	H302	Harmful if swallowed.	
	:	H315	Causes skin irritation.	
	:	H319	Causes serious eye irr	itation.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is ne	eded, have product container or label at hand.
	:	P102	Keep out of reach of o	children.
	:	P103	Read label before use	
	:	P264	Wash skin and contar	ninated clothing thoroughly after handling.
	:	P270	Do not eat, drink, or s	moke when using this product.
	:	P280	Wear suitable protect face protection.	ive gloves / protective clothing / eye protection /
	:	P301+	IF SWALLOWED: Call a	a POISON CENTER or doctor/physician if you feel
		P312	unwell.	
	:	P302+P352	IF ON SKIN: Wash wit	h plenty of soap and water.
	:	P305+351+		iously with water for several minutes. Remove
		P338		ent and easy to do. Continue rinsing.
	:	P332+P313	If skin irritation occur	s: Get medical advice/attention.
	:	P337+P313	If eye irritation persis	ts: Get medical advice/attention.
	:	P501	-	ontainer in accordance with
			local/regional/nationa	al/international regulations
OSHA HAZARDS		Target Organ	n Effect (Glycol Ether DP	
TARGET ORGANS	:		, Nerves (Glycol Ether D	
	•	Runey, Liver	, werves (diycor ether L	νεινι <i>j</i> .

CLASSIFICATION SYSTEM

: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4)	: Heal	th = 2, Fire = 0, Reactivity = 0
HMIS RATINGS (SCALE 0-5)	: Heal	th = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC	:	Mixtures
DESCRIPTION	:	Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Sodium Tripolyphosphate	1-5	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4
Tetrapotassium Pyrophosphate	1-5	7320-34-5	230-785-7	Not Established
Ethylene Glycol Monobutyl Ether	1-5	111-76-2	203-905-0	Acute Oral Tox Cat 4, Eye Irrit Cat 2A, Skin Irrit Cat 2
Sodium Dodecylbenzene Sulfonate	1-5	25155-30-0	246-680-4	Skin Irrit Cat 4, Eye Dam Cat 2 Acute Tox Cat 4, STOT SE Cat 3
Sodium Xylene Sulfonate	1-5	1300-72-7	215-090-9	Skin Irrit Cat 2, Eye Irrit Cat 2A
Sodium Olefin Sulfonate	1-5	68439-57-6	270-407-8	Skin Irrit Cat 2, Eye Dam Cat 1
Alcohols Ethoxylated	0.1-1.0	68439-46-3	Not Found	Eye Irrit Cat 2B
Acrylic Polymer(s)	5-10	Trade Secret	N/A	Eye Irrit Cat 2A

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, Sens = Sensitization, Flam = Flammable, STOT-SE = Specific Target Organ Toxicity-Single Exposure, Inhal = Inhalation.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES					
GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.				
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.				
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. If irritation persists, get immediate medical attention.				
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.				
INHALATION	: Remove to fresh air. Get immediate medical attention.				
OTHER INSTRUCTIONS	: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.				

SECTION 5 – FIRE FIGHTING MEASURES			
EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS	Dry chemical, foam, water, or carbon dioxide. In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area. No further relevant information is available.		

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	:	Keep spilled material away from sewage/drainage systems and waterways. All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to

SECTION 7 – HANDLING AND STORAGE

the material and injury from broken containers.

PRECAUTIONS FOR SAFE HANDLING	Use with adequate ventilation. Wear proper pro- water or acids without proper dilution and agitar reaction.	
CONDITIONS FOR SAFE STORAGE	Store in closed, properly labeled containers. Pro damage, ignition sources and incompatible mat for fires and spills readily available.	



SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Tetrapotassium Pyrophosphate	Not Established	Not Established	Not Established
Ethylene Glycol Monobutyl Ether	50 ppm	20 ppm	Not Established
Sodium Dodecylbenzene Sulfonate	Not Established	Not Established	Not Established
Sodium Xylene Sulfonate	Not Established	Not Established	Not Established
Sodium Olefin Sulfonate	Not Established	Not Established	Not Established
Alcohols Ethoxylated	Not Established	Not Established	Not Established
Acrylic Polymer(s)	Not Established	Not Established	Not Established

EYE PROTECTION SKIN PROTECTION	 Wear chemical splash goggles or face shield. Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:	Clear liquid with mild odor
ODOR	:	Mild odor
ODOR THRESHOLD	:	Not available
PH	-	9.0 - 10.0
	-	
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Nonflammable, Noncombustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Nonflammable, Noncombustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.06
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

SECTION 10 - STABILITY AND REACTIVITY

Stable under recommended storage conditions. No decomposition if used according to specifications
Keep away from strong acids. No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY	:	Sodium Tripolyphosphate Oral - rat LD50 - 5,400 mg/kg; practically non-toxic Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	:	Tetrapotassium Pyrophosphate Oral - rat LD50: > 2980 mg/kg; slightly toxic Dermal - rabbit LD50: > 7940 mg/kg; practically nontoxic Eye Irritation - rabbit: 11.1/110.0; moderately irritating Skin Irritation - rabbit: 0.5/8.0 (24-hr exposure); practically nonirritating.
TOXICOLOGICAL INFORMATION ACUTE ORALTOXICITY	:	Ethylene Glycol Monobutyl Ether LD50 Oral: 1,414 mg/kg Species: guinea pig Remarks: Ingestion may cause weakness, confusion, anxiety, decreased blood pressure, and CNS depression with collapse and coma. LD50 Oral (rat): 1746 mg/kg.
ACUTE INHALATION TOXICITY	:	LC50: ~ 932 ppm Exposure time: 4 HOURS Species: guinea pig Remarks: Exposure to

ACUTE DERMAL TOXICITY	 vapor may cause irritation of the eyes, nose, and respiratory tract. May cause nausea. May cause headaches. Extensive and prolonged contact with skin may cause confusion, anxiety, decreased blood pressure, and CNS depression with collapse and coma. LC50 Inhalation (rat) 7hr: ~ 700 ppm. LD50: > 2,000 mg/kg Species: guinea pig Remarks: Minimal hazard by skin contact with liquid or vapor. This material may be absorbed through the skin. High dermal doses (most likely achieved from exposure to undiluted liquid) may cause weakness, headache, and nausea. Extensive and prolonged contact with skin may cause confusion, anxiety, decreased blood pressure, and CNS depression with collapse and coma.
IRRITATION	: Skin: Repeated or prolonged contact may cause skin irritation.
SENSITISATION	Eyes: Moderate to severe eye irritant.Did not cause sensitization on lab animals.
CARCINOGENICITY	: No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and OSHA.
TOXICOLOGICAL INFORMATION	: Sodium Dodecylbenzene Sulfonate
	: LD50 Oral rat: 438 mg/kg.
INHALATION TOXICITY DERMAL TOXICITY	 No data available No data available
SKIN CORROSION/IRRITATION	Skin – rabbit Result: Skin irritation - 24 h
SERIOUS EYE	: Eyes – rabbit Result: Severe eye irritation - 24 h
DAMAGE/IRRITATION	
RESPIRATORY/SKIN	: No data available
SENSITISATION GERM CELL MUTAGENICITY	: No data available
CARCINOGENICITY	 No data available No components of this product present at levels greater than or equal to 0.1% are identified as probable, possible, or confirmed human carcinogen by IARC ACGIH, NTP or OSHA.
TOXICOLOGICAL INFORMATION	: Sodium Xylene Sulfonate
ROUTES OF ENTRY	: Absorbed through skin and/or eye contact.
ΑСUTE ΤΟΧΙCITY	: LD50 Oral (rat): 2500 mg/kg,
CHRONIC EFFECTS ON HUMANS	: Contains material which may cause damage to the following organs: liver
SPECIAL REMARKS ON TOXICITY TO ANIMALS	 TDL (rat): Route: skin; Dose: 3380 mg/kg/17D intermittent; Toxic effects: changes in liver weight TDL (rat): Route: skin; Dose: 35 gm/kg/14W intermittent; Toxic effects: dermatitis, other (skin and appendages). (Sodium Xylene Sulfonate).
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	 Sodium Olefin Sulfonate Acute Dermal LD50 Rabbit: 400 - 2000 mg/kg.
	Acute Oral LD50 Rat: 500 - 5000 mg/kg.
CARCINOGENICITY	: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
TOXICOLOGICAL INFORMATION	: Alcohols Ethoxylated
ACUTE TOXICITY	: LD50 Oral (rat): 1,378 mg/kg,
INHALATION LC50	: No data available.
DERMAL LD50	: LD50 Dermal (rat): > 5,000 mg/kg.
PRIMARY SKIN IRRITATION PRIMARY EYE IRRITATION	(Rabbit) Moderate to severely irritating.(Rabbit) Severely irritating.
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	 Acrylic Polymer(s) LD50 Oral (rat): > 2,000 mg/kg

SKIN & EYE IRRITATION CARCINOGENICITY SENSITISATION	 LD50 Dermal (rabbit): > 5,000 mg/kg Mild skin Irritant. Mild eye irritant. No data available. No allergic response observed.
	SECTION 12 – ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION ECOTOXICITY	 Sodium Tripolyphosphate Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr. LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides, and mysid shrimp). [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna) [FMC I89-1084]
PERSISTENCE and DEGRADABILITY	: No data available.
ENVIRONMENTAL FATE	Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.
ECOLOGICAL INFORMATION ECOTOXICITY	 Tetrapotassium Pyrophosphate 48-hr EC50 Daphnia magna: > 100 mg/l, Practically Nontoxic 96-hr LC50 Mysid Shrimp > 100 mg/l, Practically Nontoxic 96-hr LC50 Rainbow trout: > 100 mg/l, Practically Nontoxic.
ENVIRONMENTAL FATE	: Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no adverse ecological risk.
ECOLOGICAL INFORMATION ECOTOXICITY	 Ethylene Glycol Monobutyl Ether Fish: 96h LC50:>100 mg/L (Oryzias latipes) Crustacea: 48h EC50:>1000 mg/L (Daphnia magna) Algae: 72h EC50:630 mg/L (Selenastrum capricornutum)
PERSISTENCE AND DEGRADABILITY MOBILITY IN SOIL	96.0% (by BOD), 96.0% (by TOC), 100% (by GC).No data available.
ECOLOGICAL INFORMATION TOXICITY TO FISH	 Sodium Dodecylbenzene Sulfonate Mortality NOEC - Oncorhynchus kisutch - 3.1 mg/l - 3 d Mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3 d LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h
ECOLOGICAL INFORMATION ECOTOXICITY BOD5 AND COD PRODUCTS OF BIODEGRADATION	 Sodium Xylene Sulfonate Not available Not available Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
TOXICITY OF THE PRODUCTS OF BIODEGRADATION	: The product itself and its products of degradation are not toxic.
ECOLOGICAL INFORMATION ECOTOXICITY AQUATIC	 Sodium Olefin Sulfonate LC50 (fish): 1-10 mg/L.

VERTEBRATE ECOTOXICITY AQUATIC INVERTEBRATE PERSISTENCE AND DEGRADABILITY	Not available.Readily biodegradable.
ECOLOGICAL INFORMATION	: Alcohols Ethoxylated
ΕCOTOXICITY	: LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar products.
	LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.
BIODEGRADABILITY	: Readily biodegradable.
PERSISTENCE AND DEGRADABILITY	: No data available.
BIOACCUMULATIVE POTENTIAL	: No data available.
ECOLOGICAL INFORMATION	: Acrylic Polymer(s)
TOXICITY TO FISH	: LC50: Brachy danio rerio/96 hr.: > 100 mg/L. LC50: Daphnia magna/48 hr.: > 100 mg/L.
BIOACCUMULATION PERSISTENCE/DEGRADABILITY	This product is not expected to bioaccumulate.Not readily biodegradable.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL
 This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	Not Hazardous
HAZARD CLASS AND LABEL	:	Not Applicable.
UN NUMBER	:	Not Applicable.
PACKAGING GROUP	:	Not Applicable.
EPA REPORTABLE QUANTITY	:	Not Applicable.
(RQ)		
MARINE POLLUTANT	:	Not listed.
EMERGENCY RESPONSE GUIDE	:	Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information. U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN	: Not listed.
TSCA STATUS	: The ingredients of this product are listed in TSCA inventory (40CFR 710.)
SARA SECTION 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA SECTION 312	: Chronic health hazard (Glycol Ether DPM).
SARA SECTION 313	 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

NFPA HEALTH	2	
NFPA FLAMMABILITY	0	
NFPA REACTIVITY	0	
EUROPEAN UNION REGULATORY	ORMATION:	
EC CLASSIFICATION	Non-Hazardous	
DSD/DPD RISK (R) PHRASES	R22: Harmful is swallowed. R36/38: Irritating to eyes and skin.	
DSD/DPD SAFETY (S) PHRASES	 S1/2: Keep locked up and out of reach of ch S24/25: Avoid contact with eyes and skin. S26: In case of contact with eyes, rinse in plenty of water and seek medical advice. S36/S37/39: Wear suitable protective clothe eye/face protection. S45: In case of accidents or if you feel unwer advice immediately. Show label where poss S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting. S64: If swallowed, rinse mouth with war conscious. 	nmediately with ning, gloves, and ell, seek medical ible.
DSD/DPD HAZARD SYMBOL	Xi: Irritant	
CANADIAN REGULATORY INFORM WHMIS CATEGORY	ION: D2B: Materials that cause other toxic effect	s (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL)	Listed	
(DSL) INGREDIENT DISCLOSURE LIST	Listed	

SECTION 16 – OTHER INFORMATION

DISCLAIMER	: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. HydraMaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA EINECS IMDG IARC IATA ACGIH NFPA NTP SARA TSCA HMIS WHMIS	 Comprehensive Environmental Response, Compensation, and Liability Act. European Inventory of Existing Commercial Chemical Substances International Maritime Code for Dangerous Goods International Agency for Research on Cancer International Air Transportation Association American Conference of Governmental Industrial Hygienists National Fire Protection Association (USA) National Toxicology Program Superfund Amendments and Reauthorization Act Toxic Substances Control Act Hazardous Materials Identification System (USA) Workplace Hazardous Materials Information System

LC50 LD50 STOT DATE PREPARED DATE REVISED

- : Lethal concentration, 50 percent
- : Lethal dose, 50 percent
- : Systemic Target Organ Toxicity
- : DEC 29, 2018
- : NOV 7, 2022