#### **SECTION 1- PRODUCT IDENTIFICATION**

**PRODUCT NAME** : HYDRABOOST CT

**SYNONYMS**: Product is a mixture: No synonyms are available.

**PRODUCT USE** : Moderately Alkaline Material

SUPPLIER : HYDRAMASTER INC.
SUPPLIER'S ADDRESS : 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

**EMERGENCY RESPONSE PHONE**: PERS: 1-800-633-8253

#### **SECTION 2 – HAZARD IDENTIFICATION**

**CLASSIFICATION OF THE SUBSTANCE OR MIXTURE** 

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

H315 Causes skin irritation

H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

**(!**)

SIGNAL WORD : WARNING

**HAZARD STATEMENTS**: Not established

P101

(GHS-US)

H302 Harmful if swallowed.H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS :

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink, or smoke when using this product.

: P280 Wear suitable protective gloves / protective clothing / eye protection /

If medical advice is needed, have product container or label at hand.

face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell

: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

**CLASSIFICATION SYSTEM** : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

### **SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

CHEMICAL CHARACTERISTIC

Mixtures

**DESCRIPTION** 

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Sodium Carbonate	40-60	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
Sodium Metasilicate	10-20	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1	
Trisodium Phosphate Crystals	10-20	10101-89-0	Not Found	Skin Irrit Cat 2	
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
		18821-83-7			
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Alcohols Ethoxylated	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B	
Sodium Percarbonate	10-20	15630-89-4	239-707-6	Oxidizing Solid Cat 2, Skin Irrit Cat 4	
				Eye Dam Cat 1	
Dimethyl ammonium chloride Mixture	0.1-1	68424-85-1	270-325-2	Acute Oral Tox. Cat 4, Skin Irrit. Cat 4	
D-Limonene (citrus terpenes)	1-5	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic	
				Cat1	

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

#### **SECTION 4 - FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL** 

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

**EYE CONTACT** 

Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

**SKIN CONTACT** 

Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get

immediate medical attention.

**SWALLOWING (INGESTION)** 

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.

INHALATION

: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

: Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

## **SECTION 5 – FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA
SPECIAL PROTECTIVE
FOLIPMENT AND

Dry chemical, foam, water, or carbon dioxide.

EQUIPMENT AND PRECAUTIONS FOR FIRE

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.

**FIGHTERS** 

UNUSUAL FIRE AND

No further relevant information is available.

EXPLOSION HAZARDS

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES
ENVIRONMENTAL PROCEDURES

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDU METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

: Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**TLV (THRESHOLD LIMIT VALUE)** 

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m³	Not Established	Not Established
Trisodium Phosphate Crystals	Not Established	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate Na salt	Not Established	Not Established	Not Established
Alcohols Ethoxylated	Not Established	Not Established	Not Established
Sodium Percarbonate	Not Established	Not Established	Not Established
Dimethyl ammonium chloride mixture	Not Established	Not Established	Not Established
D-Limonene (citrus terpenes)	Not Established	Not Established	Not Established

EYE PROTECTION SKIN PROTECTION

: Wear chemical splash goggles or face shield.

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

**ADDITIONAL MEASURES** 

: Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE** Blue free flowing powder with mild odor.

Mild odor. ODOR **ODOR THRESHOLD** Not available

PH 11.0 - 11.5 (2% solution)

**MELTING POINT/FREEZING** Not available

**POINT** 

NOT EST. **BOILING POINT** 

**FLASH POINT** Nonflammable, Noncombustible

**EVAPORATION RATE** Not available

**FLAMMABILITY** Nonflammable, Noncombustible

**LOWER FLAMMABILITY LIMIT** Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** Not available VAPOR DENSITY (AIR=1) Not available **RELATIVE DESNITY** > 1

**SOLUBILITY IN WATER** : Soluble in water PARTITION COEFFICIENT n-: Not available

**OCTANOL/WATER** 

**AUTOIGNITION TEMPERATURE** : Not available **DECOMPOSITION** : Not available

**TEMPERATURE** 

### **SECTION 10 - STABILITY AND REACTIVITY**

Stable under recommended storage conditions. **STABILITY** HAZARDOUS CONDITONS TO No decomposition if used according to specifications

**AVOID** 

Keep away from strong acids. **INCOMPATIBLE MATERIALS** 

HAZARDOUS DECOMPOSITION

**PRODUCTS** 

No dangerous decomposition products known.

## **SECTION 11 – TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION **Sodium Carbonate** 

**ACUTE TOXICITY** Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).

SKIN CORROSION/IRRITATION Causes skin irritation.

**SERIOUS EYE** Causes serious eve irritation.

DAMAGE/IRRITATION

**TOXICOLOGICAL INFORMATION Sodium Metasilicate** 

**ACUTE TOXICITY** LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

**CHRONIC TOXICITY** : No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

**CARCINOGENICITY** This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL INFORMATION **Trisodium Phosphate Crystals** 

**ACUTE TOXICITY** Oral - rat LD50: 6,500 mg/kg; practically nontoxic

Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic

Eye Irritation - rabbit (4-hr exp.): corrosive

Skin Irritation - rabbit: 3.3/8.0; moderately irritating

**TOXICOLOGICAL INFORMATION Propylene Glycol Butyl Ether** 

**ACUTE TOXICITY** : LD 50 Rat: 2,200 mg/kg **ACUTE INHALATION TOXICITY** : No data available

**ACUTE DERMAL TOXICITY** : LD 50 Rabbit: 3,100 mg/kg

TOXICOLOGICAL INFORMATION : Ethylenediamine Tetraacetate : LD50 Oral (rat): 630 - 1,260 mg/kg, **ACUTE TOXICITY** 

No data available **INHALATION LC50 DERMAL LD50** No data available OTHER INFORMATION ON : No data available

**ACUTE TOXICITY** 

**TOXICOLOGICAL INFORMATION Alcohols Ethoxylated** 

**ACUTE TOXICITY** LD50 Oral (rat): 1,378 mg/kg,

**INHALATION LC50** No data available.

**DERMAL LD50** LD50 Dermal (rat): > 5,000 mg/kg. **PRIMARY SKIN IRRITATION** (Rabbit) Moderate to severely irritating.

PRIMARY EYE IRRITATION (Rabbit) Severely irritating.

**TOXICOLOGICAL INFORMATION Sodium Percarbonate** 

**ACUTE TOXICITY** Acute oral toxicity (LD50): 2200 mg/kg [Mouse].

: No data available **CHRONIC EFFECTS ON HUMANS** 

Very hazardous in case of skin contact (irritant). Hazardous in case of ingestion, of

OTHER TOXIC EFFECTS ON

HUMANS **SPECIAL REMARKS ON OTHER**  inhalation. Slightly hazardous in case of skin contact (sensitizer).

Material is irritating to mucous membranes and upper respiratory tract. **TOXIC EFFECTS ON HUMANS** 

**TOXICOLOGICAL INFORMATION Dimethyl Ammonium Chloride mixture** 

**ACUTE TOXICITY** : LD50 values: Oral LD50: 405 mg/kg (rat). LC50 dermal: 740 mg/kg.

CARCINOGENICITY US ACGIH Threshold Limit Values: A3 carcinogen: Ethanol (64-17-5) Group A3

confirmed animal carcinogen with unknown relevance to humans.

**ACUTE TOXICITY** : Very Toxic to aquatic organisms Information available upon request. Please contact

Wesmar Co. Technical Service Department.

PERSISTENCE AND This product is biodegradable.

**BIODEGRADABILITY** 

**BIOACCUMULATION** : No data available.

TOXICOLOGICAL INFORMATION : D-Limonene (Citrus Terpenes)

: LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation **ACUTE TOXICITY** 

(mice): > 1,000 mg/kg.

**IRRITATION** Prolonged or repeated exposure can cause drying or dermatitis of skin. **BIOACCUMULATION** No appreciable bio-concentration is expected in the environment.

**CARCINOGENICITY** This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

## **SECTION 12 - ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION Sodium Carbonate** 

**ECOTOXICITY** LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.

PERSISTENCE and No data available.

**DEGRADABILITY** 

: No data available. BIOACCUMULATIVE POTENTIAL

: Sodium Metasilicate **ECOLOGICAL INFORMATION** 

**ECOTOXICITY (Aquatic Toxicity)** 

This material has exhibited moderate toxicity to aquatic organisms.

**BIODEGRADATION** This material is inorganic and not subject to biodegradation.

**PERSISTENCE** This material is believed to persist in the environment.

**BIOCONCENTRATION** This material is not expected to bio-concentrate in organisms.

**ECOLOGICAL INFORMATION** 

**ECOTOXICITY** 

**Trisodium Phosphate Crystals** 

Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic. Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic.

No definitive algal toxicity data was available for this material.

**ENVIRONMENTAL FATE** : Phosphates: Inorganic phosphates, including this product, at high concentrations in

the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

**Propylene Glycol Butyl Ether** 

**Ethylenediamine Tetraacetate** 

**ECOLOGICAL INFORMATION** 

**ECOTOXICITY: TOXICITY TO FISH** No data available **TOXICITY TO DAPHNIA** No data available **TOXICITY TO ALGAE** No data available **TOXICITY TO BACTERIA** : No data available

**ECOLOGICAL INFORMATION** 

**ECOTOXICITY** No data available. PERSISTENCE AND No data available.

**DEGRADABILITY** 

**BIOACCUMULATIVE POTENTIAL** : No data available.

**ECOLOGICAL INFORMATION** 

**Alcohols Ethoxylated** 

**ECOTOXICITY** 

LC50 Rainbow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar

products.

LC50 Fathead Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.

**BIODEGRADABILITY** : Readily biodegradable. PERSISTENCE AND No data available.

**DEGRADABILITY** 

: No data available. **BIOACCUMULATIVE POTENTIAL** 

**Sodium Percarbonate ECOLOGICAL INFORMATION** 

**ECOTOXICITY** Not available. **BOD5 AND COD** Not available.

PRODUCTS OF Possibly hazardous short term degradation products are not likely. However, long

**BIODEGRADATION** term degradation products may arise.

**TOXICITY OF THE PRODUCTS OF** 

**BIODEGRADATION** 

The products of degradation are more toxic.

SPECIAL REMARKS ON THE

: Not available.

**PRODUCTS OF BIODEGRADATION** 

**ECOLOGICAL INFORMATION** 

**Dimethyl Ammonium Chloride mixture** 

**ECOTOXICITY** 

Very Toxic to aquatic organisms Information available upon request. Please contact

Hydramaster Corp. Technical Service Department.

**BIODEGRADABILITY** 

This product is biodegradable.

**BIOACCUMULATIVE POTENTIAL** 

No data available.

**ECOLOGICAL INFORMATION** 

**D-Limonene (Citrus Terpenes)** 

**ECOTOXICITY** 

There is no information available currently for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have

shown that certain bacteria and fungi can degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen,

emulsion, or sludge at or beneath the surface of a body of water

**MOBILITY** : Citrus Terpenes volatize rapidly.

PERSISTENCE AND

Readily biodegradable.

DEGRADABILITY

**BIOACCUMULATIVE POTENTIAL**: Bio-concentration is not expected to occur.

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

## **SECTION 14 – TRANSPORTATION INFORMATION**

DOT/IMDG/ IATA PROPER

: Not Hazardous

SHIPPING NAME

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

## **SECTION 15 – REGULATORY INFORMATION**

#### U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

#### U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed

**TSCA STATUS**: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

**SARA SECTION 302** : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

## **EUROPEAN UNION REGULATORY INFORMATION:**

**EC CLASSIFICATION** : Non-Hazardous

**DSD/DPD RISK (R) PHRASES** : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

**DSD/DPD SAFETY (S) PHRASES** : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves, and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

**DSD/DPD HAZARD SYMBOL** : Xi: Irritant

### **CANADIAN REGULATORY INFORMATION:**

**WHMIS CATEGORY** : D2B: Materials that cause other toxic effects (TOXIC).

DOMESTIC SUBSTANCES LIST

: Listed

(DSL)

INGREDIENT DISCLOSURE LIST : Listed



#### **SECTION 16 – OTHER INFORMATION**

**DISCLAIMER** 

: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**CERCLA** : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

**LC50** : Lethal concentration, 50 percent

**LD50** : Lethal dose, 50 percent

**STOT** : Systemic Target Organ Toxicity

**DATE PREPARED** : JAN 2, 2018 **DATE REVISED** : NOV 7, 2022