SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : MAXXTREME PRESPRAY

SYNONYMS: Product is a mixture: No synonyms are available.

PRODUCT USE : Moderately Alkaline Material

SUPPLIER : HYDRAMASTER CORP.
SUPPLIER'S ADDRESS : 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

EMERGENCY RESPONSE PHONE: PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION: H302 Harmful if swallowed.

H315 Causes skin irritation

: H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

T.

(!)

SIGNAL WORD : WARNING

HAZARD STATEMENTS : Not established

(GHS-US)

: H302 Harmful if swallowed.: H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

(GHS-US)

P101 If medical advice is needed, have product container or label at hand.

: P102 Keep out of reach of children.

: P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

: P280 Wear suitable protective gloves / protective clothing / eye protection /

face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell.

: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : Target Organ Effect (Glycol Ether DPM)
TARGET ORGANS : Kidney, Liver, Nerves (Glycol Ether DPM).

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC : Mixtures

DESCRIPTION: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Sodium Carbonate	20-40	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
Sodium Tripolyphosphate	10-20	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4	
Sodium Metasilicate	10-20	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1	
Trisodium Phosphate Dodecahydrate	10-20	10101-89-0	231-509-8	Acute Oral Tox Cat 4, Skin Irrit Cat 2	
				Eye Irrit Cat 2A	
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Dipropylene glycol methyl ether	1-5	34590-94-8	252-104-2	Eye Irrit: Cat 2B	
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A	
		18821-83-7			

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure. Also contains non-GHS regulated, proprietary non-hazardous surfactant.

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST	VID WEVCIIDEC

GENERAL: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. Delayed skin damage is possible if product is not completely washed off. Get

immediate medical attention.

SWALLOWING (INGESTION): If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.

If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION: Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS: Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

: Dry chemical, foam, water, or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT AND

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

PRECAUTIONS FOR FIRE FIGHTERS

EXPLOSION HAZARDS

: No further relevant information is available.

UNUSUAL FIRE AND

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS Keep spilled material away from sewage/drainage systems and waterways.

FOR CONTAINMENT AND **CLEAN-UP**

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE **HANDLING**

Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m ³	Not Established	Not Established
Trisodium Phosphate Dodecahydrate	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate	Not Established	Not Established	Not Established
Dipropylene glycol methyl ether	100 ppm, 600mg/m ³	100 ppm	150 ppm
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established

EYE PROTECTION

: Wear chemical splash goggles or face shield.

SKIN PROTECTION

Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

Ensure adequate ventilation.

ADDITIONAL MEASURES

Emergency eyewash and safety shower facilities should be available in the immediate work area.

REQUIRED WORK/HYGIENE

Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear colorless liquid with mild odor

ODOR Lemon fragrance **ODOR THRESHOLD** Not available

PH : 11.5 ± 1.0 (1% solution)

MELTING POINT/FREEZING: Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : Between 100 and 200 Degr. F

EVAPORATION RATE : Not available

FLAMMABILITY: Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT: Not availableUPPER FLAMMABILITY LIMIT: Not availableVAPOR PRESSURE: Not availableVAPOR DENSITY (AIR=1): Not available

RELATIVE DESNITY : 0.90

SOLUBILITY IN WATER : Soluble in water PARTITION COEFFICIENT n- : Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available DECOMPOSITION : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITONS TO : No decomposition if used according to specifications

AVOID

INCOMPATIBLE MATERIALS: Keep away from strong acids.

HAZARDOUS DECOMPOSITION: No dangerou

PRODUCTS

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION : Sodium Carbonate

ACUTE TOXICITY: Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).

SKIN CORROSION/IRRITATION: Causes skin irritation.

SERIOUS EYE : Causes serious eye irritation.

DAMAGE/IRRITATION

TOXICOLOGICAL : Sodium Tripolyphosphate

INFORMATION

ACUTE TOXICITY : Oral - rat LD50 - 5,400 mg/kg; practically non-toxic

Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic

Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating

Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)

TOXICOLOGICAL INFORMATION : Sodium Metasilicate

ACUTE TOXICITY : LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

CHRONIC TOXICITY : No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

CARCINOGENICITY : This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL : Trisodium Phosphate Dodecahydrate

INFORMATION

ACUTE TOXICITY : Oral - rat LD50: 6,500 mg/kg; practically nontoxic

Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic

Eye Irritation - rabbit (4-hr exp.): corrosive

Skin Irritation - rabbit: 3.3/8.0; moderately irritating

TOXICOLOGICAL INFORMATION: Ethylenediamine Tetraacetate Na Salt ACUTE TOXICITY: LD50 Oral (rat): 630 - 1,260 mg/kg,

INHALATION LC50: No data availableDERMAL LD50: No data availableOTHER INFORMATION ON: No data available

ACUTE TOXICITY

TOXICOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ACUTE TOXICITY : LD50 values: Oral LD50: 5152 mg/kg (rat). LC50 dermal and inhalation: Not listed.

Eyes: Rabbit: Mild Irritation: 25 hours.

CARCINOGENICITY : No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION : Propylene Glycol Butyl Ether
ACUTE TOXICITY : LD 50 Rat: 2,200 mg/kg
ACUTE INHALATION TOXICITY : No data available

ACUTE DERMAL TOXICITY : LD 50 Rabbit: 3,100 mg/kg

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aquatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Sodium Carbonate

ECOTOXICITY : LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.

PERSISTENCE and : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Sodium Tripolyphosphate

ECOTOXICITY : Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr.

LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides, and mysid shrimp). [FMC 189-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna)

[FMC I89-1084]

PERSISTENCE and : No data available.

DEGRADABILITY

ENVIRONMENTAL FATE : Phosphates: Inorganic phosphates, including this product, at high concentrations in

the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

ECOLOGICAL INFORMATION: Sodium Metasilicate

ECOTOXICITY (Aguatic Toxicity): This material has exhibited moderate toxicity to aquatic organisms.

BIODEGRADATION : This material is inorganic and not subject to biodegradation.

PERSISTENCE: This material is believed to persist in the environment.

BIOCONCENTRATION: This material is not expected to bio-concentrate in organisms.

ECOLOGICAL INFORMATION : Trisodium Phosphate Dodecahydrate

ECOTOXICITY : Invertebrate: 48-hr EC50 Daphnia magna: >1000 mg/L; Practically Nontoxic.

Warm-water Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Coldwater Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic.

No definitive algal toxicity data was available for this material.

ENVIRONMENTAL FATE : Phosphates: Inorganic phosphates, including this product, at high concentrations in

the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

ECOLOGICAL INFORMATION : Ethylenediamine Tetraacetate Na Salt

ECOTOXICITY : No data available. **PERSISTENCE AND** : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Dipropylene Glycol Methyl Ether

ECOTOXICITY (aquatic and terrestrial, where available):

ACUTE FISH TOXICITY : LC50 / 96 hours Fathead Minnow - >10,000 mg/L

TOXICITY TO DAPHNIA : EC50 / 48 hours Water flea - 1,919 mg/L

PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

ECOLOGICAL INFORMATION : Propylene Glycol Butyl Ether

ECOTOXICITY: TOXICITY TO FISH : No data available TOXICITY TO DAPHNIA : No data available TOXICITY TO ALGAE : No data available TOXICITY TO BACTERIA : No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product,

should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER : UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS SODIUM

SHIPPING NAME METASILICATE) 8, PGIII

HAZARD CLASS AND LABEL : 8 (CORROSIVE)
UN NUMBER : UN3262

PACKAGING GROUP :

EPA REPORTABLE QUANTITY

(RQ)

: Not Applicable.

PGIII

MARINE POLLUTANT : No. **EMERGENCY RESPONSE GUIDE** : ERG-154

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN

TSCA STATUS The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 This material does not contain any chemical components with known CAS

numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

2 **NFPA HEALTH** NFPA FLAMMABILITY 0 NFPA REACTIVITY 0

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY D2B: Materials that cause other toxic effects (TOXIC).


DOMESTIC SUBSTANCES LIST

INGREDIENT DISCLOSURE LIST

(DSL)

Listed

Listed



DISCLAIMER The information contained herein has been compiled from sources believed to be

> realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS European Inventory of Existing Commercial Chemical Substances

IMDG International Maritime Code for Dangerous Goods **IARC** : International Agency for Research on Cancer **IATA** International Air Transportation Association

ACGIH American Conference of Governmental Industrial Hygienists

NFPA National Fire Protection Association (USA)

NTP **National Toxicology Program**

SARA Superfund Amendments and Reauthorization Act

TSCA Toxic Substances Control Act

HMIS Hazardous Materials Identification System (USA) **WHMIS** Workplace Hazardous Materials Information System

LC50 Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JUN 12, 2019 NOV 7, 2022 **DATE REVISED**