SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : NATURAL ORANGE

SYNONYMS : Product is a mixture: No synonyms are available.

PRODUCT USE : Mildly Alkaline Material

SUPPLIER : HYDRAMASTER CORP.

SUPPLIER'S ADDRESS : 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

EMERGENCY RESPONSE PHONE

NUMBER

PERS: 1-800-633-8253

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed. : H315 Causes skin irritation

: H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS :

(!)

SIGNAL WORD : WARNING

HAZARD STATEMENTS: H302 Harmful if swallowed.

(GHS-US)

: H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS : P101

(GHS-US)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

: P103 Read label before use.

P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink, or smoke when using this product.

: P280 Wear suitable protective gloves / protective clothing / eye protection /

face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

OSHA HAZARDS : D-Limonene: Combustible Liquid, Target Organ Effect, Skin Sensitizer, Irritant CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC

Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
D-Limonene (Citrus Terpenes)	20-30	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,	
				Skin Irrit Cat 2, Eye Irrit Cat 2A,	
				Skin Sens Cat 1, Acute Tox Aquatic Cat 1	
Alkylbenzene sulfonate/Ethoxylated	5-10	68584-24-7	271-531-5	Skin Irrit Cat 2, Eye Irrit Cat 2, Acute Oral	
Alcohol Mixture Proprietary		68439-46-3	112-30-1	Tox Cat 4, Acute Aquatic Tox Cat 2	

Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, Sens = Sensitizer, STOT = Specific Target Organ Toxicity.

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so.

Continue rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION)

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION

Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

: Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SPECIAL PROTECTIVE EQUIPMENT AND

PRECAUTIONS FOR FIRE

FIGHTERS

UNUSUAL FIRE AND EXPLOSION HAZARDS

: Dry chemical, foam, water, or carbon dioxide.

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES : Restrict access to keep out unauthorized or unprotected personnel. Wear protective

equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES : Keep spilled material away from sewage/drainage systems and waterways.

METHODS AND MATERIALS : All clean-up personnel must be properly trained. Confine the spill and remove

FOR CONTAINMENT AND CLEAN-UP

incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
D-Limonene (Citrus Terpenes)	Not Established	Not Established	Not Established
Alkylbenzene sulfonate/Ethoxylated	Not Established	Not Established	Not Established
Alcohol Mixture Proprietary			

EYE PROTECTION : Wear chemical splash goggles or face shield.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION: In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

VENTILATION : Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages,

and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear amber liquid with citrus odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 9.0 - 10.0 AS IS
MELTING POINT/FREEZING : Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : <160°F, (71°C)

EVAPORATION RATE : Not available

FLAMMABILITY : Not combustible at D-limonene levels.

LOWER FLAMMABILITY LIMIT : Not available
UPPER FLAMMABILITY LIMIT : Not available
VAPOR PRESSURE : Not available
VAPOR DENSITY (AIR=1) : Not available
RELATIVE DESNITY : 0.96

SOLUBILITY IN WATER PARTITION COEFFICIENT n-

PARTITION COEFFICIENT n
OCTANOL/WATER

AUTOIGNITION TEMPERATURE

DECOMPOSITION TEMPERATURE

Soluble in waterNot available

: Not available

: Not available

SECTION 10 - STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions.

HAZARDOUS CONDITONS TO

AVOID

No decomposition if used according to specifications

INCOMPATIBLE MATERIALS: Keep away from strong acids.

HAZARDOUS DECOMPOSITION

PRODUCTS

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION : D-Limonene (Citrus Terpenes)

ACUTE TOXICITY : LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation

(mice): > 1,000 mg/kg.

IRRITATION : Prolonged or repeated exposure can cause drying or dermatitis of skin.
 BIOACCUMULATION : No appreciable bio-concentration is expected in the environment.

CARCINOGENICITY : This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.

TOXICOLOGICAL INFORMATION : Alkylbenzene s

ACUTE TOXICITY

Alkylbenzene sulfonate/Ethoxylated Alcohol Mixture Proprietary

LD50 Oral (rat): 500-2000 mg/kg (based on component data) LD50 Dermal (rabbit): >2000 mg/kg (based on component data)

LC50 Inhalation: No specific data available.

ACUTE EFFECTS : May be harmful if inhaled. Avoid breathing vapors of heated liquid. Can cause skin

irritation. Can cause serious eye irritation. Avoid contact. May be harmful if

swallowed. Do not ingest.

CHRONIC EFFECTS : No specific data available.

MUTAGENICITY: : Not mutagenetic

CARCINOGENICITY: : No component of this product at levels greater than 0.1% is identified as

carcinogenic by the IARC, NTP or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION

ECOTOXICITY

: D-Limonene (Citrus Terpenes)

: There is no information available currently for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungi can degrade citrus terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen,

emulsion, or sludge at or beneath the surface of a body of water

MOBILITY : Citrus Terpenes volatize rapidly.

PERSISTENCE AND DEGRADABILITY

Readily biodegradable.

BIOACCUMULATIVE POTENTIAL Bio-concentration is not expected to occur.

ECOLOGICAL INFORMATION

ACUTE ECOTOXICITY

Alkylbenzene sulfonate/Ethoxylated Alcohol Mixture Proprietary

Algae: 72 hr. EC50 = 10-50 mg/L (based on component data).

Daphnia magna: 48 hr. EC50 = <5 mg/L (based on component data).

Fish: 96 hr. LC50 = <5 mg/L (based on component data).

PERSISTENCE AND

DEGRADABILITY

Considered to be readily biodegradable.

BIOACCUMULATIVE POTENTIAL

MOBILITY IN SOIL

Not expected to bioaccumulate. No specific data available.

OTHER ADVERSE EFFECTS

This product may be harmful to the environment and aquatic organisms if released in large quantities. Avoid release into sewers, drains, and other waterways. Inform the relevant authorities if the product has cause environmental pollution. Collect

spillage.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

: This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

SECTION 14 - TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER

SHIPPING NAME

: Not Hazardous

HAZARD CLASS AND LABEL

Not Applicable. **UN NUMBER** Not Applicable. PACKAGING GROUP Not Applicable. **EPA REPORTABLE QUANTITY** Not Applicable.

(RQ)

MARINE POLLUTANT Not listed. **EMERGENCY RESPONSE GUIDE** : Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN

TSCA STATUS The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 Chronic health hazard (Glycol Ether DPM).

SARA SECTION 313 This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY 0 NFPA REACTIVITY

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non-Hazardous

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves, and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

Listed

: Listed

Note: D-Limonene is a WHMIS B3 (combustible) chemical,

but not at the levels present in this product.



DOMESTIC SUBSTANCES LIST

INGREDIENT DISCLOSURE LIST

(DSL)

DSL)

SECTION 16 – OTHER INFORMATION

DISCLAIMER

: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMISHazardous Materials Identification System (USA)WHMISWorkplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : MAR 1, 2006 **DATE REVISED** : NOV 7, 2022