SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : POLYBREAK

SYNONYMS Product is a mixture: No synonyms are available.

PRODUCT USE Moderately Alkaline Material **SUPPLIER** HYDRAMASTER CORP. SUPPLIER'S ADDRESS 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

EMERGENCY RESPONSE PHONE: PERS: 1-800-633-8253

NUMBER

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

: H315 Causes skin irritation H319 Causes serious eye irritation

LABEL ELEMENTS GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

SIGNAL WORD WARNING

HAZARD STATEMENTS Not established

(GHS-US)

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS: P101

(GHS-US)

P102 Keep out of reach of children.

: P103 Read label before use.

: P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

: P280 Wear suitable protective gloves / protective clothing / eye protection /

If medical advice is needed, have product container or label at hand.

face protection.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel : P301+

P312 unwell.

: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. : P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

CLASSIFICATION SYSTEM NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC

: Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EINECS #	GHS CLASSIFICATION	
Sodium Metasilicate	1-5	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1	
Ethylenediamine Tetraacetate Na salt	0.1-1	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	
Sodium Xylene Sulfonate	1-5	1300-72-7	215-090-9	Skin Irrit Cat 2, Eye Irrit Cat 2A	
Diethylene Glycol Monobutyl Ether	5-10	112-34-5	203-961-6	Eye Irrit Cat 2B	
Methyl-oxirane polymer with oxirane	0.1-1	9003-11-6	Not Found	Not classified according to GHS	
Acrylate Copolymer, Sodium salt	1-5	Trade Secret	N/A	Not Classified according to GHS	

Irrit = Irritation, Corr = Corrosion, Cat = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

SECTION 4 - FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL

: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT

: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Get immediate medical attention.

SKIN CONTACT

: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get

immediate medical attention.

SWALLOWING (INGESTION)

If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION

Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS

: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE

: Dry chemical, foam, water, or carbon dioxide.

EQUIPMENT AND PRECAUTIONS FOR FIRE

: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

FIGHTERS

UNUSUAL FIRE AND EXPLOSION HAZARDS

: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES

Keep spilled material away from sewage/drainage systems and waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the

CLEAN-UP

source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE

STORAGE

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Metasilicate	8hr Recommended:	Not Established	Not Established
	3mg/m ³		
Ethylenediamine Tetraacetate Na salt	Not Established	Not Established	Not Established
Sodium Xylene Sulfonate	Not Established	Not Established	Not Established
Diethylene Glycol Monobutyl Ether	Not Established	Not Established	Not Established
Methyl-oxirane polymer with oxirane	Not Established	Not Established	Not Established
Acrylate Copolymer, Sodium salt	Not Established	Not Established	Not Established

EYE PROTECTION : Wear chemical splash goggles or face shield.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

VENTILATION Ensure adequate ventilation.

ADDITIONAL MEASURES Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages,

and feed. Do not eat, drink, or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Free flowing powder with mild odor.

ODOR

ODOR THRESHOLD Not available > 13.5 Not available

MELTING POINT/FREEZING

POINT

BOILING POINT : 212° F.

FLASH POINT Above 200 Degr. F **EVAPORATION RATE** Not available

FLAMMABILITY Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT Not available **UPPER FLAMMABILITY LIMIT** Not available **VAPOR PRESSURE** Not available Not available **VAPOR DENSITY (AIR=1) RELATIVE DESNITY** 1.03

SOLUBILITY IN WATER Soluble in water PARTITION COEFFICIENT n-Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available **DECOMPOSITION** : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions. HAZARDOUS CONDITONS TO No decomposition if used according to specifications

AVOID

INCOMPATIBLE MATERIALS Keep away from strong acids.

HAZARDOUS DECOMPOSITION

PRODUCTS

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION Sodium Metasilicate

ACUTE TOXICITY LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)

CHRONIC TOXICITY No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

CARCINOGENICITY This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL INFORMATION Ethylenediamine Tetraacetate Na Salt ACUTE TOXICITY LD50 Oral (rat): 630 - 1,260 mg/kg,

No data available **INHALATION LC50 DERMAL LD50** No data available OTHER INFORMATION ON No data available

ACUTE TOXICITY

TO ANIMALS

TOXICOLOGICAL INFORMATION Sodium Xylene Sulfonate

ROUTES OF ENTRY Absorbed through skin and/or eye contact.

ACUTE TOXICITY LD50 Oral (rat): 2500 mg/kg,

CHRONIC EFFECTS ON HUMANS Contains material which may cause damage to the following organs: liver

SPECIAL REMARKS ON TOXICITY TDL (rat): Route: skin; Dose: 3380 mg/kg/17D intermittent; Toxic effects: changes in

liver weight TDL (rat): Route: skin; Dose: 35 gm/kg/14W intermittent; Toxic effects:

dermatitis, other (skin and appendages). (Sodium Xylene Sulfonate).

TOXICOLOGICAL INFORMATION Diethylene Glycol Monobutyl Ether

ACUTE TOXICITY Oral LD50 Oral (rat): 5560 mg/kg. LC50 dermal and inhalation: Not listed.

CHRONIC EFFECTS Prolonged absorption causes liver and kidney damage, and red cell hemolysis (blood

in urine) in laboratory animals; no such effects have been seen in humans

SENSITISATION Not a sensitizer.

CARCINOGENICITY No component of this product present at levels greater than or equal to 0.1% is

identified as probable or confirmed human carcinogen by IARC, ACGIH, NTP, and

OSHA.

TOXICOLOGICAL INFORMATION

: Methyl-oxirane polymer with oxirane

ACUTE ORAL TOXICITY

LD50 Oral (rat): > 2000 mg/kg, LD50 Dermal (rabbit): 10,200 mg/kg

SKIN AND EYE IRRITATION

: Draize Test: Eyes: Non-irritant, Skin: Non-irritant.

SENSITISATION

: Skin sensitizing effects were not observed in animal studies.

SYMPTOMS OF EXPOSURE

No significant symptoms are expected due to the non-classification of the product.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

: Acrylate Copolymer, Sodium salt

Not determined. Similar products tested for LD50 limit values are greater than

10,000 mg/kg. TLV: Not determined.

EFFECTS OF ACUTE OVER

EXPOSURE

Ingestion: Nausea may occur. Inhalation: Prolonged exposure may produce

headaches, and mucous membrane irritation. Skin Contact: Direct contact may cause

irritation. Eye Contact:

EFFECTS OF CHRONIC OVER

EXPOSURE

: None determined.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION

ECOTOXICITY (Aquatic Toxicity)

Sodium Metasilicate

This material has exhibited moderate toxicity to aquatic organisms.

BIODEGRADATION

PERSISTENCE

This material is inorganic and not subject to biodegradation. This material is believed to persist in the environment.

BIOCONCENTRATION

This material is not expected to bio-concentrate in organisms.

ECOLOGICAL INFORMATION

Ethylenediamine Tetraacetate Na Salt

ECOTOXICITY

No data available. No data available.

PERSISTENCE AND

DEGRADABILITY BIOACCUMULATIVE POTENTIAL

: No data available.

ECOLOGICAL INFORMATION

: Sodium Xylene Sulfonate

ECOTOXICITY

Not available

BOD5 AND COD

Not available

PRODUCTS OF

BIODEGRADATION

: Possibly hazardous short term degradation products are not likely. However, long

term degradation products may arise.

TOXICITY OF THE PRODUCTS OF

BIODEGRADATION

: The product itself and its products of degradation are not toxic.

ECOLOGICAL INFORMATION

Diethylene Glycol Monobutyl Ether

ECOTOXICITY

This product cannot accumulate in living tissue; diluted, this product is readily and rapidly in a wastewater treatment facility; in BOD test, 88% degraded in 28 says;

half-life in air estimated as 10 hours.

PERSISTENCE AND

DEGRADABILITY

No data available.

ECOLOGICAL INFORMATION

Methyl-oxirane polymer with oxirane

ECOTOXICITY

Toxicity to fish: LC50 (96 h) 105 mg/l, Oncorhynchus mykiss Aquatic invertebrates: EC50 (48 h) 1,033 mg/l, Daphnia magna

Aquatic plants: EC50 (72 h) 370 mg/l, algae

PERSISTENCE AND BIODEGRADABILITY Assessment: Readily biodegradable (according to OECD criteria)

MOBILITY The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

ECOLOGICAL INFORMATION

ECOTOXICITY

: Acrylate Copolymer, Sodium salt

If this product becomes a waste, it does not exhibit the properties of ignitability, corrosivity, reactivity or environmentally persistent toxicity. The material should not be flushed into any sewer system. This product should not be released to the environment without chemical treatment by flocculation / precipitation.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

: This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.

SECTION 14 – TRANSPORTATION INFORMATION

DOT/IMDG/ IATA PROPER

SHIPPING NAME

PACKAGING GROUP

MARINE POLLUTANT

: Not Hazardous

Not Applicable.

HAZARD CLASS AND LABEL UN NUMBER

Not Applicable.Not Applicable.Not Applicable.

EPA REPORTABLE QUANTITY

(RQ)

: Not listed.

EMERGENCY RESPONSE GUIDE :

Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed

TSCA STATUS: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : Chronic health hazard (None).

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Non-Hazardous

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

Listed

DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE LIST : Listed



SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramasteer Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : MAR 1, 2018 **DATE REVISED** : NOV 7, 2022