### SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME SYNONYMS PRODUCT USE	:	RINSE FREE W/ OXYBREAK Product is a mixture: No synonyms are available. Very Mild Acidic Material
SUPPLIER SUPPLIER'S ADDRESS	:	HYDRAMASTER CORP. 1500 Industry St. Suite 300
EMERGENCY RESPONSE PHONE NUMBER	:	Everett, WA 98203 (425) 775-7272 PERS: 1-800-633-8253

#### SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTA GHS U.S. – CLASSIFICATION	NCI : :	H302 H315	Harmful if swallowed. Causes skin irritation Causes serious eye irr	
LABEL ELEMENTS	:	GHS – US H	AZARD PICTOGRAMS	The product is classified and labeled according to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:			
SIGNAL WORD	:	WARNING		
HAZARD STATEMENTS (GHS-US)	:		Not established	
	:	H302	Harmful if swallowed.	
	:	H315	Causes skin irritation.	
	:	H319	Causes serious eye irr	itation.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is ne	eded, have product container or label at hand.
	:	P102	Keep out of reach of c	hildren.
	:	P103	Read label before use	
	:	P260		ume/gas/mist/vapors/spray.
	:	P264		ninated clothing thoroughly after handling.
	:	P270		moke when using this product.
	:	P280	Wear suitable protect face protection.	ive gloves / protective clothing / eye protection /
	:	P301+P312		a POISON CENTER or doctor/physician if you feel
	:	P302+P352	IF ON SKIN: Wash with	h plenty of soap and water.
	:	P305+351+	IF IN EYES: Rinse cauti	iously with water for several minutes. Remove
		P338	contact lenses, if pres	ent and easy to do. Continue rinsing.
	:	P332+P313		s: Get medical advice/attention.
	:	P337+P313		ts: Get medical advice/attention.
	:	P501	Dispose of contents, national / internation	/container in accordance with local /regional / al regulations.
CLASSIFICATION SYSTEM	:	ΝΕΡΔ/ΗΜΙς Ι	Definitions: 0-Least 1-S	light, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4)	:		re = 0, Reactivity = 0	
	•		PAGE 1 of 7	

HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

Non-hazardous copolymers

#### SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC DESCRIPTION	 Mixtures Mixture of the substances listed below with nonhazardous additions.			
COMPONENT	PERCENT	CAS #	EC #	GHS CLASS
Hydrogen Peroxide	5-10	7722-84-1	231-633-2	Oxidizing Liquid Cat 1, Skin Corr Cat 1A Acute Tox Oral Cat 4, Acute Tox Inhal Cat 4
Aminotrimethylene Phosphonic Acid	1-5	6419-19-8	229-146-5	Metal Corr Cat 1, Eye Irrit Cat 2

**Trade Secret** 

5-10

Cat = Category, Corr = Corrosion, Irrit = Irritant, Dam = Damage, Tox = Toxicity, Inhal = Inhalation, STOT RE = Specific Target Organ Toxicity Repeated Exposure.

N/A

Not classified under GHS

SECTION 4 – FIRST AID MEASURES				
DESCRIPTION OF FIRST AID MEASURES				
GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.			
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediate call a POISON CENTER or doctor/physician.			
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. If irritation persists, get immediate medical attention.			
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.			
INHALATION OTHER INSTRUCTIONS	<ul> <li>Remove to fresh air. If symptoms persist, get immediate medical attention.</li> <li>Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.</li> </ul>			

EXTINGUISHING MEDIA EXPLOSION HAZARDS REACTIVITY (FIRE)	<ul> <li>Water spray, fog, carbon dioxide, foam, dry chemical</li> <li>Product is not explosive.</li> <li>Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosive hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.</li> </ul>
SPECIAL INSTRUCTIONS TO FIRE	FIGHTERS
PRECAUTIONARY MEASURES	: Exercise caution when fighting any chemical fire.
FIREFIGHTING INSTRUCTIONS	: Use water spray or fog for cooling exposed containers.
PROTECTION DURING	: Do not enter fire area without proper protective equipment, including respiratory
FIREFIGHTING	protection.
HAZARDOUS COMBUSTION	Potassium oxides. May liberate toxic gases. Sodium oxides. Phosphorous oxides.
PRODUCTS	Nitrogen oxides. Carbon oxides (CO, CO <sub>2</sub> ). Explosive Hydrogen gas.
OTHER INFORMATION (FIRE)	: Do not allow run-off from fire fighting to enter drains or water courses.

**SECTION 5 – FIRE FIGHTING MEASURES** 

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT & EMERGENCY PROCEDURES	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.
ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP	:	Keep spilled material away from sewage/drainage systems and waterways. All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

#### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING	:	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink, or smoke when using this product. Wash hands and forearms thoroughly after handling.
CONDITIONS FOR SAFE STORAGE	:	Store in a dry, cool, and well-ventilated place. Keep container closed when not in use. Keep/store away from extremely high or low temperatures, direct sunlight, heat, and incompatible materials (Strong acid, Strong oxidizers).



#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	USA OSHA PEL – TWA	USA ACGIH TWA	USA ACGIH – STEL
Hydrogen Peroxide	1 ppm (1.4 mg/m <sup>3</sup> )	1 ppm (1.4 mg/m <sup>3</sup> )	Not Established
Aminotrimethylene Phosphonic Acid	Not Established	Not Established	Not Established
Non-hazardous copolymers	Not Established	Not Established	Not Established

EYE PROTECTION SKIN PROTECTION	<ul> <li>Wear chemical splash goggles or face shield.</li> <li>Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.</li> </ul>
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages, and feed. Do not eat, drink, or smoke in work area.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

: Clear liquid.

ODOR	:	Mild odor
ODOR THRESHOLD	:	Not available
РН	:	5-6
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	Approx. 212° F.
FLASH POINT	:	Nonflammable, Noncombustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Nonflammable, Noncombustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	1.07
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

### SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY	Thermal decomposition generates: Corrosive vapors. If the product is involved in a fire, it can release explosion hydrogen gas. When heated to decomposition, emits toxic fumes. May be corrosive to metals.
STABILITY	Stable under recommended storage conditions.
HAZARDOUS CONDITIONS TO AVOID	Direct sunlight. Extremely high or low temperatures. Heat. Combustible materials. Incompatible materials.
INCOMPATIBLE MATERIALS	Chlorinated products such as bleach, alkaline materials, metals, metal powder, carbides, chlorates, fumigates, nitrates, picrates, strong oxidizers, reducing or combustible organic material. Hazardous gases are evolved on contact with chemicals such as chlorine bleach, cyanides, sulfides and carbides.
HAZARDOUS DECOMPOSITION PRODUCTS	<ul> <li>Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Corrosive vapors. Toxic gases. Hydrogen gas. Nitrogen oxides. Phosphorous oxides. Sodium oxides. Potassium oxides.</li> </ul>

#### SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION EYE EFFECTS SKIN EFFECTS ACUTE TOXICITY	::	Hydrogen Peroxide 35% hydrogen peroxide: Extremely irritating/corrosive (rabbit). 35% hydrogen peroxide: Mildly irritating after 4-hour exposure (rabbit). DERMAL LD50: 35% hydrogen peroxide: > 2,000 mg/kg (rabbit) [FMC Study Number: I83-746] ORAL LD50: 35% hydrogen peroxide: 1,193 mg/kg (rat) [FMC Study Number: I83-745] INHALATION LC50: 50% hydrogen peroxide: > 0.17 mg/l (rat) [FMC Study Number: I89-1080],
TARGET ORGANS ACUTE EFFECTS FROM OVER EXPOSURE	:	Eyes, Nose Throat and Lungs. Extremely irritating/corrosive to eyes and gastrointestinal tract. May cause irreversible tissue damage to the eyes including blindness. Inhalation of mist or vapors may be severely irritating to nose, throat, and lungs. May cause skin irritation.
CHRONIC EFFECTS FROM OVER EXPOSURE	:	The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of hydrogen peroxide in humans, but

CARCINOGENICITY	<ul> <li>limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans). The American Conference of Governmental Industrial Hygienists (ACGIH) has concluded that hydrogen peroxide is a 'Confirmed Animal Carcinogen with Unknown Relevance to Humans' (A3).</li> <li>IARC: Cat 3, NTP: Not listed, OSHA: Not listed, OTHER: ACGIH: Cat A3.</li> </ul>
TOXICOLOGICAL INFORMATION ACUTE ORAL TOXICITY	<ul> <li>Aminotrimethylene Phosphonic Acid</li> <li>Not harmful to aquatic organisms (short term and long-term exposure) ATMP can lead to growth inhibition in algae, but this effect is a consequence of the substance's complexation with essential nutrients and not of true toxicity.</li> </ul>
TOXICOLOGICAL INFORMATION ACUTE ORAL TOXICITY	<ul> <li>Non-hazardous copolymer</li> <li>LD50 Oral (rat): 5000 mg/kg, LD50 Dermal: No data available. LD50 Inhalation: No data available.</li> </ul>
SKIN AND EYE IRRITATION OTHER ADVERSE EFFECTS	<ul> <li>No data available.</li> <li>DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS: IARC and NTP have Classified "strong inorganic acid mists containing Sulfuric acid" as known as human carcinogens. No definitive Casual relationship between sulfuric acid mist exposure and Respiratory cancer has been shown.</li> </ul>
	SECTION 12 – ECOLOGICAL INFORMATION
ECOLOGICAL INFORMATION ECOTOXICICOLOGICAL INFORMATION CHEMICAL FATE INFORMATION	<ul> <li>Hydrogen Peroxide</li> <li>Channel catfish 96-hour LC50 = 37.4 mg/L Fathead minnow 96-hour LC50 = 16.4 mg/L Daphnia magna 24-hour EC50 = 7.7 mg/L Daphnia pulex 48-hour LC50 = 2.4 mg/L Freshwater snail 96-hour LC50 = 17.7 mg/L For more information refer to ECETOC "Joint Assessment of Commodity Chemicals No. 22, Hydrogen Peroxide." ISSN-0773-6339, January 1993</li> <li>Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranged from 8 hours to 20 days, in air from 10-20 hrs. and in soils from minutes to hours depending upon microbiological activity and metal contaminants.</li> </ul>
ECOLOGICAL INFORMATION AQUATIC TOXICITY PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL NOTES	<ul> <li>Aminotrimethylene Phosphonic Acid</li> <li>Not available</li> <li>Neither readily nor inherently biodegradable. Partially photodegradable over short time.</li> <li>Not potentially bioaccumulative. (Log KOW = -3.35).</li> </ul>
ECOLOGICAL INFORMATION AQUATIC ORGANISM TOXICITY	<ul> <li>Non-hazardous copolymer</li> <li>Contains no substances known to be hazardous to the environment or not degradable in wastewater treatment plants.</li> </ul>
ECOTOXICITY FRESHWATER FISH PERSISTANCE AND DEGRADABILITY	<ul> <li>LC50: 32.7 mg/L: Gambusia affinis 96h.</li> <li>No data available.</li> </ul>
BIOACCUMULATION MOBILITY IN SOIL	<ul><li>No data available.</li><li>No data available.</li></ul>

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL RECOMMENDATIONS	:	This product must be disposed of in accordance with Federal, state, and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
ECOLOGY-WASTE MATERIALS	:	This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14 – TRANSPORTATION INFORM	IATION
------------------------------------	--------

DOT/IMDG/ IATA PROPER SHIPPING NAME	:	N/A (Not Applicable)
HAZARD CLASS AND LABEL	:	N/A
UN NUMBER	:	N/A
PACKAGING GROUP	:	N/A
EPA REPORTABLE QUANTITY	:	N/A
(RQ)		
MARINE POLLUTANT	:	Not Listed.
EMERGENCY RESPONSE GUIDE		N/A

### SECTION 15 – REGULATORY INFORMATION

### **U.S. FEDERAL REGULATORY INFORMATION:**

U.S. FEDERAL REGULATORT INF	URI	MATION.
LISTED CARCINOGEN	:	Not listed
TSC STATUS	:	The ingredients of this product are listed on TSCA (Toxic Substances Control Act) inventory (40CFR 710.)
SARA SECTION 302	:	Hydrogen Peroxide: The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs.; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None, (conc. <52%)
SARA SECTION 311/312	:	None listed
HAZARD CLASS		
SARA SECTION 313	:	Not Listed
NFPA HEALTH	:	2
NFPA FLAMMABILITY	:	0
NFPA REACTIVITY	:	0
EUROPEAN UNION REGULATOR	Y IN	
EC CLASSIFICATION	-	Xi: Irritant
DSD/DPD RISK (R) PHRASES	:	Xi: Irritant R34: Causes severe burns.
		R22: Harmful is swallowed.
DSD/DPD SAFETY (S) PHRASES	:	S1/2: Keep locked up and out of reach of children.
		S18: Handle and open containers with care.
		S26: In case of contact with eyes, rinse immediately with plenty
		of water and seek medical advice.
		S36/S37/39: Wear suitable protective clothing, gloves and eve/face protection.
		S45: In case of accidents or if you feel unwell, seek medical
		advice immediately. Show label where possible. S61: Avoid release to the environment.
		S64: If swallowed, rinse mouth with water if victim is conscious.
DSD/DPD HAZARD SYMBOL	:	Xi: Irritant

CANADIAN REGULATORY INFOR	MA	TION
WHMIS CATEGORY	:	Class D2B: Materials that cause other toxic effects (TOXIC).
DOMESTIC SUBSTANCES LIST (DSL)	:	Listed
INGREDIENT DISCLOSURE LIST	:	Listed, this product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all the information required by the CPR.

SECTION 16 – OTHER INFORMATION		
DISCLAIMER	: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.	
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.	
EINECS	: European Inventory of Existing Commercial Chemical Substances	
IMDG	: International Maritime Code for Dangerous Goods	
IARC	: International Agency for Research on Cancer	
ΙΑΤΑ	: International Air Transportation Association	
ACGIH	: American Conference of Governmental Industrial Hygienists	
NFPA	: National Fire Protection Association (USA)	
NTP	: National Toxicology Program	
SARA	: Superfund Amendments and Reauthorization Act	
TSCA	: Toxic Substances Control Act	
HMIS	: Hazardous Materials Identification System (USA)	
WHMIS	: Workplace Hazardous Materials Information System	
LC50	: Lethal concentration, 50 percent	
LD50	: Lethal dose, 50 percent	
STOT	: Systemic Target Organ Toxicity	
DATE PREPARED	: DEC 1, 2018	
DATE REVISED	: NOV 7, 2022	