SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME : TM DESCALER

SYNONYMS: Product is a mixture: No synonyms are available.

PRODUCT USE : Moderately Alkaline Material

SUPPLIER: Wesmar Co. Inc.

SUPPLIER'S ADDRESS: 1500 Industry St. Suite 300

Everett, WA 98203 (425) 775-7272

PERS: 1-800-633-8253

EMERGENCY RESPONSE PHONE

NUMBER

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS U.S. – CLASSIFICATION : H302 Harmful if swallowed.

: H315 Causes skin irritation

: H319 Causes serious eye irritation

LABEL ELEMENTS : GHS – US HAZARD PICTOGRAMS The product is classified and labeled according

to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS

SIGNAL WORD : WARNING

HAZARD STATEMENTS: H302 Harmful if swallowed.

(GHS-US)

: H315 Causes skin irritation.

: H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS : P101

(GHS-US)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

: P103 Read label before use.

P264 Wash skin and contaminated clothing thoroughly after handling.

: P270 Do not eat, drink, or smoke when using this product.

P280 Wear suitable protective gloves / protective clothing / eye protection /

face protection.

: P301+ IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

P312 unwell

: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

: P305+351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with

local/regional/national/international regulations

CLASSIFICATION SYSTEM : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4) : Health = 2, Fire = 0, Reactivity = 0 HMIS RATINGS (SCALE 0-5) : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTIC: Mixtures

DESCRIPTION: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS	
Aminotrimethylene Phosphonic Acid	1-5	6419-19-8	229-146-5	Metal Corr Cat 1, Eye Irrit Cat 2	
Sodium Hydroxide	1-5	1310-73-2	215-185-5	Metal Corr Cat 1, Skin Corr. Cat. 1A	
				Eye Dam. Cat. 1, Aquatic Acute Cat 3	
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A	

Note: The sodium hydroxide is neutralized by the acidity of the Aminotrimethylene Phosphonic Acid to non-hazardous pH levels. Irrit = Irritation, Cor = Corrosive, Dam = Damage, Cat = Category, Tox = Toxic, STOT = Specific Target Organ Toxicity.

SECTION 4 – FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice. Show the label where possible.

EYE CONTACT: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to

ensure adequate flushing. Remove contact lenses, if present and easy to do so. Continue rinsing. If irritation persists, get immediate medical attention.

SKIN CONTACT : Remove contaminated clothing and shoes. Wash affected skin area with soap and

water. If irritation persists, get immediate medical attention.

SWALLOWING (INGESTION): If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING.

If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate

medical attention.

INHALATION : Remove to fresh air. Get immediate medical attention.

OTHER INSTRUCTIONS : Rescue personnel must wear appropriate protective equipment during removal of

victims from contaminated areas. Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE : Dry chemical, foam, water, or carbon dioxide.

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all

non-essential personnel from the danger area.

FIGHTERS
UNUSUAL FIRE AND
EXPLOSION HAZARDS

: No further relevant information is available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT &
EMERGENCY PROCEDURES

CLEAN-UP

: Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid inhalation and direct contact.

ENVIRONMENTAL PROCEDURES
METHODS AND MATERIALS
FOR CONTAINMENT AND

Keep spilled material away from sewage/drainage systems and waterways.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an

appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE

STORAGE

: Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.





SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Aminotrimethylene Phosphonic Acid	Not Established	Not Established	Not Established
Sodium Hydroxide	2 mg/m³ (Ceiling)	2mg/m ³	2mg/m³ (Ceiling)
Ethylenediamine Tetraacetate Na Salt	Not Established	Not Established	Not Established

EYE PROTECTION

: Wear chemical splash goggles or face shield.

SKIN PROTECTION

: Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION

In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

VENTILATION

: Ensure adequate ventilation.

ADDITIONAL MEASURES

: Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE

: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear liquid with mild to no odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : 7.0 - 8.0 AS IS
MELTING POINT/FREEZING : Not available

POINT

BOILING POINT : Approx. 212° F.

FLASH POINT : Nonflammable, Noncombustible

EVAPORATION RATE : Not available

FLAMMABILITY : Nonflammable, Noncombustible

LOWER FLAMMABILITY LIMIT : Not available
UPPER FLAMMABILITY LIMIT : Not available

VAPOR PRESSURE Not available VAPOR DENSITY (AIR=1) Not available

RELATIVE DESNITY 1.14

SOLUBILITY IN WATER Soluble in water : Not available PARTITION COEFFICIENT n-

OCTANOL/WATER

AUTOIGNITION TEMPERATURE : Not available **DECOMPOSITION** : Not available

TEMPERATURE

SECTION 10 – STABILITY AND REACTIVITY

STABILITY : Stable under recommended storage conditions. HAZARDOUS CONDITONS TO : No decomposition if used according to specifications

AVOID

INCOMPATIBLE MATERIALS Keep away from strong acids.

HAZARDOUS DECOMPOSITION

PRODUCTS

ACUTE TOXICITY

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION **Aminotrimethylene Phosphonic acid**

LD50 Oral (Rat): 2910mg/kg, LD50 Dermal (Rabbit): > 6310mg/kg. **ACUTE TOXICITY**

CHRONIC EFFECTS ON HUMANS : Rat 24months: > 500 mg/kg. Conclusion: Practically non-toxic.

OTHER TOXIC EFFECTS ON Skin and Eyes (Rabbit): Moderate Irritant. **HUMANCS**

TOXICOLOGICAL INFORMATION Sodium Hydroxide

Draize test, rabbit, eye: 400 ug Mild. Draize test, rabbit, eye: 1% Severe. Draize test, rabbit, eye: 50 ug/24H Severe.

Draize test, rabbit, eye: 1 mg/24H Severe. Draize test, rabbit, skin: 500 mg/24H Severe.

EYE CONTACT : Causes severe eye damage.

: Causes skin burns. Onset of symptoms may be delayed following exposure. **SKIN CONTACT**

Corrosive to respiratory tract. **INHALATION INGESTION** : Corrosive to respiratory tract.

CARCINOGENICITY The components of this product are not classified as carcinogenic by OSHA, NTP

IARC or CA Prop 65

TOXICOLOGICAL INFORMATION **Ethylenediamine Tetraacetate Na Salt ACUTE TOXICITY** LD50 Oral (rat): 630 - 1,260 mg/kg,

No data available INHALATION LC50 No data available **DERMAL LD50** OTHER INFORMATION ON No data available

ACUTE TOXICITY

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION : Aminotrimethylene Phosphonic Acid

ECOTOXICITY : Acute LC50 fish (fresh water)14 days: 160mg/L, LC50 Daphnia-Daphnia Magna

(fresh water) 48hr: 297 mg/L, LC50 Daphnia (marine water) 48hr: 94mg/L

CHRONIC TOXICITY : Fish (fresh water) 60 days @ 23mg/L: No observable effect. Daphnia (fresh water)

Biodegradable.

28 days @ >25mg/L: No observable effect

BIODEGRADATION

TOXICITY OF PRODUCTS OF

BIODEGRADATION

The product and products of biodegradation are not toxic.

ECOLOGICAL INFORMATION : Sodium Hydroxide

ECOTOXICITY : Immobilization EC50/48h/Daphnia-40.38 mg/l. LC50 /96h/Mosquito fish-125 mg/l.

ENVIRONMENTAL : No information found. **PHYSICAL** : No information found.

OTHER : No relevant information available.

PERSISTENCE AND : No relevant information available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL

NOTES

No relevant information available.

Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of this product to reach ground water, water course or sewage system. Must no reach bodies of water or drainage ditch undiluted or un-neutralized. Rinse off larger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic

organisms.

ECOLOGICAL INFORMATION: Ethylenediamine Tetraacetate Na Salt

ECOTOXICITY : No data available.
PERSISTENCE AND : No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state, and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should

be classified as a hazardous waste.

SECTION 14 - TRANSPORTATION INFORMATION

DOT/IMDG/IATA PROPER

SHIPPING NAME

: Not Hazardous

HAZARD CLASS AND LABEL : Not Applicable.
UN NUMBER : Not Applicable.
PACKAGING GROUP : Not Applicable.
EPA REPORTABLE QUANTITY : Not Applicable.

(RQ)

MARINE POLLUTANT : Not listed.

EMERGENCY RESPONSE GUIDE : Not Applicable.

SECTION 15 – REGULATORY INFORMATION

U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information.

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN : Not listed.

TSCA STATUS: The ingredients of this product are listed in TSCA inventory (40CFR 710.)

SARA SECTION 302 : No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 312 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 312.

SARA SECTION 313 : This material does not contain any chemical components with known CAS numbers

that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : Xi: Irritant

DSD/DPD RISK (R) PHRASES : R22: Harmful is swallowed.

R36/38: Irritating to eyes and skin.

DSD/DPD SAFETY (S) PHRASES : S1/2: Keep locked up and out of reach of children.

S24/25: Avoid contact with eyes and skin.

S26: In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

S36/S37/39: Wear suitable protective clothing, gloves, and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment. S62: If swallowed, do not induce vomiting.

S64: If swallowed, rinse mouth with water if victim is

conscious.

DSD/DPD HAZARD SYMBOL : Xi: Irritant

CANADIAN REGULATORY INFORMATION:

WHMIS CATEGORY : D2B: Materials that cause other toxic effects (TOXIC).

Listed

 (\bar{t})

DOMESTIC SUBSTANCES LIST

(DSL)

INGREDIENT DISCLOSURE LIST : Listed

SECTION 16 – OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and

recommendations in the specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists



NFPA : National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS: Hazardous Materials Identification System (USA)WHMIS: Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : JAN 12, 2018 **DATE REVISED** : NOV 7, 2022