| | ITEM NO. | PART NO. | DESCRIPTION | QTY. | |
|---|-------------|----------|--|------|--|
| | 1 | H135V | Cuff-Lynx, 2" male cuff x 2" male thread starter cuff, vinyl | 1 | |
| | 2 | P583 | vac tank, MyteeLite | 1 | |
| | 3 | H312 | plate, connecting, MyteeLite | 4 | |
| | 4 | H230 | screw, 10-32 x 1/2" phil pan head, s/s | 28 | |
| | 5 | G103 | cap, 2.5" threaded, w barb | 1 | |
| | 6 | H303 | hose, drain, 14" | 1 | |
| | 7 | H350 | drain, hose plug, 1-1/2" | 1 | |
| | 8 | H423 | plug, 7/8", black, heyco | 2 | |
| | 9 | H222 | screw, 10-32 x 1-1/4" phil pan head, s/s | 6 | |
| | 10 | H688-A | handle, MyteeLite | 1 | |
| | 11 | G055 | tether, cap, 6 1/2" | 1 | |
| | 12 | P560 | cap, 6", threaded | 1 | |
| - | 13 | G031 | gasket, 3.25" i.d. x 5.88" o.d. | 1 | |
| - | 14 | G022 | filter, foam, 2.50" x .50" | 1 | |
| - | 15 | G021 | screen, mesh filter, 2.48" dia | 1 | |
| - | 16 | H203 | bolt, 1/4-20 x 1-1/4" hex head, s/s | 2 | |
| - | 17 | H210 | washer, 1/4" flat, s/s | 6 | |
| - | 18 | H216 | nut, lock, 1/4-20, nylon insert, s/s | 2 | |
| | 19 | H213 | washer, 1/4" lock, s/s | 2 | |
| - | 20 | H201 | bolt, 1/4-20 x 1/2" hex head, zinc | 2 | |
| - | 21 | H846B | cap, gallon jug, 1-5/8" | 1 | |
| - | | | | 1 | |
| , | 22 | H379 | bracket, front, small | 1 | |
| - | 23 | B119 | filter, strainer, 1/4" | 1 | |
| - | 24 | P584 | sol tank, MyteeLite | 1 | |
| - | 25 | G004 | gasket, vacuum motor | 2 | |
| - | 26 | C302P | vac motor, 3 stage | 1 | |
| - | 27 | H178 | faucet fill | 1 | |
| | 28 | B241 | adapter, brass, 3/8" barb x 1/4"mpt | 1 | |
| _ | 29 | PH612-60 | clear tubing, 1/2" OD x 3/8" ID, faucet fill | 1 | |
| _ | 30 | H681 | caster, 2", black hub, gray tread | 2 | |
| _ | 31 | H273 | nut, kep, #10-32 zinc | 16 | |
| | 32 | P585 | base, MyteeLite | 1 | |
| ; | 33 | H212 | flat washer, 9/16"ID x 1 1/16"OD, AN960-C916 | 4 | |
| | 34 | H279 | wheel, 6" | 2 | |
| | 35 | H042 | c-clip, 12mm, external | 2 | |
| | 36 | H254 | washer, axle, cut 1/2" id | 2 | |
| | 37 | H241 | axle, 13.63" x .50" dia | 1 | |
| _ | 38 | H029 | plastite screw, 10 x 1/2" | 4 | |
| | 39 | H289 | washer, 10 flat, s/s | 1 | |
| - | 40 | H389 | screw, 10-32 x 1/2" SHCS, alloy | 1 | |
| - | 41 | E515 | switch, rocker, 2 position | 3 | |
| | 42 | E531 | power cord, end, 25', 12/3 black | 1 | |
| | 43 | H220 | fitting, strain relief, cord | 1 | |
| | 44 | H310 | plate, switch, MyteeLite, 3 hole | 1 | |
| - | 45 | H221 | nut, lock, 1/2" steel | 1 | |
| - | 46 | H486 | latch, front | 1 | |
| - | 46 | G068 | bumper, 7/8" x 1/4" head | 2 | |
| _ | 48 | H256 | screw, 10-32 x 3/4" phil pan head, zinc | 2 | |
| - | | | ' ' | 1 | |
| - | 49 | B652 | elbow, brass, 90 deg, 3/8"mpt x 1/4"mpt | 1 | |
| - | 50 | AH184 | hose, pulse, 3/8" x 14-1/2" (OAL), f | 1 | |
| - | 51 | C305 | pump, 120 psi, 115V | 1 | |
| | 52 | B170 | ferrule, 1/4" brass | 2 | |
| · | 53 | B105 | bushing, brass, 3/8"mpt x 1/4" | 1 | |
| | 54 | B152 | elbow, brass, 90 deg, 1/4" barb x 1/4" mpt | 1 | |
| | 55 | PH634-13 | sol hose, 1/4" silicone braided, clear | 1 | |
| l | 56 | B110 | adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket | 1 | |


| | 1 | I The state of the | | | | |
|---------------|--|--|---|--|--|--|
| ITEM PART NO. | | DESCRIPTION | | | | |
| 57 | B107 | nipple, brass, 1/4"m, hex | 2 | | | |
| 58 | 58 B103 elbow, brass, 90 deg, 1/4"mpt x 1/4" fpt | | 1 | | | |
| 59 | H903A | heater, aluminum cast, single | 1 | | | |
| 60 | E519 | heating rod, 1000W, 115V | 1 | | | |
| 61 | E573 | Thermostat, 200°, Auto, 1/4" | 1 | | | |
| 62 | E574 | Thermostat, 310°F ± 10°F, Manual, 1/4" | 1 | | | |
| 63 | H274 | screw, 6 x 3/16, phil pan head, self-tapping | 5 | | | |
| 64 | B108 | valve, brass, 1/4" check | 1 | | | |
| 65 | B207 | elbow, brass, 90 deg, 1/4" fpt x 1/4" fpt | 2 | | | |
| 66 | B136 | elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt | 1 | | | |
| 67 | AH157 | hose, 3/8" x 9" (OAL), f x fsw | 1 | | | |
| 68 | H484 | plate, mounting, QD | 1 | | | |
| 69 | B111 | adapter, brass, extender, 1/4" mpt x 1/4" fpt, hex | 1 | | | |
| 70 | B102 | qd, brass, 1/4" f x 1/4" fpt | 1 | | | |

ITEMS NOT SHOWN

| PART NO. | DESCRIPTION | QTY. |
|----------|--|------|
| A997 | harness, electrical | 1 |
| B101 | quick disconnect, male, 1/4" male x 1/4" fpt | 1 |
| B102 | quick disconnect, 1/4" female x 1/4" fpt | 1 |
| B104 | bushing, hex, 1/4" mpt x 1/8" fpt | 1 |
| AH136 | sol hose, 1/5" x 15', 1/8 mpt x 1/4 mpt | 1 |
| G036 | cap, 2.5" threaded, tethered | 1 |
| G079 | hose wrap, heat guard | 1 |
| H701 | hose, vac, 15' x 1-1/4" w/ 1 1/2 black cuffs | 1 |
| 8400P | upholstery tool, Air Lite | 1 |
| H122V | Cuff-Lynx, 2" fem cuff x 1.25" fem vac hose, vinyl | 1 |
| H133 | Cuff-Lynx, 1-1/4" hose x male & female | 2 |
| P590 | cuties, 1/4" qd, strandard pack of 2 | 1 |
| ADM-8070 | manaul, Mytee-Lite | 1 |

COMPONENT ASSEMBLIES

| ITEM NO. | | | QTY. | |
|-------------|-------|--|------|--|
| | A901 | heater assembly, 1000w, 115v | 1 | |
| 59 | H903A | heater, aluminum cast, single | 1 | |
| 60 | E519 | heating rod, 1000W, 115V | 1 | |
| 61 | E573 | Thermostat, 200°, Auto, 1/4" | 1 | |
| 62 | E574 | Thermostat, 310°F ± 10°F, Manual, 1/4" | 1 | |




| 55 | NAME M.LaBarbera | DATE 1/2014 | M | YTEI | E PRODUC | CTS, | INC. |
|---|---------------------|----------------|--------|----------|-------------------------|-----------------|----------|
| DRAWN | W.Labarbera | 1/2014 | | | 858-679-1191 | | |
| CHECKED | | | TITLE: | | | • 1 | |
| COMMENTS: | | | | My | /tee L | ıte | |
| PROPRIETARY AND CONFIDENTIAL | | | | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS | | SIZE | DWG. I | 8070 | | rev F | |
| PROHIBITE | | | SCA | LE: 1:24 | DO NOT SCALE DRAWING | SHEE | T 1 OF 3 |
| | | | | | | | |

6


3

2



| | NAME | DATE | NA. | VTE. | E PRODU | OTC. | INIC |
|---|---|------------|--------|----------|-------------------------|--------|----------|
| DRAWN | M.LaBarbera | 1/2014 | TAT | | 858-679-1191 | υ i 3, | INC. |
| CHECKED | | | TITLE: | | _ | | |
| COMMENTS: | | | | W | ytee L | ite | |
| PROPRIETARY AND CONFIDENTIAL | | | | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF | | | SI7F | DWG. | NO | | RFV |
| MYTEE PRO REPRODU WITHOUT | ODUCTS, INC. ANY CTION IN PART OR A THE WRITTEN PERMIS ODUCTS, INC. IS | AS A WHOLE | C | DWO. | 8070 | | F |
| PROHIBITE | | | SCA | LE: 1:24 | DO NOT SCALE DRAWING | SHEE | T 2 OF 3 |
| 2 | | | | | 1 | | |

| | 8 | 7 | | | | | | |
|-----------|--------------------------|-----------|----------|--|--|--|--|--|
| REVISIONS | | | | | | | | |
| REV. | DESCRIPTION | DATE | APPROVED | | | | | |
| OD | ORIGINAL DRAFT | 1/3/2014 | JFL | | | | | |
| Α | G004A REPLACED WITH G004 | 3/19/2014 | ML | | | | | |
| В | ADDED H212 AND B170 | 3/19/2014 | ML | | | | | |
| С | ADDED H029 | 6/18/2014 | ML | | | | | |
| D | ADDED H423, B110 | 7/11/2014 | ML | | | | | |
| Е | ADDED B241, B111 | 4/15/2015 | ML | | | | | |
| F | RPLACED B136 WITH B652 | 4/13/2016 | ML | | | | | |



| | NAME | DATE | | 1 | | | |
|--|-------------|--------|------------|-------------------------|--------------|----------|-----------------|
| | NAME | DATE | M | $\sqrt{T}F$ | f E PRODL | PT0 | INIC |
| DRAWN | M.LaBarbera | 1/2014 | AVA . | | 858-679-1191 | , C 1 O, | IIVO. |
| CHECKED | | | TITLE: | | | | |
| COMMEN | TS: | | Mytee Lite | | | | |
| PROPRIETARY AND CONFIDENTIAL | | | | | | | |
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS | | | SIZE | DWG. | 8070 | | REV F |
| PROHIBITED. | | SCAL | E: 1:24 | DO NOT SCALE DRAWING | SHEE | T 3 OF 3 | |
| | _ | | | | | | |