		8	7	6
	item No.	PART NO.	DESCRIPTION	QTY.
	1	H230	screw, 10-32 x 1/2" phil pan head, s/s	48
F	2	H487	bracket, hinge	2
	3	E360	flanged male inlet recaptacle, 230V, 20A	2
	4	H273	nut, kep, #10-32 zinc	22
	5	H296	guard, cooling fan, wire	2
	6 7	H343 H371	screw, #10 x 5/8" hex head zinc axle, 18.03" x .50" dia	8
	8	H254	washer, axle, cut 1/2" id	4
	9	H392	wheel, 10"	2
	10	H042	c-clip, 12mm, external	2
	11	P696	base, breeze	1
	12	H668	caster, 4", black hub & gray tread	2
	13	H342	bolt, 1/4-20 x 1" hex head, s/s	8
E	14	H210	washer, 1/4" flat, s/s	8
	15	H216	nut, lock, 1/4-20, nylon insert, s/s	8
	16	B107	nipple, brass, 1/4"m, hex	5
	17	H484	plate, mounting, QD	2
	18	B102	qd, brass, 1/4" f x 1/4" fpt	1
	19	B205B	quick disconnect, 1/2" mpt x 3/4" mqd, garden hose	1
	20	B656A	valve, ball, 1/2" mpt x 1/2" fpt, s/s	1
	21 22	H299 B199	washer, 11/16"id x 1-1/2"od x .075, s/s coupler, 1/2" fpt x 1/4" fpt	7
	23	B101	qd, brass, 1/4" m	1
	28	H486	latch, front, set, large	2
D	25	H289	washer, 10 flat, s/s	2
	26	E515	switch, rocker, 2 position	4
-	27	H422	plug, dome 3/8", black	2
	28	E512B	light, indicator, blue	1
	29	G068	bumper, 7/8" x 1/4" head	2
	30	H641-DIY	plate, switch	1
	31	B105	bushing, brass, 3/8"mpt x 1/4"	6
	32	B169	tee, 3/8" Street Tee, MPTxFPTxFPT	2
	33	B104	bushing, brass, 1/4" mpt x 1/8" f	2
	34	B136	elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt	1
	35	C322	pump, 200psi, piston115V	1
С	36	AH157	hose, 3/8" x9" (OAL), f x fsw	1
	37 38	C381 B644	pump out, 3.3 gpm, 115v barb, 1/2" barb x 1/4" mpt	1
	39	PH615	sol hose, 1/2" kuri 100psi	1
	40	B160	adapter, brass, 1/2" barb x 3/8" fsw, ball end	3
	41	PH615	sol hose, 1/2" kuri 100psi	1
_	42	PH628-10	vac hose, 2", black, wire reinforced	1
	43	C348	vac motor, lx, hybrid, w/inlet tube, 173 cfm, 120v	1
	44	PH628-10	vac hose, 2", black, wire reinforced	1
	45	H503	vac support, 3 stage, 3.25", no thrds	6
	46	C347	vac motor, lx, hybrid, 173 cfm, 120v	1
В	47	B130	45 deg, street elbow, brass, 1/4" male NPTF	1
	48	H876	washer, 1/2 flat, s/s	2
	49	B103	elbow, brass, 90 deg, 1/4"mpt x 1/4" fpt	2
	50	B110	adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket	2
	51	B119A B210	filter, strainer, 1/2" fpt	1
	52 53	B210 B216	bushing, brass, 1/2"mpt x 3/8" fpt, hex nipple, brass, 3/8" x close	
	 54	B216 B186	elbow, 90 deg street, 3/8"mpt x 3/8" fmpt	2
	55	PH615	sol hose, 1/2" kuri 100psi	1
	56	B652	elbow, brass, 90 deg, 3/8"mpt x 1/4"mpt	1
	57	AH108S	sol hose, 1/4" x 24 1/2", (OAL), f x fsw, 3000psi	1
A	58	B109	barb, 1/4" barb x 1/4" mpt	1
	59	PH634-15	sol hose, 1/4" kuri 100psi	1
	60	H768	bolt, 1/4-20 x 3/4" serrated hex flange, zinc	6
	61	H390A	bracket, "L", 2" x 2"	2

item No.	PART NO.	DESCRIPTION	QTY.
62	P697	sol tank, breeze	1
63	H547	hanger, wire for injection sprayer	1
64	H215	nut, hex, 1/4-20 s/s	1
65	H211	washer, 1/4"id x 1"od, flat, s/s	4
66	G052	washer, buna 1-1/8" od x 3/16" id	4
67	B303	nipple, 3" long x 1/4" npt x 1/4" npt	3
68	B142	coupling, 1/4" fpt x 1/4" fpt	2
69	B167	elbow, 90 deg street, 1/2" fpt x 1/2" mpt	1
70	B198	adapter, 3/4" fgh x 1/2" mpt, w/ gasket	1
71	H541A	valve, float, autofill	1
72	H203	bolt, 1/4-20 x 1-1/4"	1
73	G062	lid, sol tank	1
74	B131	fitting, 1/4" barb x 1/8" FPT	2
75	B143	street elbow, 90 degrees, 1/8"	2
76	B129	nipple, hex, 1/8" mpt x 1/8" mpt	2
77	H384	washer, 3/8 flat, s/s	2
78	H325	flow meter, electric truckmount	1
79	PH634-15	sol hose, 1/4" kuri 100psi	1
80	PH634-15	sol hose, 1/4" kuri 100psi	1
81	H333	filter, mesh, auto dump, 1/2" npt	1
82	H225	valve, drain, 1-1/2"	1
83	H485	handle, aluminum grip, black	1
84	H135	Cuff-Lynx, 2" m cuff x 2" mpt	1
85	A926	elbow, inlet assembly 2"	1
86	G091	gasket, 7", vac lid	1
87	G090	lid, vac tank, clear, 7''	1
88	H304	screw, #8 x 5/8 phil oval, s/s	6
89	G003	filter, foam, 2", vac stack, 1/2"	1
90	G097	filter, screen mesh, 1.90" dia	1
91	P502	adapter, 1.5" pvc, fslip x fslip	1
92	PH633-13	pipe, pvc, 1-1/2"	1
93	P520	adapter, 1.5" mpt pvc	1
94	G002	gasket, cam fitting polyethylene, 2.35" OD 1.90" ID	1
95	H300	cuff, hose, 1-1/2 x 1-1/2, wire	1
96	P698	vac tank, breeze	1


	2	1	
	REVISIONS		
REV.	DESCRIPTION	DATE	APPROVED
OD	ORIGINAL DRAFT	9/2019	JFL


F

D

С

А





	NAME	DATE	KAN	√тг		<u>ото</u>	
DRAWN	M.LaBarbera	9/2019	MYTEE PRODUCTS, INC.				
CHECKED			TITLE:				
	TS: ETARY AND CONFID				Breez	e	
DRAWING MYTEE PR	G IS THE SOLE PROP ODUCTS, INC. ANY	ERTY OF	SIZE	DWG.	NO.		REV
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS			С	BZ-	102LX-A	uto	OD
PROHIBITE	±D.		SCAI	E: 1:24	DO NOT SCALE DRAWING	SHEE	T 2 OF 5


1

Е

D

С

А




	NAME	DATE		ЛТГ			ידפ	
DRAWN	M.LaBarbera	9/2019	TAT	MYTEE PRODUCTS, IN				
CHECKED			TITLE:	TITLE:				
	IS: ETARY AND CONFID RMATION CONTAIN			Bre	eez	е		
MYTEE PR	DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY			DWG.	NO.			REV
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED.			С	BZ-	102L	X-Au	Jto	OD
			SCAI	E: 1:24		NOT DRAWING	SHEE	T 3 OF 5

Е

D

С



	NAME	DATE					
DRAWN	M.LaBarbera	9/2019	MYTEE PRODUCTS, INC.				
CHECKED			TITLE:				
	IS: <b>ETARY AND CONFIL</b> RMATION CONTAIN		Breeze	¢			
	G IS THE SOLE PROP ODUCTS, INC. ANY		SIZE DWG. NO.	REV			
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS			C BZ-102LX-Aut	to <b>OD</b>			
PROHIBITE	:D.		SCALE: 1:24 DO NOT SCALE DRAWING S	SHEET 4 OF 5			

Е

D

С

	8	7	
ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	G036	cap, 2.5" threaded, tethered	1
2	P535	bottle, 5 quart, w/ caps	1
3	H456D	hose w/filter for injection valve	1
4	H456B	cap (only) w/ hole	1

F


Е

D

С

А


8



7 6

6

5



4

3

	NAME	DATE	M	√тг	F DC	RODUC	TO	
DRAWN	M.LaBarbera	9/2019	TAT :		58-67 E	79-1191	JIS,	INC.
CHECKED			TITLE:					
	IS: ETARY AND CONFIE RMATION CONTAIN	chemical injection, 5 gallon						
	G IS THE SOLE PROP ODUCTS, INC. AN		SIZE	DWG.	NO.			REV
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS			С	BZ-	102L	_X-Au	Jto	OD
PROHIBITE	:D.	SCAL	E: 1:24	DC SCALE	D NOT DRAWING	SHEE	T 5 OF 5	
2						1		

1

Е

D

С