
		O	, and the second	Ü
	ITEM NO.	PART NO.	DESCRIPTION	QTY.
	1	H230	screw, 10-32 x 1/2" phil pan head, s/s	36
	2	H487	bracket, hinge	2
-	3	H221	nut, lock, 1/2" steel, electrical	2
F	4	H220	fitting, strain relief, cord	2
-	5	E550 H296	power cord, male end, blue lit, 25", 12/3, sjtw solid jacket	2
-	6		guard, cooling fan, wire	8
	7 8	H343 H371	screw, #10 x 5/8" hex head zinc axle, 18.03" x .50" dia	1
-	9	H254	washer, axle, cut 1/2" id	4
	10	H392	washer, axie, cor 1/2 la wheel, 10"	2
	11	H042	c-clip, 12mm, external	2
-	12	H668	caster, 4", black hub & gray tread	2
-	13	H342	bolt, 1/4-20 x 1" hex head, s/s	8
_	14	H210	washer, 1/4" flat, s/s	8
E -	15	H216	nut, lock, 1/4-20, nylon insert, s/s	8
	16	H484	plate, mounting, QD	1
	17	H273	nut, kep, #10-32 zinc	12
	18	B102	qd, brass, 1/4" f x 1/4" fpt	1
	19	H486	latch, front, set, large	2
	20	H289	washer, 10 flat, s/s	2
	21	E515	switch, rocker, 2 position	3
	22	H422	plug, dome 3/8", black	2
	23	P967A	plug, switch	1
	24	H434	plug, vent, heyco, 1/2"	1
D	25	H641-DIY	plate, switch	1
	26	G068	bumper, 7/8" x 1/4" head	2
-	27	P696	base, breeze	1
-	28	H528	bracket, heater mounting, dual	1
-	29	A908	heater, 1600wt, 115v	1
	30	B142A	coupling, brass, 1/4" fpt x 1/4" fpt	
	31	B108	valve, brass, 1/4" check	1
-	32	AH157 B107	hose, 3/8" x9" (OAL), f x fsw	3
	34	B107	nipple, brass, 1/4"m, hex valve, brass, relief, 500 psi	1
	35	B113	tee, 1/4" fpt x 1/4" fpt x 1/4" fpt	1
	36	B113	elbow, brass, 90 deg, 1/4"mpt x 1/4" fpt	2
С	37	B652	elbow, 90 deg, 3/8"mpt x 1/4"mpt	2
-	38	C322	pump, 200psi, piston115V	1
-	39	PH628-10	vac hose, 2", black, wire reinforced	1
	40	C347	vac motor, lx, hybrid, 173 cfm, 120v	1
	41	H503	vac support, 3 stage, 3.25", no thrds	6
	42	C348	vac motor, lx, hybrid, w/inlet tube, 173 cfm, 120v	1
	43	PH628-10	vac hose, 2", black, wire reinforced	1
	44	B110	adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket	2
	45	PH615	sol hose, 1/2" kuri 100psi	1
	46	H212	flat washer, 9/16"ID x 1 1/16"OD, AN960-C916	2
В	47	B130	45 deg, street elbow, brass, 1/4" male NPTF	1
	48	B186	elbow, 90 deg street, 3/8"mpt x 3/8" fmpt	1
	49	B160	adapter, brass, 1/2" barb x 3/8" fsw, ball end	1
	50	H299	washer, 11/16"id x 1-1/2"od x .075, s/s	2
-	51	B216	nipple, brass, 3/8" x close	1
_	52	B210	bushing, brass, 1/2"mpt x 3/8" fpt, hex	1
-	53	B119A	filter, strainer, 1/2" fpt	
-	54	PH615	sol hose, 1/2" kuri 100psi	1
-	55	B235	adapter, brass, 3/8" barb x 1/4" fsw	
-	56	H768	bolt, 1/4-20 x 3/4" serrated hex flange, zinc	6
Δ	57	H390A	bracket, "L", 2" x 2"	2
Α	58	P697	sol tank, breeze	1
-	59	G062	lid, sol tank	1
-	60	H215	nut, hex, 1/4-20 s/s	1
	61 62	H211 G052	washer, 1/4"id x 1"od, flat, s/s washer, buna 1-1/8" od x 3/16" id	4
-	υZ	JUJZ	WUSHEL, DUHU 1-1/0 UU X 3/10 IU	4


	ITEM NO.	PART NO.	DESCRIPTION	QTY.
	63	H203	bolt, 1/4-20 x 1-1/4"	1
	64	A145	Handle, Wheel Kit, LTD	1
	65	H225	valve, drain, 1-1/2"	1
	66	H485	handle, aluminum grip, black	1
	67	H135	Cuff-Lynx, 2" m cuff x 2" mpt	1
	68	A926	elbow, inlet assembly 2"	1
	69	G091	gasket, 7", vac lid	1
	70	G090	lid, vac tank, clear, 7"	1
	71	H304	screw, #8 x 5/8 phil oval, s/s	6
	72	G003	filter, foam, 2", vac stack, 1/2"	1
	73	G097	filter, screen mesh, 1.90" dia	1
	74	P502	adapter, 1.5" pvc, fslip x fslip	1
	75	PH633-13	pipe, pvc, 1-1/2"	1
	76	P520	adapter, 1.5" mpt pvc	1
	77	G002	gasket, cam fitting polyethylene, 2.35" OD 1.90" ID	1
Ī	78	H300	cuff, hose, 1-1/2 x 1-1/2, wire	1
Ī	79	P698	vac tank, breeze	1
-	_			


-	REVISIONS					
REV.	DESCRIPTION	DATE	APPROVED			
OD	ORIGINAL DRAFT		JFL			



	NAME	DATE	NAV		PRODU	ICTC	INIC
DRAWN	M.LaBarbera	5/2019	TAT T		858-679-1191	JC15,	INC.
CHECKED			TITLE:				
COMMENTS: PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS					Bree	ze	
DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED.			DWG. N			REV	
		C	BZ-	102L	XH	OD	
		SCALE	: 1:24	DO NOT SCALE DRAWING	SHEE	T 1 OF 4	


6 5 4 3






ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	H042	c-clip, 12mm, external	2
2	H358B	wheel, 3"	2
3	H507	axle, 7.94" x .50" dia	1
4	H210	washer, 1/4" flat, s/s	2
5	H169	bolt, 1/4-20 x 2", hex head	2
6	P650	wheel handle, LTD	1
7	G052	washer, buna 1-1/8" od x 3/16" id	2
8	H211	washer, 1/4"id x 1"od, flat, s/s	2
9	H216	nut, lock, 1/4-20, nylon insert, s/s	2

REVISIONS				
REV. DESCRIPTION DATE		APPROVED		
OD	ORIGINAL DRAFT	3/2019	JFL	





	NAME	DATE	MYTEE PRODUCTS, INC.
DRAWN	M.LaBarbera	3/2019	IVI I I ILL PRODUCTS, INC.
CHECKED			TITLE:
COMMENTS: PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS			Handle, Wheel Kit, LTD
DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS PROHIBITED.		AS A WHOLE	SIZE DWG. NO. REV DD
			SCALE: 1:4 SCALE BRANCHIC SHEET 4 OF 4

SCALE: 1:4 SCALE DRAWING SHEET 4 OF 4